



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 13    **Issue:** I    **Month of publication:** January 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.66187>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# A Dynamic Model Integrating Machine Learning and IOT for Real-Time Traffic Management

Mylaru Pallavi<sup>1</sup>, Palakolanu Pavani<sup>2</sup>, M. Jayalakshmi<sup>3</sup>, Gummadi Sravani<sup>4</sup>, C. Ahalya<sup>5</sup>

*Electronic and Communication Engineering, Ravindra College of Engineering For Women, Kurnool*

**Abstract:** *One of the major problem for this generation is to deal with traffic. Due to traffic congestion, high level of fuel use for motor vehicles, long travel time of destination work tardiness and some often come up with car collisions happening. The problems like very bad condition of roads, dust etc. also leads to more congestion as compared well maintained transport system, harsh weather conditions like rain or fog may be other causes of chaotic situation and lack in knowledge about the traffic rules along with right choice for route selection at the time traveling. And in this generation nearly every one of the people want to follow smart work rather than hard working as a traveller to crawl their respective goals without wasting of time, money, Fuel resources. This scripts high slow the application of route optimization model for placing a request to planning good path finder using IOT combined Machine learning Algorithm.*

*While current route recommendation systems analyse past traffic data and predict present conditions, their suggested paths are not always optimal due to the dynamic nature of traffic flow. Multiple intertwining factors continually transform road conditions in real-time, necessitating a more nuanced solution. We propose an integrated machine learning and IoT model tracking GPS, weather sensors, and other real-time data sources to intelligently adapt to streets' fluctuating states. By harnessing this wealth of contextual updates, travellers using our system will receive personalized, situation-aware guidance optimized for their specific journey. Whether routes fill after incidents clear or alternative paths emerge through predictive diversions, this combinatory approach learns the interconnectivity of influences shaping each traveller's optimal path. Empowering drivers with such nuanced, up-to-the-moment recommendations allows them to reach their destinations more smoothly amid transportation networks' ceaseless changes.*

**Keywords:** *Traffic Congestion, Machine Learning Algorithm, GPS tracking, Insights Information about Traffic from GPS, Weather conditions.*

## I. INTRODUCTION

To reduce the traffic congestion and optimize the path selection for the traveller by following our introduced model is makes the easy solution for them. In this model we used Machine learning algorithm combined with IOT technologies. By using sensors for predicting the weather conditions, GPS Tracking system for collecting the dynamically changeable traffic information. By giving those datasets to the Machine Learning Algorithms like Random Forest Classifier, we can get accurate output as resultant.

For finding the dynamic weather changes like rain, fog, temperature, the importance of IOT sensors takes place. These parameters are directly affected the traffic flow. Using of IOT Sensors continuously monitor towards dynamic changes and help for the effective decision making in finding the best Route selection.

The GPS tracking system helps to collect the continuous traffic information. From this, it is easy to analyse about traffic flow, roadblocking, high traffic areas. Based on the results it helps to suggest the best route to travel. When we able to use IOT technology in such a way that GPS Tracking, weather predicting purpose, overall, it makes the system highly responsible for the real time traffic changes.

The data from the GPS, weather predicting sensors is processed by the Machine Learning Algorithm by following the 2 sub methods 1) Training and 2) Testing.

The whole datasets are divided in to two sub parts:

**Training:** The 90% of data from dataset is used to train the model purpose. In this case, the analyzation of inputs and outputs take place. In this scenario, which machine learning algorithm gives more accurate output we will go with that particular algorithm.

**Testing:** The remaining 10% of data is used for the test the model purpose. With the help of Machine learning algorithm, the remaining outputs are derived from the algorithm, and differentiation of the expected and actual output takes place.

As above mentioned way the machine learning model combined with IOT will give the accurate outputs based on real time traffic conditions.

## II. EXISTING WORK

"As technology continues to progress, a number of strategies have been developed to alleviate traffic jams and maximize travellers' choice of routes. These bellow are the some existed models.


*Current Models:*

- 1) *The Algorithm of Dijkstra Overview:* A traditional method for determining a graph's shortest path between nodes. It determines the shortest route between a single source and every other node using static data.  
*Limitations:* Real-time changes in traffic conditions, such as congestion, accidents, or road closures, are not taken into account by Dijkstra's algorithm. This implies that it might suggest a route that isn't the fastest right now.
- 2) *An Algorithm\* Overview:* A heuristic-based extension of Dijkstra's Algorithm that boosts productivity. By calculating the cost from the current node to the destination, it enables faster pathfinding.  
*Limitations:* A\* still lacks the ability to dynamically adapt to traffic conditions in real time, even though it can find paths efficiently in static scenarios. Its recommendations may therefore soon become out of date.
- 3) *The Random Forest Classifier Overview:* A machine learning algorithm that makes predictions based on past traffic data and different factors affecting traffic flow by using an ensemble of decision trees.  
*Limitations:* Random Forest may have trouble integrating data in real-time and is unable to automatically adjust to abrupt changes in traffic conditions without continuous retraining, despite its capacity to handle a large number of variables.
- 4) *Reinforcement Learning (RL) Overview:* An AI technique in which an agent gains decision-making skills via trial and error, refining its course of action in response to environmental feedback. RL can be applied to traffic management to dynamically modify routes in response to real-time feedback.  
*Limitations:* In order to train efficiently, RL models need a lot of data, and they might not generalize well to new situations. They can also be slow to converge and computationally costly. For reduction of all these models can be done with the help of Machine Learning combined IOT.

## III. METHODOLOGY

This chapter provides the step-by-step procedure in creating a dynamic route rationalization model that uses machine learning and IoT to provide real-time traffic and weather conditions.

Flow Chart for Machine Learning combined IOT:



**A. Data Collection:**

- 1) *Traffic Data:* It is gathered through the GPS tracking system so that real-time updates of congestions, accidents, roadblocks, and traffic density can be given
- 2) *Weather Data:* IoT-enabled sensors gather rainfall, fog, and temperatures. These are the conditions that will considerably influence the road conditions, and hence the traffic pattern.

**B. Data Processing:**

- 1) *Preprocessing:* Remove missing, incorrect, or inconsistent values to ensure good-quality inputs.
- 2) *Normalization:* Normalize data, e.g., Min-Max Scaling for improving the performance of algorithms.

**C. Training and Testing**

- 1) *Training Phase:* Use the Random Forest Classifier to train using 90% of the data set on traffic flow patterns and road conditions. This training will rely on historical and real-time data to enable greater adaptability.
- 2) *Testing Phase:* Set aside the remaining 10% for testing purposes. Compare actual conditions with model's predictions for accuracy fine-tuning.

**D. Algorithm Selection**

The Random Forest Classifier was selected on grounds of the strength in dealing with multiple types of data and capabilities of handling non-linear relationships in real-time dynamic data.

**E. Real-Time Adaptation**

The ML model learns and adapts on GPS and IoT data in real-time dynamic manners and constantly, changing conditions in real time as traffic patterns change and weather improves.

## IV. IMPLEMENTATION PROCESS

This section explains the practical implementation of the dynamic route rationalization model, including hardware and software entities with integration machine algorithms as well as the application of IoT technology for real-time data capture and processing.

**A. Hardware Setup**

The implementation plan involves a reliable hardware architecture designed to capture real-time traffic and weather data. The parts include:

- 1) *GPS Tracking Module:* It captures real-time traffic parameters like the speed of vehicles, congestion levels and road conditions.
- 2) *IoT Sensors:* These sensors are used to monitor environment parameters. Some of them include:
- 3) *Temperature Sensors:* Ambient temperature happens to be one of the key factor that is said to be affecting the traffic parameters. These are calculated using this sensor.
- 4) *Rainfall Sensors:* This sensor captures the intensity of precipitation, which may lead to road safety or congestion.
- 5) *Fog Sensors:* These sensors are used for monitoring visibility, which happens to be a significant parameter while driving.

**B. Software Setup:**

- 1) *Data Processing Platform:* All the information gathered from the sensors and GPS are stored and processed in a cloud-based platform, such as AWS or Google Cloud. This platform is also where the deployment of machine learning models takes place
- 2) *Programming Environment:* The model development environment used here is Python because it has an expansive library suitable for applying machine learning (scikit-learn, TensorFlow) and data manipulation (pandas, NumPy).

**C. Data Collection and Integration:**

- 1) *IoT Data Collection:* All the continuous environmental data that the IoT sensors collect is directed to the cloud. The data obtained from the GPS tracking module is transferred to the cloud for processing.
- 2) *Data Integration:* A pipeline integrates traffic data and weather data so that there is a single dataset for analysis. This integration includes: Time stamping entries to align data.

Merge the datasets at the shared timestamps to ensure the correlation of traffics and weather conditions.

**D. Model Development:**

- 1) **Training:** Split the dataset into training (90 %) and testing (10 %) subsets. Then train the Random Forest Classifier by feeding historical traffic data and current weather information to it to find the correlation between different variables that control the choice of routes.
- 2) **Testing:** To train the model, it is evaluated on the dataset and optimal routes predicted by the model are compared to traffic conditions for improvements in accuracy. Accuracy, F1 Score, and Precision are used here.

**E. Real-Time Adaptation**

- 1) **Dynamic Learning:** The system is real-time learning. New data received in real time re-evaluate existing route suggestions through the machine learning model. This means users will get the most accurate and timely information possible.

**F. User Interface Development:**

- 1) **Route Recommendation App:** Build a friendly mobile application where the user inputs their destination, and an optimal route, given the current conditions, is generated. Its features are: Real-time traffic and weather update notifications Alerts to follow an alternative route if significant changes in the traffic patterns are detected.


**G. Data Visualization:**

- 1) **Data Visualization:** The App will use visual analytics for traffic and environmental condition representations. The main visualizations are:
- 2) **Time-Series Graphs:** Traffic density change and variation in the weather conditions
- 3) **Heat Maps:** Representation of the level of congestion across the regions in order to decide on a route.


**V. CONCLUSION AND FINDINGS**

With the integration of machine learning and IoT technologies, the dynamic route rationalization model yields significant improvements in real-time management and optimization of routes. This was achieved through the evaluation of the model using various machine learning algorithms, which had performed predictions with fairly acceptable accuracy based on historical traffic data as well as the real-time sensor data provided from the IoT sensors.


**1) Weather Reports Over Time:**



2) *Dynamic GPS Tracking Data Over Time:*



3) *Machine Learning Algorithm:*



**VI. RESULTS**

*A. Accuracy of Predictions:*

The MSE value of the Random Forest Classifier model was 152.5931, MAE of 8.6035, and R-squared of 0.9294. All these values clearly indicated that models could characterize the traffic and weather conditions and could, therefore, generate very accurate routes based on real-time situations.

*B. Dynamic Adaptation:*

It learns in real time and adjusts dynamically on account of the incoming data in forms of GPS tracking, as well as information from the weather sensors, thereby ensuring that routes recommended always remain optimal, given the situations, from traffic incidents to adverse weather conditions

*C. User-centric insights:*

This app of the recommended route allows the power to the traveller as it updates the person traveling with real time conditions apart from providing routes that deviate one to take another lane. This approach becomes imperative for reducing delays and makes the travel experience overall, fostering effective utilizations of time, fuel, and other resources.

## VII. CONCLUSIONS

This study actually proves that the proposed dynamic route rationalization model based on machine learning and IoT capabilities is a great solution against congestion traffic and the choice of optimal routes for travellers by leveraging real-time GPS and environmental sensor data to enhance accuracy and efficiency in the model.

Such systems will learn and adapt with dynamics in changes of traffic patterns as well as weather conditions; therefore, it is possible to provide the route with minimum travel time while resources are consumed minimally. With increasing urbanization, such innovative solutions will become highly critical for developing the smarter traffic systems required to accommodate modern trends of travel. Future work may include introducing more sophisticated techniques of machine learning and increasing dataset size to include even more aspects that may influence traffic flow so eventually provide further improved predictions with a better user experience.

## REFERENCES

- [1] P. Sun, N. AlJeri and A. Boukerche, "A Fast Vehicular Traffic Flow Prediction Scheme Based on Fourier and Wavelet Analysis," 2018 IEEE Global Communications Conference (GLOBECOM), Abu Dhabi, United Arab Emirates, 2018, pp. 1-6, Doi: 10.1109/GLOCOM.2018.8647731.
- [2] U.S. Department of Transportation, "Congestion Pricing, a Primer: Overview," available: [https://ops.fhwa.dot.gov/publications/fhwahop08039/cp\\_prim102.htm](https://ops.fhwa.dot.gov/publications/fhwahop08039/cp_prim102.htm), Feb. 2017, accessed on: May, 2019.
- [3] L. Li et al., "Travel Time Prediction for Highway Network Based on the Ensemble Empirical Mode Decomposition and Random Vector Functional Link Network," *Appl. Soft Comput.*, vol. 73, 2018, pp. 921–32.
- [4] P. Sun and A. Boukerche, "TVDR: A Novel Traffic Volume Aware Data Routing Protocol for Vehicular Networks," 2019 IEEE Wireless Communications and Networking Conference (WCNC), Marrakesh, Morocco, 2019, pp. 1-6, doi: 10.1109/WCNC.2019.8885854.
- [5] B. M. Williams and L. A. Hoel, "Modeling and Forecasting Vehicular Traffic Flow as a Seasonal Arima Process: Theoretical Basis and Empirical Results," *J. Transp. Eng.*, vol. 129, no. 6, 2003, pp. 664–72.
- [6] Zheng, Y. B., & Li, N. (2015). Multi-path planning using hierarchical reinforcement learning and artificial potential fields. *Computers and Applications*, 35(12), 3491–3496.
- [7] Moravec, H., & Elfes, A. (1985). High-resolution maps from wide-angle sonar. In *Proceedings of the IEEE International Conference on Robotics and Automation*, 3(2), 116–121.
- [8] Rodríguez-Puente, R., & Lazo-Cortés, M. S. (2013). Algorithm for shortest path search in geographic information systems using reduced graphs. *SpringerPlus*, 2, 291.
- [9] Zhao, H., Shao, J., Yang, J., & Zhang, W. (2017). A reinforcement learning algorithm for path-following control of articulated vehicles. *Journal of Agricultural Machinery*, 48(3), 376–382.
- [10] Doostie, S., Hoshiar, A. K., Lee, S., Choi, H., & Nazarahari, M. (2018). Optimal path planning for multiple nanoparticles using an adaptive genetic algorithm. *Precision Engineering*, 53, 65–78.
- [11] B. Spot, how in all actuality does find out about maps foresee traffic. <https://gadgets.howstuffworks.com/how-does-research-maps-foresee-traffic.htm>, 2020.
- [12] L. Broccardo, F. Culasso, S.G. Mauro, Savvy city administration: investigating the institutional work of different entertainers towards cooperation, *Int. J. Public Group. Manag.* 32 (4) (2019) 367e387, <https://doi.org/10.1108/IJPSM-05-2018-0126>.
- [13] N. Buch, S.A. Velastin, J. Orwell, A survey of PC vision methods for the examination of metropolitan traffic, *IEEE Trans. Intell. Transport. Syst.* 12 (3) (2011) 920e939, <https://doi.org/10.1109/TITS.2011.2119372>.
- [14] A.L. Bustamante, M.A. Patricio, J.M. Molina, Thingier.io: an open-source plat-structure for sending information combination applications in IoT conditions, *Sensors* 19 (5) (2019), <https://doi.org/10.3390/s19051044>.
- [15] A. Camero, E. Alba, Brilliant City and data innovation: a survey, *Urban communities* 93 (May) (2019) 84e94, <https://doi.org/10.1016/j.cities.2019.04.014>.
- [16] W. Castelnovo, G. Misuraca, A. Savoldelli, Brilliant urban communities' administration: the requirement for an all-encompassing way to deal with surveying metropolitan participatory strategy making, *Soc. Sci. Comput. Fire up.* 34 (6) (2016) 724e739, <https://doi.org/10.1177/0894439315611103>.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)