



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** XII **Month of publication:** December 2024

DOI: <https://doi.org/10.22214/ijraset.2024.66198>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

A Review: Study on Pharmacological Actions and Phytoconstituents of Saffron

Harshit Dwivedi¹, Abhay Mishra², Uma Mahur³, Akshay Patel⁴, Sumit Singh⁵, Mohd. Arshad⁶, Adarsh Patel⁷, Durgesh Kashyap⁸

^{1, 2, 3, 4, 5, 6, 7, 8}Babu Sunder Singh College Of Pharmacy, Nigohan, Lucknow

Abstract: In recent years, there has been growing interest in isolating and examining novel bioactive compounds from natural sources with significant health benefits. Saffron, derived from the dried stigmas of *Crocus sativus* L., has been traditionally used for centuries in medicine due to its therapeutic properties and potential to address various pathological conditions. This review aims to explore the medicinal attributes of saffron, evaluate its potential applications in modern medicine for treating a wide range of disorders, and summarize both early and current evidence regarding the biological and pharmacological activities of saffron and its active constituents, crocin and safranal.

Key Findings: Recent phytochemical and pharmacological studies highlight that crocin and safranal exhibit significant activities, including antioxidant, anti-cancer, anti-diabetic, anti-inflammatory, and anti-atherosclerotic effects. However, most of this evidence is derived from *in vitro* studies, with limited *in vivo* research supporting these claims. Additionally, although some clinical trials provide preliminary evidence of saffron's ability to alleviate depression and enhance cognitive function in Alzheimer's patients, more robust studies are needed to confirm these effects.

Keywords: Saffron, Crocin, Safranal, Therapeutic Potential, Phytochemistry

I. INTRODUCTION

Saffron (*Crocus sativus* L.) is a flower from the Iridaceae kin, native from Greece to Southwest Asia. Each flower has three red stigmas, that are used as a zest and a coloration power. Saffron is with the world's most priceless spices by weight cause 1 kg demands about 110,000–170,000 flowers. The titian or flaming color results generally from crocin. More than 150 compounds were detected, meaningful between that were the odor-flexible compounds; safranal and picrocrocin. An analysis of the explosive parts of sunny color from various inception was performed accompanying an photoelectric nose and GC–MS (Carmona and others., 2006). The photoelectric nose holds 27 commercial handy smoke-anticipating parts established metal oxides. Sensor answers were presented in opposite plot and dossier study was accomplished using PCA that allows for possibility the first 10 coefficients of the fast Fourier revolutionize of the curves as the recommendation changing. The photoelectric nose was capable to change middle from two points the nations place sunny color samples originated accompanying a assurance of 90%. This coincides accompanying the results from GC–MS, that is fit differentiating sunny color by allure inception.^{1,2,3}

Saffron is thought-out ultimate valuable, renowned and interesting flavor. Much of this intrigue comes from various wonderful myths and myths concerning its inception that are frequently argued 'tween the current result areas. Saffron is the only popular plant that uses allure own stigmas for spreading. Unable to hatch normally, this mutation plant with allure puny stigma (2.5 cm) is helpless on human management and take care of its continuation. Hundreds of animal and plant class, with complete generative schemes, have disappeared from our globe, still this insignificant, sterile plant has happened asserted for centuries, outside the slightest development, thanks to an unbroken chain of gardeners, producers, travellers and merchants the one secondhand it for allure colouring and medicinal possessions, in addition to for its flavour.^{4,5}



Saffron, obtained from the *Crocus sativus* flower, exhibits unique pharmacognostical characteristics. Below are some important details:

A. Morphological Characteristics

Plant Structure: This perennial plant features a corm (bulb) that serves as a nutrient reservoir.

Leaves: After flowering, slender, strap-shaped leaves appear, characterized by their green color.

Flowers: The saffron flower has three prominent stigmas that are collected. It is notable for its purple color and consists of three petals and three stamens.⁶

B. Chemical Makeup

Active Compounds: Saffron is rich in various phytochemicals, such as:

Crocin: Imparts color and contributes to certain health benefits.

Picrocrocin: Influences the flavor and bitterness.

Safranal: Responsible for its distinct aroma and associated therapeutic properties.

Essential Oils: It contains volatile oils that enhance its scent and medicinal attributes.

Microscopic Characteristics

Stigma Structure: Microscopic analysis reveals that saffron stigmas have a distinctive structure with elongated cells and pigmentation.

Trichomes: Glandular trichomes can be observed, potentially housing the active compounds.

Pharmacological Effects

Antioxidant: Saffron displays significant antioxidant properties due to its high polyphenol content.

Antidepressant: Research suggests that saffron may promote mood enhancement.

Anti-inflammatory: Several studies have highlighted its potential anti-inflammatory benefits.

C. Applications and Uses

Culinary: Saffron is mainly utilized as a spice for flavoring and coloring dishes.

Medicinal: Historically, it has been used in herbal medicine to address various health issues, including mood disorders and digestive problems.^{7,8,9,10}

D. Harvesting and Processing

Harvesting: The collection of saffron is a labor-intensive process that requires hand-picking the stigmas during a brief flowering period.

Drying: After harvesting, the stigmas are dried to maintain their vibrant color and flavor.



II. SAFFRON IN TRADITIONAL MEDICINE

In Chinese medicine, saffron is considered a blood-tonifying herb that can address a variety of health issues. It is beneficial to women’s health, as it is often used to regulate the body’s menstrual cycle and reduce colds. Saffron is also known for its moodenhancing properties, similar to its use in Ayurveda, and is thought to help reduce stress and anxiety. In addition, practitioners of traditional Chinese medicine use saffron to improve digestion and relieve upset stomachs, furthering its status as a versatile healing agent. In Middle Eastern medicine, saffron has a long history of use to improve vitality and energy levels. It is often used to treat respiratory problems such as coughs and is thought to improve energy and health. This widespread use throughout the culture reflects the multifaceted role of saffron in culture. The medicinal benefits of saffron include key components such as crocin, picrocrocin, and safranal. Known for its bright color, crocin has antioxidant and antidepressant properties, making it important in combating oxidative stress and improving mood. Crocin gives saffron its unique flavor and also has mind-

altering powers. Safranal is an essential oil with the characteristic aroma of saffron, neuroprotective properties and anti-anxiety potential. Together, these elements provide a solid foundation for the effectiveness of saffron in addressing a variety of health problems, from mental to physical. The role of cognitive processing and memory. This makes saffron of particular interest in the treatment of neurodegenerative diseases such as Alzheimer's disease, where the maintenance of cognitive health is important. The antioxidant properties of this spice further enhance its effects against chronic diseases, including cancer and heart disease, increasing its importance in nutrition and pain management. In addition, saffron's ability to fight infection makes it useful in the treatment of inflammatory diseases and helps improve general immunity. One of the best ways is to soak the saffron threads in hot water or milk, which will help to remove the active compounds, making it a relaxing and aromatic drink. This herb is often used for its health benefits, especially to improve mood and support digestion. Grinding saffron into a powder also makes it easy to add to various dishes or herbs to enhance its flavor and health. Additionally, using saffron topically in skincare products can help promote skin health and treat conditions like acne and hyperpigmentation, which highlights its many benefits. However, caution is warranted. While foods are generally safe, higher doses can cause toxicity, with symptoms such as nausea, vomiting, and dizziness. The recommended dosage should be followed; 30 mg to 300 mg of saffron extract is usually taken daily for treatment. Pregnant women should be especially careful because high doses of saffron can cause uterine contractions. Therefore, it is recommended that people with existing diseases or taking medications consult a doctor before including saffron in their personal health. It is mentioned about its healing abilities and many more. Saffron has many applications in many areas, from liver healing to digestion and skin health. As interest in the healing process continues to grow, saffron continues to be an integral part of the healing tradition and promises continued discovery and appreciation of its unique properties. Saffron’s rich heritage and widespread use across cultures highlight its importance not only as a health food, but also as a valuable herb for understanding the interactions between nutrition, health, and social. The combination of saffron’s historical uses, scientific research supporting its health benefits, and its role in promoting overall health make saffron a special spice in today’s culture with the ability to heal the body and mind.^{11,12,13,14,15}

Taxonomy of Saffron (crocus sativus)

| <u>RANK</u> | <u>CATEGORY</u> |
|-------------|-----------------|
| Domain | Eukarya |
| Kingdom | Plantae |
| Phylum | Angiosperm |
| Class | Monocots |
| Order | Asparagales |
| Family | Iridaceae |



- 1) Domain: Eukarya (organisms with eukaryotic cells)
- 2) Kingdom: Plantae (plants)
- 3) Phylum: Angiosperms (flowering plants)
- 4) Class: Monocots (plants with one seed leaf)
- 5) Order: Asparagales (includes lilies, orchids, and related plants)
- 6) Family: Iridaceae (a family of plants that includes irises, crocuses, and gladioli)
- 7) Genus: *Crocus* (a genus of flowering plants, primarily found in temperate regions)
- 8) Species: *Crocus sativus* (the specific species cultivated for saffron)

III. PHARMACOLOGICAL PROPERTY OF SAFFRON AS ANTIHYPERTENSIVE MEDICATIONS

Saffron (*Crocus sativus* L.) a spice known for its medicinal uses, been studied for its potential antihypertensive (blood pressure-lowering) effects. Its pharmacological properties can be attributed to several bioactive compounds, including crocin, crocetin, safranal and picrocrocin.

Above mentioned compounds may influence vascular function ,reduce oxidative stress , and improve endothelial health.

A. Vasodilation and Endothelial Function

Saffron has been shown to promote vasodilation, which is the widening of blood vessels. This can reduce resistance in the blood vessels, leading to a decrease in blood pressure.

Compounds like safranal and crocin may play a role in stimulating the release of nitric oxide (NO), a molecule that relaxes blood vessels, thus promoting vasodilation and lowering blood pressure.

B. Blocking of Angiotensin-Converting Enzyme (ACE)

ACE inhibitors are commonly used in the treatment of hypertension because they block the conversion of angiotensin I to angiotensin II, a hormone that constricts blood vessels and raises blood pressure.

Some studies have suggested that saffron may act as a natural ACE inhibitor, contributing to its ability to reduce blood pressure. By inhibiting ACE, saffron may help prevent the constriction of blood vessels, thus supporting the regulation of blood pressure

C. Anti-Inflammatory Effects

Chronic inflammation is a major contributor to the development of hypertension. Saffron has anti-inflammatory properties due to its rich polyphenolic content.

It helps reduce levels of pro-inflammatory cytokines, which can indirectly help in lowering blood pressure by improving vascular health.

D. Reduction of Sympathetic Nervous System Activity

The sympathetic nervous system (SNS) plays a role in regulating blood pressure. An overactive SNS can lead to increased blood pressure through mechanisms such as vasoconstriction and elevated heart rate.

Some studies suggest that saffron may have a modulatory effect on the SNS, leading to reduced sympathetic tone and potentially lowering blood pressure^{16,17,18,19,20}

IV. CONCLUSION

The pharmacological investigation of saffron (*Crocus sativus*) reveals its potential as a multifaceted therapeutic agent, demonstrating a wide array of biological effects. Active components like crocin, safranal, and picrocrocin have shown significant antioxidant, anti-inflammatory, anticancer, antidepressant, and neuro-protective actions. These benefits are largely attributed to the regulation of key molecular mechanisms involved in oxidative stress, neurotransmitter activity, and immune response. Saffron also holds promise in the management of various health conditions, including mood disorders (such as depression and anxiety), cognitive impairment, and cardiovascular diseases. While traditional uses of saffron are increasingly supported by scientific evidence, further clinical trials are necessary to validate its effectiveness and safety in diverse patient populations.

Despite these encouraging findings, challenges remain, including the need for standardized saffron extracts, the risk of toxicity at high doses, and the requirement for well-designed clinical studies. Overall, saffron presents an exciting area for further research, particularly in examining its potential synergistic effects with other therapies and developing new treatment options for a range of health conditions.²¹

REFERENCES

- [1] C. Korrapati, A. B. Yaraladdi, H. Vaddi, and R. Raghavan, "Applications of the Saffron European Kitchen Spice *Crocus sativus*," *Therapeutic and Pharmacological Applications of Ethnobotany*, pp. 98–127, 2024, doi: 10.4018/979-8-3693-1986-4.ch005.
- [2] A. Vignault, C. Vaysse, K. Bertrand, S. Krisa, A. Courtois, B. Moras, T. Richard, D. Gaudout, and L. Pourtau, "Characterization of Crocetin Isomers in Serum Samples via UHPLC-DAD-MS/MS and NMR after Saffron Extract (Safr'Inside™) Consumption," *Metabolites*, vol. 14, no. 4, p. 190, 2024, doi: 10.3390/metabo14040190.
- [3] S. Paramanya, J.-H. Lee, and J. Lee, "Antibiofilm activity of carotenoid crocetin against Staphylococcal strains," *Frontiers in Cellular and Infection Microbiology*, vol. 14, 2024, doi: 10.3389/fcimb.2024.1404960.
- [4] A. Hosseini, L. Mobasheri, H. Rakhshandeh, V. B. Rahimi, Z. Najafi, and V. R. Askari, "Edible Herbal Medicines as an Alternative to Common Medication for Sleep Disorders: A Review Article," *Current Neuropharmacology*, vol. 22, no. 7, pp. 1205–1232, 2024, doi: 10.2174/1570159X21666230621143944.
- [5] G. Björklund, N. Cruz-Martins, B. H. Goh, et al., "Medicinal Plant-derived Phytochemicals in Detoxification," *Current Pharmaceutical Design*, vol. 30, no. 13, pp. 988–1015, 2024, doi: 10.2174/1381612829666230809094242.
- [6] A. Benkerroum, K. Oubella, S. Zini, et al., "Stigmas and Petals of *Crocus sativus* L. (Taliouine, Morocco): Comparative Evaluation of Their Phenolic Compounds, Antioxidant, and Antibacterial Activities," *The Scientific World Journal*, vol. 2024, 2024, doi: 10.1155/2024/6676404.
- [7] S. Sut, G. Gherardi, F. Ruzza, et al., "Saffron the 'Red Gold' and Its CNS Activity: A Challenge for Future Applications in Nutraceuticals," *Journal of Food Biochemistry*, 2024, doi: 10.1155/2024/6672608.
- [8] G. K. Broadhead, J. Grigg, P. J. McCluskey, et al., "Saffron therapy for the ongoing treatment of age-related macular degeneration," *BMJ Open Ophthalmology*, vol. 9, no. 1, p. e001399, 2024, doi: 10.1136/bmjophth-2023-001399.
- [9] E. Altinoz, D. Cetinavci, S. A. A. Aljumaily, et al., "Crocetin, the compound of the dried stigma of *Crocus sativus* L. (saffron), restores doxorubicin-induced disturbances in kidney functioning," *Natural Product Research*, pp. 1–14, 2024, doi: 10.1080/14786419.2024.2344180.
- [10] A.-H. Abedi, H.-R. Adhami, S. S. Mousavi Ghahfarrokhi, et al., "Bacillus subtilis stimulates plant growth and production of bioactive components in saffron," *Natural Product Research*, pp. 1–6, 2024, doi: 10.1080/14786419.2024.2340045.
- [11] R. Aggarwal, P. Mahajan, S. Pandiya, et al., "Antibiotic resistance: a global crisis, problems and solutions," *Critical Reviews in Microbiology*, pp. 1–26, 2024, doi: 10.1080/1040841X.2024.2313024.
- [12] S. Chrubasik-Hausmann, "Crocus sativus updated," *Zeitschrift für Phytotherapie*, vol. 45, no. 1, pp. 10–14, 2024, doi: 10.1055/a-2132-4984.
- [13] F. Shan, L. Li, Y. Bi, et al., "Exotic Medicinal Plants from the Silk Road Promote the Diversification of Traditional Chinese Materials," *Pharmacological Research*, vol. 107243, 2024, doi: 10.1016/j.phrs.2024.107243.
- [14] Z.-Q. Jing, Z.-Q. Luo, S.-R. Chen, and Z.-J. Sun, "Heterogeneity of myeloid cells in common cancers: Single cell insights and targeting strategies," *International Immunopharmacology*, vol. 134, p. 112253, 2024, doi: 10.1016/j.intimp.2024.112253.
- [15] Y. Zhu, J. Zhang, X. Gao, et al., "Metabolites from a co-culture of *Trichoderma yunnanense* and *Paenibacillus peoriae* improve resistance to corn rot disease in *Crocus sativus*," *Industrial Crops and Products*, vol. 213, p. 118465, 2024, doi: 10.1016/j.indcrop.2024.118465.
- [16] C. Liu, L. Wang, Y. Zhou, et al., "Biogenic crocetin-crosslinked chitosan nanoparticles with high stability and drug loading for efficient radioprotection," *International Journal of Biological Macromolecules*, vol. 265, p. 130756, 2024, doi: 10.1016/j.ijbiomac.2024.130756.
- [17] S. Karuppanan, M. Sivakumar, B. Govindasamy, et al., "Reliable quality of R-phycoerythrin derived from *Portieria hornemannii* for effective antioxidant, antibacterial, and anticancer activity," *Biomedical Engineering Advances*, vol. 7, p. 100116, 2024, doi: 10.1016/j.bea.2024.100116.
- [18] V. Gupta, G. Jamwal, G. K. Rai, et al., "Biosynthesis of Biomolecules from Saffron as an Industrial Crop and Their Regulation," *Biocatalysis and Agricultural Biotechnology*, vol. 103260, 2024, doi: 10.1016/j.bcab.2024.103260.
- [19] J. J. L. Bezerra and A. F. M. de Oliveira, "Exploring the therapeutic potential of Brazilian medicinal plants for anti-arthritic and anti-osteoarthritic applications," *Biocatalysis and Agricultural Biotechnology*, vol. 56, p. 103064, 2024, doi: 10.1016/j.bcab.2024.103064.
- [20] N. Goshtasbi, F. Mehryab, S. A. Mortazavi, et al., "Bilayer Nanofibers as a Potential Sustained Crocetin Delivery Dressing," *Journal of Pharmaceutical Innovation*, vol. 19, no. 3, 2024, doi: 10.1007/s12247-024-09838-6.
- [21] H. Kaur, B. Bashir, A. Kaur, et al., "Unravelling role of crocetin for the treatment of Alzheimer's and Parkinson's disease: sojourn from food to nanomedicine," *Phytochemistry Reviews*, 2024, doi: 10.1007/s11101-024-09936-w.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)