



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** IX **Month of publication:** September 2024

DOI: <https://doi.org/10.22214/ijraset.2024.64329>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Achyranthes Aspera: An Analgesic Approach with Seed, Leaves and Root Extract

Kawade Sakshi M¹, Kolhe Vandana P², Kardile Vaishnavi C³, Nalkol Bhumi M⁴, Nalkol Vaishnavi M⁵, Kakade Sakshi B⁶, Shaikh Alfiya R⁷

Abstract: *Achyranthes aspera*, generally known as "Prickly Chaff Flower," is a medicinal factory with significant ethnopharmacological significance, deeply embedded in colorful traditional pain mending systems worldwide. The experimenters have explored its bioactive composites, which include alkaloids, flavonoids, saponins, and triterpenoids, attributing these ingredients to show analgesic exertion. In traditional systems of drugs, seeds, roots, leaves are the most important corridor which are used medicinally. The review reveals that wide figures of phytochemical ingredients have been insulated from the factory which possesses conditioning like analgesic, anticancer, antiperiodic, diuretic, purgative, laxative, antiasthmatic, hepatoprotective, anti-allergic and colorful other important medicinal parcels. The present review describe analgesic eventuality of *Achyranthes Aspera*.

Keywords: *Achyranthes Aspera*, Pain Relief, Analgesic activity, flavonoid, amaranthaceae, species, plant

I. INTRODUCTION

The World Health Organization (WHO) estimates that about 80 of the population living in the developing countries relies nearly simply on traditional drug for their primary health care requirements (1). According to the WHO further than 80 of the world's population relies on traditional herbal drug for their primary health care (2). This into account the most important analgesic prototypes (e. g salicylic acid and morphine) were firstly deduced from the factory sources, the study of factory species traditionally used as anodynes should still be seen as a fruitful exploration strategy in the hunt of new analgesic and anti-inflammatory medicines. *Achyranthes asp* period Linn. Belongs to the family Amaranthaceae, is generally set up as a weed on road side and at waste places throughout Bangladesh and Indian key (3) These phytochemical composites are responsible for the salutary and medicinal parcels of the shops (4). Factory contains different types of substances like carbohydrates, lipids, proteins, glycosides, alkaloids, Tannins, flavonoids etc. responsible for their pharmacological exertion (5) It's substantially told by Ayurveda, Buddha, Unani, and Homeopathy (6).

Taxonomic classification (11)

Kingdom – Plantae

Subkingdom - Tracheobinota

Super Division - Spermatophyta

Division - Mangoliophyta

Class - Mangoliopsida

Subclass - Caryophyllidae

Order - Caryophyllales

Family - Amaranthaceae

Genus - *Achyranthes*

Species - *Aspera*

Synonyms (12)

Latin - *Achyranthes aspera*

Sanskrit - Aghata

Hindi - Latjira, Chirchira

Gujarati - Safad Aghedo

Tamil - Shiru-kadaladi



Telugu - Uttaraene
Malayalam - Kadaladi
Punjabi - Kutri
Unani - Chirchitaa
Ayurvedic - Apaamaarga, Chirchitaa, Shikhari, Shaikharika
Persian - Khare-vazhun
Arabian - Atkumah
French - Achyranth a feuilles rudes, collant, gendarme
Spanish - Mosotillo, rabo de gato, rabo de chango, rabo de raton.

Botanical description:

A. *Macroscopic information*

- 1) Height- 0.2-2.0 m high. The base is woody, angular or ribbed, simple or branched, nodes are bulged, often tinged with pink color.
- 2) Root - Cylindrical root, 0.1-1.0 cm in thickness, slightly ribbed, gradually tapering, yellowish-brown in color, secondary and tertiary branched, hairy, erect, cylindrical, solid, and hollo and dry.
- 3) Leaf - 5-22 cm long with 2-5 cm broad. Occur in various sizes. Type of stomata are present on the lower epidermis is anomocytics.
- 4) Seed -These are round at the base, sub-cylindric, truncate at the apex, endospermic, brown coloured (7).

B. *Morphological description of Achyranthes aspera*

- 1) Root- Cylindrical tap root of thickness 0.1-1.0 cm regularly tapering. Rough due to presence of some root scars. Root seemed yellowish brown in colour. Thickness is about 0.3
- 2) seeds - slightly At the apex, it is subcylindrical, truncate, round at the base and endospermic. It is a stiff erect perennial herb, commonly found in waste places of 1-3 feet with simple elliptic
- 3) leaves-Dedoublement of stamens , embryology , seed dormancy imposed by covering structures , anomocytic stomata and introse type of anther in this species have been reported.

Analgesic exertion

Kumar et al.,(2009) 80 reported the hydro alcoholic excerpt of the roots and leaves of A. aspera shows centrally acting analgesic exertion in adult manly albino rats using tail film, hot plate and acetic acid convinced writhing system for peripherally acting analgesic exertion using aspirin as standard medicine. The boluses administered were 200 mg/ kg and 400 mg/ kg. The beast that administered with a cure of 400 mg/ kg splint excerpt has shown the maximum analgesic exertion 66 reported that achyranthine a water answerable alkaloid had a slight antipyretic exertion in rats. The leaves and seeds of A. aspera showed analgesic conditioning. The methanol excerpt of leaves for analgesic conditioning by using hot plate and nectar's incentive convinced styles using aspirin as a standard medicine studied.

The leaves and seeds of Achyranthes aspera which shows analgesic exertion studied. Both leaves and seeds show analgesic exertion in mice using acetic acid convinced writhing response and hot plate system. The hydro alcoholic excerpt of the roots and leaves of Achyranthes aspera shows centrally acting analgesic exertion in adult manly albino rats using tail film, hot plate and acetic acid convinced writhing system for peripherally acting analgesic exertion using aspirin as standard medicine(7). Achyranthes aspera is a common weed in India and is set up throughout the tropical world. still, further exploration is demanded to determine the safety and toxin of Achyranthes aspera. Methanolic factory extractand splint and root excerpt showed analgesic exertion. Leaves were reported to be analgesic(8).

Sutar N.G. et al.(2008) reported the use of nectar's incentive- convinced and hot plate styles to prize methanol from leaves for analgesic and antipyretic parcels, with aspirin serving as the standard drug(9). Aspirin- suchlike analgesic and antipyretic goods were demonstrated by the leaves of Achyranthesaspera at boluses of(25 mg/ kg) for analgesic effect and(125 mg/ kg) for antipyretic effect. Grown-ups show centrally acting analgesic effect after ingesting an alcohol- grounded excerpt of Achyranthesaspera's roots and leaves(10).

II. MATERIALS AND METHODS

A. Collection and Preparation of Extract

The medicinal condiment of *Achyranthes aspera* of healthy growth were collected from the open grounds and fields of some areas of Drug, Chhattisgarh. The factory-corridor leaves and Root were separated from the shops, washed and shade dried for a many days. The dried factory- corridor were ground into coarse greasepaint independently. The excerpt of each factory- part(splint and root) was prepared using different detergents, Methanol(59) and Chloroform independently by Soxhlet birth outfit.

B. System Of Phytochemical Screening test

Test for Steroids Each of the excerpt(0.5 ml) was dissolved in 3 ml of Chloroform(CHCl_3). This was filtered, and a lower subcaste was observed on adding a many drops of cone. Sulfuric acid(H_2SO_4) to the filtrate. Appearance of a ring of sanguine brown color indicated the presence of Steroids.

Test for Flavonoids To the waterless excerpt of each factory- part, 5 ml of DIL. Ammonia(NH_3) was added, followed by a many drops of cone. Sulfuric acid(H_2SO_4). The appearance of unheroic color indicated the presence of Flavonoids, which generally faded on standing.

Test for Saponins Salivating Test) 0.5 ml of each of the excerpt was added to 5 ml of distilled water in a test- tube. Froth appeared in the result on being shaken roundly. This ' Frothing test ' with the positive results indicated the presence of Saponins(4)

III. RESULT

Alkaloids, glycosides, terpenoids, steroids, flavonoids, tannins like chemical ingredients set up in *Achyranthes aspera* birth in different detergent and displayed different type's exertion. Ethanol exatrcts of root part of factory displayed the presence of tannin, proteins, saponin, flavonoids, phenols, diterpenes and Alkaloids. Chloroform excerpts contain the alkaloids, carbohydrates, phytosteroid, phenols, tannin and saponin.

IV. CONCLUSION

Achyranthus aspera has demonstrated analgesic activity in various studies, confirming its traditional use for pain relief. Here are some key findings:

Phytochemicals responsible for analgesic activity:

- 1) Saponins (achyranthoside, hederagenin)
- 2) Alkaloids (achyranthine)
- 3) Flavonoids (quercetin, kaempferol)
- 4) Triterpenoids (lupeol, ursolic acid)

REFERENCES

- [1] PHYTOCHEMICAL CONSTITUENTS AND PHARMACOLOGICAL . Kamana Ghimire, Janmajoy Banerjee*, Amit Kumar Gupta and Prasanna Dahal. 1, s.l : World Journal of Pharmaceutical Research, 2014, Vol. volume 4 .
- [2] PHARMACOLOGICAL AND MEDICINAL USES OF ACHYRANTHES . Hasan, Saba. s.l : International Journal of Science, Environment ISSN 2278-3687 (O) , 2014, Vol. Vol. 3.
- [3] Analgesic and Neuropharmacological Investigations . Md. Ashrafal Alam, Nazmuj Slahin, Riaz Uddin, S.M. Raquibul. s.l : Stadar Journal of pharmaceutical science, 2008, Vol. 10.
- [4] Phytochemical Analysis of Flower, Leaf and Root of *Achyranthes Aspera* from Durg District of . Nisreen Husain, Anil Kumar. 3, s.l : International Journal of Science and Research (IJSR), 2016, Vol. Volume 5.
- [5] Phytochemical estimation of medicinal plant *achyranthes aspera* root. Vijay Kumar, Dr. Rakesh Kumar Jat. 1, s.l : International Journal of Research in Pharmacy and Pharmaceutical Sciences, 2018, Vol. 3.
- [6] A REVIEW ON PHARMACOLOGICAL AND PHYTOCHEMICAL CONSTITUENT OF. S. Shinde Ganesh, P. S. Rao, Rahul Kunkulol. s.l : IJP .
- [7] A Review on Pharmacological Aspects of *Achyranthes Aspera*. Navjeet Singh*, Mrinal, Poonam Sharma and Vivek Kumar Gupta. s.l : International Journal of Pharmacognosy and Chinese Medicine.
- [8] ACHYRANTHES ASPERA L: PHYTOCHEMICAL AND PHARMACOLOGICAL ASPECTS. Dey, Abhijit. s.l : International Journal of Pharmaceutical Sciences Review and Research.
- [9] *Achyranthes Aspera* -An Important Medicinal Plant: A Review. Ms. Pratiksha B. Shinde, Mr. Arjun R. Jadhav. s.l : International Journal of Research Publication and Reviews.
- [10] A Review on phytochemical and pharmacological properties of *Achyranthes Aspera*. Ms.Nikita Dipak Bhosale, Asst. Prof.Vaishnavi S. Sake. s.l : International Journal of Pharmaceutical Research and Applications.
- [11] A Review Of *Achyranthes Aspera*. Rahul Thapa, Shikha. s.l : Journal Of Pharmaceutical Negative Result, 2023.
- [12] *Achyranthes aspera*-An important medicinal plant: A review . Saurabh Shrivastav, Pradip Singh, Garima Mishra, K.K. Jha, R.L. Khosa.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)