



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 11    Issue: XII    Month of publication: December 2023**

**DOI: <https://doi.org/10.22214/ijraset.2023.57670>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Artificial Intelligence for Water Quality

Pritee Vaivude<sup>1</sup>, Akshay Dumbre<sup>2</sup>, Dishant Koli<sup>3</sup>

<sup>1</sup>Chaitanya Construction Company, United States

<sup>2</sup>Vogt Engineering, United States

<sup>3</sup>University of Texas at Arlington, United States

**Abstract:** *This study delves into how AI can be applied within water and environmental engineering research, particularly emphasizing the utilization of machine learning models to advance the accuracy of water quality predictions in the Delaware River. Through an analysis of time series data spanning from 2020 to 2022 and the utilization of exploratory data analysis methods, this investigation scrutinizes various elements influencing the dynamics of water quality. For water quality time series analysis, identifying changes in long-term trends is important, yet identifying specific change-points is also important[3]. A strong correlation is notably detected between levels of dissolved oxygen and recorded temperatures. Leveraging this correlation, an intricate polynomial regression model is crafted to forecast dissolved oxygen concentrations based on expected temperature values. This predictive model not only clarifies the inherent link between dissolved oxygen and temperature but also offers insights into projecting future dissolved oxygen levels in the Delaware River, considering anticipated temperature fluctuations. These findings hold significant promise, potentially enhancing ecological evaluations and the development of impactful management strategies, specifically designed for water quality monitoring and conservation efforts within the Delaware River basin. Hence, evaluation of water quality of groundwater is extremely important to prepare for remedial measures[1].*

**Index Terms:** *Artificial Intelligence (AI), Water Quality Prediction, Machine Learning Models, Delaware River, Environmental Engineering, Time Series Analysis, Data from 2020 to 2022, Exploratory Data Analysis (EDA), Water Quality Dynamics, Dissolved Oxygen Levels, Temperature Correlation, Polynomial Regression Model, Predictive Analysis, Ecological Evaluation, Management Strategies, Water Quality Monitoring, Conservation Efforts, Delaware River Basin.*

## I. INTRODUCTION

In recent times, the preservation of water quality has gained considerable traction alongside the integration of cutting-edge technologies such as artificial intelligence (AI) and machine learning (ML). This study endeavors to harness the capabilities of AI, aiming specifically to enhance water quality forecasting by utilizing machine learning models. The application of AI in this context is poised to revolutionize the accuracy and efficiency of predicting water quality parameters. Water is the most significant resource of life, crucial for supporting the life of most existing creatures and human beings[6].

The Delaware River stands as a cornerstone of North America's vital river systems, holding immense ecological and practical significance. This research is dedicated to scrutinizing the water quality of the Delaware River, employing a detailed examination of time-series data pertaining to water quality sourced from USGS during the period spanning from 2020 to 2022. The objective is to delve deep into understanding the intricate dynamics governing the quality of water within this crucial river system. However, since a computer is used and the memory and speed of a computer are often limited, a balance should be struck between the modelling accuracy and speed[5]. Within the spectrum of variables analyzed, a significant revelation emerged unveiling a robust correlation between the dissolved oxygen content in the water and its temperature. This compelling relationship served as the foundation for the development of a machine learning model capable of predicting oxygen levels based on temperature variations. This innovative approach allows for the prediction of oxygen concentrations in the water, offering insights into the interrelationship between temperature and dissolved oxygen crucial for the management of water quality. The quality of the water becomes a growing concern throughout the developing world[4].

The integration of machine learning techniques into water quality assessment is an important step toward revolutionizing predictive modeling in environmental science. The development of such predictive models aligns with the evolving paradigm in water quality management, aiming not only to comprehend but also to forecast water quality parameters more accurately and efficiently.

Understanding the link between oxygen levels and water temperature is pivotal for effective water quality management. This research explores how leveraging machine learning can enable precise predictions of water quality parameters, offering potential applications in enhancing environmental assessments and decision-making processes.

In essence, this research underscores the transformative potential of AI and machine learning in water quality assessment and

forecasting. By unraveling the correlation between dissolved oxygen and temperature in the Delaware River, this study aims to contribute to a more sophisticated and informed approach to managing and predicting water quality parameters for the preservation and betterment of critical river systems like the Delaware River. Usually, selecting a suitable numerical model to solve a practical water quality problem is a highly specialised task, requiring detailed knowledge on the application and limitation of models[7]. Therefore, evaluating the surface-water quality and the associated hydrochemical characteristics is essential for managing water resources in arid and semi-arid environments[15].




Fig. 1. Shows the locations of USGS monitoring station Delaware River at Pennypack Woods PA - 014670261

## II. DISCUSSIONS

In employing a basic polynomial regression method for our water quality predictive modeling, we acknowledge its simplicity and effectiveness using the available dataset. Yet, our research underscores a broader ambition—to unlock the untapped potential of artificial intelligence (AI) within water and environmental science. While our study provided valuable insights, it represents merely a starting point in harnessing the true power and capabilities that AI can offer. We envision a future where AI plays a more integral role in comprehending, analyzing, and predicting water quality dynamics. We eagerly anticipate and advocate for increased integration and utilization of AI-driven approaches, recognizing their potential to revolutionize how we approach challenges in managing and conserving water resources and environmental sustainability. Trend and change-point analyses of water quality time series data have important implications for pollution control and environmental decision-making[8].

The adoption of AI in water and environmental science holds immense promise for enhancing predictive modeling and analysis. By advocating for and anticipating increased AI usage, we aim to encourage and inspire further research endeavors that delve deeper into AI-driven methodologies. The field stands on the cusp of a transformative era where AI's advanced algorithms and data-driven insights can revolutionize the understanding and management of water quality and environmental dynamics. Embracing AI's potential signifies a shift towards more comprehensive, efficient, and innovative approaches in addressing the complex challenges of water and environmental. Obtaining water quality data by regular monitoring is a time-consuming process that requires qualified staff and stable resources.[9].

## III. LITERATURE REVIEW

Rivers are some of the most important water resources exposed to pollution loads from natural and anthropogenic sources[10]. The criticality of water quality in aquatic ecosystems has been the focus of extensive research, emphasizing parameters like dissolved oxygen, temperature, and pH due to their profound impact on aquatic life. Dissolved oxygen is universally acknowledged as a fundamental determinant of aquatic ecosystem health, with variations in its levels directly influencing species diversity and abundance. River water pollution requires continuous water quality monitoring that promotes the improvement of water resources [16]. Instances of low dissolved oxygen, often a result of pollution or eutrophication, lead to hypoxic conditions that severely impact aquatic organisms, disrupting the ecological balance. The role of water temperature in aquatic ecosystems is equally significant, as it affects the metabolic rates of organisms, alters breeding cycles, and influences migration patterns. Temperature changes are also known to affect the solubility and availability of gases and nutrients in water bodies, directly impacting water quality. pH levels, indicative of the acidity or alkalinity of water, are crucial for maintaining the chemical equilibrium of aquatic environments. Water quality indices (WQIs) have been developed to assess the suitability of water for a variety of uses [17]. Fluctuations in pH can lead to hostile conditions for aquatic life, affecting the solubility of minerals and pollutants, and altering the availability of essential nutrients. The interdependencies between these parameters are a burgeoning area of study, with researchers suggesting that the health and stability of aquatic ecosystems are influenced not just by individual parameters but by their collective interactions. This holistic understanding is pivotal for effective water quality management and conservation strategies. While extensive, current research highlights the need for continued study into the long-term effects of these parameters, especially in varied geographical contexts.

This ongoing research is vital for developing nuanced, region-specific approaches to water quality management, particularly in ecologically sensitive areas like the Delaware River. USGS water database stands as an invaluable asset, significantly enriching our comprehension of water quality, streamlining its effective management, and shouldering a pivotal role in the preservation of the nation's water resources[2]. Effective planning for water quality management has been an important task for facilitating sustainable socio-economic development in watershed systems [18]. Moreover, the integration of advanced technologies such as machine learning and AI in water quality research has revolutionized our approach to environmental monitoring. The ability of these technologies to analyze large datasets, like those provided by USGS, enables the identification of intricate patterns and trends that may not be evident through traditional methods. This computational prowess enhances our predictive capabilities, allowing for the anticipation of future changes in water quality parameters and the timely implementation of corrective measures. The application of such technologies in the Delaware River context underscores a paradigm shift towards more proactive and data-driven environmental stewardship. In addition to technological advancements, community engagement and stakeholder collaboration play a crucial role in water resource management. Public awareness campaigns, combined with participatory monitoring initiatives, can lead to more effective conservation efforts, ensuring the protection and sustainable use of river ecosystems. By fostering a collaborative approach that integrates scientific research, technological innovation, and community participation, we can achieve a comprehensive and sustainable strategy for managing the Delaware River's water quality. This collective effort is essential for maintaining the ecological integrity of the river, supporting biodiversity, and safeguarding the health and well-being of communities that rely on this vital resource. The Delaware River's significance as a critical waterway in the United States necessitates continued research and adaptive management strategies to address the challenges posed by environmental changes and human activities. Our study contributes to this ongoing effort, offering insights and methodologies that can be adapted and applied in similar riverine systems worldwide. The application of these insights is crucial for the preservation and enhancement of these vital ecosystems. Our methodologies emphasize the importance of a holistic approach in environmental management, ensures aspects of the ecosystem are considered.

#### IV. METHODOLOGY

##### A. Data Collection

The data for our study on the Delaware River's water quality was meticulously gathered from a comprehensive database that chronicles key environmental parameters. This dataset, acquired from a reliable and authoritative source USGS (United States Geological Survey) monitoring station Delaware River at Pennypack Woods PA - 014670261, spanning the years 2020 to 2022, providing a robust framework for our analysis. The dataset includes critical parameters such as dissolved oxygen levels, water temperature, and pH values, each measured with precision and consistency. The collection process was characterized by systematic and regular intervals, ensuring a high degree of accuracy and reliability in the data. Advanced measurement techniques and calibrated instruments were employed to capture the nuances of each parameter, reflecting the latest standards in environmental monitoring. This extensive data collection effort forms the foundation of our analysis, offering an unparalleled depth of insight into the water quality and ecological health of the Delaware River. Through this data, we aim to unravel the complex interplay of various environmental factors and their cumulative impact on the river's ecosystem.

The dataset serving as the foundation of our study was obtained from a highly esteemed and authoritative source, renowned for its meticulous approach to data gathering and stewardship in the realm of environmental sciences. This dataset is distinguished not only by its comprehensive scope, encompassing crucial water quality parameters like dissolved oxygen, temperature, and pH levels, but also by its extensive temporal range, encapsulating several years of consistent data collection. Such depth and breadth of historical data are indispensable for discerning long-term trends and shifts in the water quality of the Delaware River, offering valuable insights into its evolving ecological state. Beyond its academic utility, the dataset's significance is deeply rooted in its practical applications for environmental conservation and management. It serves as a robust basis for conducting thorough analyses of the river's ecological health, thereby informing and shaping effective policy decisions and management strategies. This dataset is a critical asset for a wide array of stakeholders, including environmental scientists, policy makers, and conservationists, providing them with the necessary data to undertake informed interventions aimed at preserving the ecological integrity of the Delaware River. The Delaware River, as a crucial natural and economic resource, supports an array of diverse ecosystems and human communities. Its role in regional biodiversity, water supply, and recreation underscores the importance of maintaining its health and sustainability. In this context, the dataset emerges not just as a tool for scientific inquiry but as a cornerstone for evidence-based conservation and management strategies. It plays an instrumental role in guiding sustainable practices, ensuring that the river continues to thrive and support the myriad forms of life that depend on it.

In essence, this dataset is more than a collection of numbers and measurements; it represents a comprehensive narrative of the Delaware River’s environmental health. Its analysis enables us to understand the complex interactions within the river’s ecosystem, and more importantly, it empowers us to make informed decisions that will shape the future of this vital waterway. The data-driven insights derived from this study are expected to contribute significantly to the ongoing efforts in conserving and sustainably managing the Delaware River, ensuring its vitality for generations to come.

TABLE I

TABLE I SHOWS THE FIRST 5 ROWS OF OUR TIME SERIES DATASET.

Temperature (Mean) (°C)	Specific Conductance (Mean) (µs/cm) at 25°C	Dissolved Oxygen (Mean) (mg/L)	Turbidity (Mean) (FNU)	pH (Median)
3.9	260	12.8	6.1	7.4
4.1	251	12.5	6.4	7.4
4.4	240	12.4	6.8	7.4
4.3	227	12.5	5.8	7.4
3.9	211	12.7	7.5	7.3

- 1) *Temperature:* Temperature in the Delaware River plays a pivotal role in shaping its ecological environment, affecting everything from microbial processes to the behavior of larger aquatic species. As a fundamental physical property of the river’s ecosystem, temperature variations have far-reaching effects. Warmer temperatures, for instance, tend to decrease the solubility of oxygen, leading to lower dissolved oxygen levels, which are crucial for the survival of fish and other aquatic organisms. These temperature changes also influence the metabolic rates of aquatic life, affecting their growth, reproductive patterns, and overall health. For example, certain fish species may spawn only within specific temperature ranges, and deviations can disrupt their life cycles. Our study examines the temporal and spatial fluctuations in the river’s temperature, understanding its interactions with other key parameters like pH and turbidity. We particularly focus on how seasonal and climatic variations impact the river’s temperature profile, which can provide insights into the broader effects of climate change and human activities, such as urban runoff or industrial discharges. By analyzing these temperature trends, we can identify periods of thermal stress on the aquatic ecosystem, which are critical for managing the health and biodiversity of the river.
- 2) *Biological Implications:* The biological implications of these temperature variations are profound. Shifts in temperature can lead to habitat changes, affecting species distribution and abundance. For instance, some species may migrate to cooler areas as temperatures rise, potentially altering the river’s ecological community structure. Additionally, increased temperatures can accelerate the growth of harmful algal blooms, which deplete oxygen and release toxins, further stressing aquatic life. Understanding these biological implications is key to developing strategies for maintaining the ecological balance of the Delaware River, ensuring its health and vitality for future generations.




Fig. 2. Shows the visual representation of Temperature Mean through Histogram for the days from 2020 to 2022.

- 3) *Dissolved Oxygen:* Dissolved Oxygen (DO) is a critical factor in the health and sustainability of the Delaware River’s ecosystem. DO levels are indicative of the river’s ability to support aquatic life, with variations often signaling changes in environmental conditions. High DO levels are generally a sign of healthy water, conducive to supporting a diverse range of aquatic organisms, from microorganisms to fish. Conversely, low DO levels can lead to hypoxic conditions, which are detrimental to most aquatic life, leading to a decrease in biodiversity and potentially resulting in dead zones where life cannot be sustained. In our study, we closely monitor and analyze the DO levels in the Delaware River. This includes examining how factors such as temperature, water flow, and pollution affect DO concentrations. Temperature plays a pivotal role here, as warmer water holds less oxygen. Furthermore, we investigate the impact of anthropogenic activities like agricultural runoff and industrial discharges, which can significantly alter DO levels through nutrient loading and chemical pollution.
- 4) *Biological Implications:* The biological implications of DO levels in the Delaware River are profound. Aquatic organisms, particularly fish and invertebrates, rely on sufficient oxygen for respiration. Fluctuating or low DO levels can stress these organisms, affecting their growth, reproduction, and survival. Prolonged exposure to such conditions can lead to shifts in species composition and a decline in overall river health. Additionally, DO levels can influence the rates of biochemical processes, including the decomposition of organic matter and the cycling of nutrients. High variations in DO levels can also lead to the formation of dead zones, areas with insufficient oxygen to support most marine life, adversely impacting the river’s biodiversity. Moreover, changes in DO levels can affect the solubility and toxicity of various pollutants in the river, thereby influencing the overall water quality and safety. By understanding these dynamics, we can better assess the ecological status of the river and develop targeted strategies to mitigate any adverse impacts on its aquatic life.




Fig. 3. Shows the visual representation of Dissolved Oxygen through Histogram for the days from 2020 to 2022.

**B. Data Collection Methodology:**

Our approach to data collection for analyzing the Delaware River’s water quality was meticulous and systematic, ensuring both accuracy and comprehensiveness. The data was gathered from monitoring station Delaware River at Pennypack Woods PA - 014670261 placed along the river, which continuously recorded key parameters such as temperature, dissolved oxygen, pH, and turbidity. The collected data underwent rigorous quality control checks before being consolidated into our primary dataset. This thorough data collection methodology forms the backbone of our study, providing a robust foundation for our subsequent analysis of the Delaware River’s ecological health.

**C. Data Integrity and Preprocessing:**

Ensuring the integrity and quality of the data was paramount in our study of the Delaware River’s water quality. The initial step in our data preprocessing involved a thorough verification process to identify and address any discrepancies, anomalies, or missing values. This included cross-referencing data points across different monitoring stations and times to detect inconsistencies or outliers. We employed advanced statistical techniques to handle missing or incomplete data, opting for methods like data imputation or interpolation, where appropriate, to maintain the continuity and reliability of our dataset without introducing bias. The preprocessing phase also encompassed a detailed assessment of the data’s temporal resolution, ensuring that our analyses could accurately capture both short-term fluctuations and long-term trends in the river’s water quality. This careful and rigorous approach to data integrity and preprocessing underlines our commitment to producing reliable, accurate, and meaningful insights into the ecological health of the Delaware River.

D. Data Analysis

In analyzing the Delaware River’s water quality data, our approach involved a multifaceted statistical examination of key parameters like dissolved oxygen, temperature, pH, and turbidity. We utilized exploratory data analysis (EDA) techniques to identify patterns and anomalies in the dataset. This was followed by more sophisticated analyses, including correlation studies and trend analyses, to understand the relationships between different water quality parameters and their changes over time. The use of regression models helped us to quantify these relationships and predict potential impacts on the river’s ecosystem. Our analytical process was underpinned by a focus on both the immediate and long-term ecological implications, providing insights essential for informed environmental management and policy-making.

1) *Exploratory Data Analysis (EDA)*: The Exploratory Data Analysis (EDA) phase was a critical initial step in our study of the Delaware River’s water quality. This stage involved a comprehensive examination of the dataset to uncover underlying patterns, trends, and potential anomalies. We utilized a range of graphical and quantitative techniques, such as histograms, scatter plots, and box plots, to visually assess the distribution and relationships of key variables like temperature, dissolved oxygen, pH, and turbidity. EDA also included descriptive statistical analysis to summarize the central tendencies and variability within the data. This process helped us identify areas that warranted deeper investigation and guided the development of more focused analytical approaches. The insights gained from EDA laid the groundwork for subsequent, more complex analyses, and provided a contextual understanding of the river’s water quality dynamics.




Fig. 4. Shows the visual representation of the dataset through a Heatmap.

2) *Descriptive Statistics*: In our study of the Delaware River’s water quality, Descriptive Statistics formed an integral part of our analytical approach. This phase involved calculating basic statistical measures such as mean, median, standard deviation, and range for key water quality parameters including temperature, dissolved oxygen, pH, and turbidity. These statistics provided a foundational understanding of the data, revealing the central tendencies and dispersion within each parameter. By quantifying the typical conditions and variability in the river’s water quality, this step allowed us to establish a baseline against which to compare and interpret more complex patterns and trends identified in subsequent analyses. Descriptive statistics also helped in identifying extreme values or outliers, which could indicate unusual environmental events or data collection anomalies.

3) *Correlation Analysis*: A pivotal aspect of our data analysis involved conducting a Correlation Analysis to explore the relationships between various water quality parameters of the Delaware River, such as temperature, dissolved oxygen, pH, and turbidity. By calculating correlation coefficients, we were able to quantify the strength and direction of the relationships between these variables. This analysis helped us identify potential interdependencies and interactions, such as how temperature fluctuations might influence dissolved oxygen levels or how changes in pH could correlate with turbidity. Understanding these correlations is crucial for deciphering the complex dynamics of the river’s ecosystem and for identifying factors that may have a significant impact on water quality. The insights gained from this correlation analysis were instrumental in guiding our further, more detailed statistical modeling and hypothesis testing.

TABLE II  
SHOWS THE STATISTIC ANALYSIS OF THE DATASET

	Temperature (Mean) (°C)	Specific Conductance (Mean) (µs/cm) at 25°C	Dissolved Oxygen (Mean) (mg/L)	pH (Median)
count	1078	1078	1078	1078
mean	14.268553	229.558442	9.577365	7.37718
std	8.901971	54.810536	2.662862	0.181602
min	0.1	89	5	6.8
25%	5.6	200	7.1	7.2
50%	13.45	222	9.4	7.4
75%	23.1	249	12.2	7.5
max	29.4	547	14.1	8

4) *Objective:* The primary objective of our study is to employ polynomial regression analysis to model the complex relationships between key water quality parameters in the Delaware River. This statistical approach allows us to go beyond linear associations and capture the non-linear dynamics that often characterize natural environmental processes. Specifically, we aim to develop polynomial regression models to understand how variables like temperature and dissolved oxygen interact and influence each other in a non-linear manner. Through this modeling, we can better predict variations in water quality under different conditions and identify potential trends and patterns. This deeper understanding is crucial for formulating effective environmental management strategies and for making informed decisions about conservation efforts and policy-making related to the Delaware River’s ecosystem.

## V. RESULTS

Navigating the intricate relationships among the Delaware River’s water quality parameters, our analysis primarily focused on the interaction between temperature and dissolved oxygen. To address the non-linearity inherent in these natural processes, we employed a polynomial regression model of degree 3. This advanced modeling technique allowed us to delve deeper into the complexities of the ecological dynamics at play. The regression plot for this polynomial model reveals a curve that intricately weaves through the data points, capturing the subtle fluctuations and patterns with greater precision than a linear model could offer. The coefficients of the polynomial equation paint a detailed picture of the relationship, potentially uncovering hidden trends and dependencies. This nuanced approach to modeling the temperature and dissolved oxygen data not only enhances our understanding of the river’s current state but also bolsters our ability to predict future changes and inform effective environmental management strategies.

### A. Correlation

The Pearson coefficient of -0.9735 between Temperature (Mean) and Dissolved Oxygen (Mean) indicates a profoundly strong negative correlation. While not reaching a perfect correlation of -1, this coefficient is remarkably close, underscoring a significant inverse relationship between these two variables. Such a high correlation coefficient suggests that as the temperature of the river water increases, the dissolved oxygen levels tend to decrease correspondingly, and vice versa. Accompanying this correlation coefficient is a p-value of  $P = 0.0$ , signifying an exceptionally strong and statistically significant correlation between temperature and dissolved oxygen. This p-value, being effectively zero, reinforces the robustness of this relationship. The strikingly significant Pearson coefficient and p-value highlight the robustness of the relationship between water temperature and dissolved oxygen levels. This correlation suggests that temperature is a critical factor in predicting dissolved oxygen levels in the Delaware River, which is pivotal for aquatic life and water quality management. The strength of this correlation, while indicative of a strong link, may also be influenced by various environmental factors, reflecting the dynamic and complex nature of aquatic ecosystems. These findings open avenues for more detailed investigations into the underlying mechanisms that drive these essential water quality parameters, offering potential improvements in predictive modeling and ecological monitoring.

### B. Polynomial Regression Analysis

Moving beyond simple linear analysis, our study employed a polynomial regression of degree 3 to more accurately model the complex relationship between Temperature (Mean) and Dissolved Oxygen (Mean) in the Delaware River. The polynomial regression plot illustrates a curve that intricately navigates through the scatter of data points, capturing the inherent non-linear patterns with greater precision than a linear model.



The coefficients of the polynomial equation provide a detailed representation, unveiling potentially significant trends and patterns that might be missed in a linear analysis. The equation for our fitted polynomial curve is as follows:

**Scatter Plot for Temperature (Mean) vs. Dissolved Oxygen (Mean)**




Fig. 5. (Scatter plot) shows the data points for Temperature Mean vs Dissolved Oxygen.

$$f(y) = 0.00013x^3 - 0.0014x^2 - 0.35x + 14.14$$

### C. Polynomial Curve Visualization

The polynomial regression curve plotted over our dataset offers a clear visual representation of how well the model aligns with the actual observations. The curve closely follows the data points, indicating a strong, non-linear relationship between water temperature and dissolved oxygen levels.

The degree to which the curve fits the data points provides an intuitive and visual assessment of the model's accuracy and reliability. This visualization is not just a tool for model validation; it also enhances our understanding of the model's predictive capabilities and generalizability, guiding us in making well-informed decisions about its application in understanding and managing the river's ecosystem.

**Polynomial Regression Curve for Temperature (Mean) vs. Dissolved Oxygen (Mean)**




Fig. 6. Shows the visual representation of Polynomial Regression Curve for Temperature (Mean) against Dissolved Oxygen (Mean)

#### D. Visualization of Test Dataset

A key aspect of validating our polynomial regression model is through the careful analysis of residuals and the examination of how well the regression line fits the test data. This process is crucial in assessing the model's accuracy and reliability.

Polynomial Regression Curve for Temperature (Mean) vs. Dissolved Oxygen (Mean)




Fig. 7. Shows the visual representation of the Test Dataset for Polynomial Regression.

#### E. Residual Plot

In our study, the residual plot plays a vital role as a diagnostic tool. It contrasts the predicted values against the residuals, which are the differences between observed and predicted values. The ideal scenario in a residual plot is a random distribution of residuals around the zero line, which would indicate no apparent patterns or systematic bias, confirming that the model is well-fitted to the data. Conversely, any observable patterns, trends, or outliers in the residual plot could signal issues such as non-linearity or heteroscedasticity, suggesting the need for model adjustments.

Our residual plot exhibits several key characteristics indicative of a robust model: a random and scattered distribution of residuals around the zero line, a consistent spread of residuals across the range of predicted values, and no discernible patterns or trends. These observations suggest that our model makes unbiased predictions and performs consistently across different data points. The absence of systematic patterns in the residuals further implies that the model effectively captures the underlying relationships in the data. The insights gained from these visual analyses of the regression line and residual plot are instrumental in understanding the model's strengths and potential limitations. They provide a concrete foundation for evaluating the model's reliability and generalizability and guide enhancements in future iterations of our research. Further, these analyses offer critical feedback for refining the model's algorithms, ensuring more precise predictions in subsequent applications. Additionally, they help identify areas where the model may benefit from incorporating more diverse data sources or alternative modeling techniques, broadening the scope and depth of our environmental analysis.

#### F. Distribution Plot

In our analysis of the Delaware River's water quality, distribution plots play a crucial role in complementing our polynomial regression analysis. These plots offer a visual representation of both the distribution of data points and the residuals, aiding in the assessment of the model's fit. By superimposing the observed data points and the polynomial regression curve on the same plot, distribution plots enable us to scrutinize the model's effectiveness in capturing the underlying patterns in the data. They illustrate how closely the regression curve aligns with the actual distribution of data, pinpointing areas where the model performs well or may need improvement. The examination of residuals within the distribution plot is particularly revealing, as it helps identify any systematic deviations or heteroscedasticity, thus shedding light on the model's performance. Overall, the distribution plot provides a clear and intuitive visual representation of our model's fit to the data, playing a vital role in evaluating its appropriateness for analysis and prediction. In addition to evaluating model fit, these distribution plots also serve as a crucial communication tool, translating complex statistical findings into a format that is easily interpretable by various stakeholders, including environmental managers and policy makers. This visual translation aids in bridging the gap between technical analysis and practical decision-making, fostering a more inclusive understanding of water quality issues. Furthermore, the insights gleaned from these plots can guide future data collection and research efforts, highlighting areas that require more focused investigation. By continuously refining our analytical methods in light of these visual insights, we can enhance the accuracy and relevance of our models, ensuring they remain robust tools for ongoing water quality management and ecological conservation in the Delaware River and similar aquatic environments.




Fig. 8. Shows the visual representation of the Residual Plot for the Polynomial Regression Model.

## VI. ANALYTICAL EVALUATION THROUGH QUANTITATIVE METRICS

In predictive modeling, especially when dealing with complex environmental data like that of the Delaware River, rigorous evaluation of the model’s predictive accuracy is essential. This assessment is achieved through various quantitative metrics, providing a comprehensive understanding of the model’s effectiveness and reliability. Our study employs a suite of evaluative metrics, including Mean Squared Error (MSE), Root Mean Squared Error (RMSE), Mean Absolute Error (MAE), and R-squared ( $R^2$ ) Score. Each metric offers a different perspective on the model’s performance: MSE and RMSE focus on the average magnitude of the errors, MAE provides an average of the absolute errors, and the  $R^2$  Score measures the proportion of variance in the dependent variable that is predictable from the independent variable. This multifaceted analytical approach allows for a nuanced interpretation of the model’s accuracy and reliability, ensuring a robust evaluation of its predictive capabilities.




Fig. 9. Shows the visual representation of the Distribution Plot for Polynomial Regression.

### A. Evaluation Metrics

#### 1) Mean Squared Error (MSE): 0.27

The Mean Squared Error (MSE) quantifies the average of the squares of the errors, i.e., the average squared difference between the estimated values and the actual value. An MSE of 0.27 reflects a model with high predictive accuracy, indicating a small average squared deviation of predictions from the actual observations.

#### 2) Root Mean Squared Error (RMSE): 0.52

The Root Mean Squared Error (RMSE), which is the square root of the MSE, measures the standard deviation of the residuals. An RMSE value of 0.52 implies that the model’s predictions typically deviate from the observed values by 0.52 units on average. This further suggests a high precision in the model’s predictive ability.

### 3) Mean Absolute Error (MAE): 0.40

The Mean Absolute Error (MAE) is the average of the absolute differences between predictions and actual observations. With an MAE of 0.40, the model demonstrates a strong accuracy in its predictions, with an average deviation of just 0.40 units from the actual values.

### 4) R-squared (R<sup>2</sup>) Score: 0.96

The R<sup>2</sup> score, representing the proportion of variance for the dependent variable that's explained by the independent variable(s) in the model, is 0.96. This indicates that 96% of the variance in Dissolved Oxygen (Mean) is predictable from the Temperature (Mean), showcasing the model's excellent fit and its effectiveness in explaining the variability in the data.

These metrics collectively demonstrate the robustness of the polynomial regression model. The high R<sup>2</sup> score, in tandem with low MSE, RMSE, and MAE values, attests to the model's accuracy and reliability in predicting dissolved oxygen levels based on water temperature in the Delaware River, making it a valuable tool for environmental analysis and decision-making.

## VII. CONCLUSION

Our polynomial regression model has successfully demonstrated its capability to predict Dissolved Oxygen levels in the Delaware River based on Temperature variations. The high accuracy and reliability of the model underscore its potential utility in environmental monitoring and management. Looking ahead, the integration of advanced machine learning and AI technologies presents a promising avenue for further enhancing water quality management strategies.

AI technologies offer the potential to develop sophisticated predictive models that can analyze and forecast water quality trends, taking into account diverse factors such as weather patterns, seasonal changes, and sources of pollution. These advanced models can enable proactive decision-making, optimizing water treatment processes, and effectively allocating resources to safeguard water quality.

The application of AI in water quality management represents a paradigm shift towards more data-driven, precise, and efficient practices. By harnessing the power of AI, water resource managers and environmental agencies can significantly enhance their capabilities in monitoring, predicting, and making informed decisions. This will not only contribute to the protection of water supplies and aquatic ecosystems but also ensure public health and promote sustainable water management practices.

Moreover, the integration of AI with remote sensing technologies and Geographic Information Systems (GIS) can revolutionize the monitoring of water quality over extensive areas. These tools can provide comprehensive, real-time data on water bodies, facilitating effective long-term planning and management strategies.

Additionally, AI can be employed to optimize water treatment processes. By leveraging real-time water quality data, AI algorithms can adjust chemical dosages and treatment methods, ensuring efficient and cost-effective operations while maintaining compliance with water quality standards.

In conclusion, our study on the Delaware River serves as a stepping stone towards the adoption of AI in water quality management. The successful application of polynomial regression models in this context paves the way for more sophisticated AI-driven approaches, which hold the promise of transforming the way we monitor, predict, and manage water quality in rivers and other aquatic environments.

## VIII. SUMMARY

In our study of the Delaware River, polynomial regression models have proven to be an invaluable tool in understanding and managing water quality. These models excel in capturing complex, nonlinear relationships between environmental factors, such as temperature, and key water quality parameters like dissolved oxygen levels. By accurately modeling these intricate dynamics, polynomial regression offers deeper insights into water quality variations, particularly valuable in scenarios where data exhibit nonlinear trends. This advanced approach enables water quality professionals to more effectively interpret the impacts of various environmental variables, leading to enhanced decision-making and more accurate trend modeling over time. The insights gained are pivotal for proactive water quality management, enabling informed resource allocation and optimization of treatment processes to ensure the maintenance of clean and safe water supplies.

In the era of data-driven decision-making, the roles of Artificial Intelligence (AI) and Big Data in environmental science have become increasingly significant. AI, with its ability to process vast amounts of data through sophisticated algorithms, can identify intricate patterns and correlations in water quality parameters, some of which may be obscure through conventional analysis.

Big Data, with its capability to handle extensive datasets from diverse sources in real-time, provides a holistic and dynamic view of water quality conditions. Together, AI and Big Data facilitate the development of robust predictive models, capable of forecasting changes in water quality and identifying potential risk factors. These advanced models not only enhance predictive accuracy but also enable the development of targeted strategies for effective water quality control.

Moreover, the integration of Internet of Things (IoT) technologies, such as smart sensors and monitoring systems, with AI and Big Data, is set to revolutionize water quality management. Real-time monitoring, powered by AI algorithms, can detect changes in water quality instantaneously, allowing for prompt responses to safeguard water resources. These innovations represent a significant stride forward in our ability to monitor, analyze, and manage water quality more effectively and efficiently.

In conclusion, the combination of polynomial regression modeling, AI, and Big Data heralds a new frontier in water quality management. This synergistic approach not only augments our capability to forecast and monitor water quality with unprecedented precision but also empowers proactive management and preservation of water resources. As a result, we are better positioned to ensure sustainable, safe, and reliable water supplies for current and future generations.

### IX. ACKNOWLEDGMENT

We express our profound gratitude to the United States Geological Survey (USGS) for their invaluable contribution to our research. This organization provided us with an extensive dataset on the Delaware River, which was instrumental in the success of our study. The dataset, encompassing detailed measurements of key water quality parameters such as temperature, dissolved oxygen, turbidity, and pH levels, served as the cornerstone of our analysis.

Utilizing this comprehensive data, we were able to develop and refine a polynomial regression model to predict dissolved oxygen levels based on temperature fluctuations. The accuracy and reliability of our model were significantly enhanced by the depth and breadth of the dataset provided. The open access to such high-quality water data was a crucial asset, deepening our understanding of the Delaware River's environmental dynamics and contributing significantly to the broader field of water quality management in riverine systems. This study stands as a testament to the power of collaborative efforts in advancing scientific understanding and environmental stewardship. We are thankful for the opportunity to contribute to the ongoing efforts in protecting and managing water resources, and we hope our findings will aid in the sustainable management of the Delaware River and similar aquatic ecosystems.

### REFERENCES

- [1] Mahapatra, S.S. and Sahu, Mrutyunjaya and Patel, R.K. and Panda, B. ranchi Narayan, "Prediction of Water Quality Using Principal Component Analysis", Water Quality Exposure and Health, 2012, pp. 11.
- [2] Akshay Dumbre, Dishant Koli, Pritee Vaivude, Shravani Dumbre."Utilizing Machine Learning within Artificial Intelligence to Enhance Dissolved Oxygen Estimation in the Mississippi River via Temperature- Driven Polynomial Regression", Volume 11, Issue XI, International Journal for Research in Applied Science and Engineering Technology (IJRASET) Page No: 811-821, ISSN : 2321-9653, [www.ijraset.com](http://www.ijraset.com)
- [3] Huang, H., Wang, Z., Xia, F. et al. Water quality trend and change-point analyses using integration of locally weighted polynomial regression and segmented regression. *Environ Sci Pollut Res* 24, 15827–15837 (2017). <https://doi.org/10.1007/s11356-017-9188-x>
- [4] Hameed, M., Sharqi, S.S., Yaseen, Z.M. et al. Application of artificial intelligence (AI) techniques in water quality index prediction: a case study in tropical region, Malaysia. *Neural Comput and Applic* 28 (Suppl 1), 893–905 (2017). <https://doi.org/10.1007/s00521-016-2404-7>
- [5] Kwok-wing Chau, "A review on integration of artificial intelligence into water quality modelling", Elsevier, 2006, pp.7.
- [6] Theyazn H. H Aldhyani, Mohammed Al-Yaari, Hasan Alkahtani, Mashael Maashi, "Water Quality Prediction Using Artificial Intelligence Algorithms", *Applied Bionics and Biomechanics*, vol. 2020, Article ID 6659314, 12 pages, 2020. <https://doi.org/10.1155/2020/6659314>
- [7] Kun Yang , Zhenyu Yu , Yi Luo , Yang Yang , Lei Zhao , Xiaolu Zhou "Spatial and temporal variations in the relationship between lake water surface temperatures and water quality - A case study of Dianchi Lake", Elsevier, 2018, pp.12.
- [8] Najafzadeh, M., Ghaemi, A. and Emamgholizadeh, S. Prediction of water quality parameters using evolutionary computing-based formulations. *Int. J. Environ. Sci. Technol.* 16, 6377–6396 (2019). <https://doi.org/10.1007/s13762-018-2049-4>
- [9] S' iljic' Tomic', A., Antanasijevic', D., Ristic', M. et al. Application of experimental design for the optimization of artificial neural network-based water quality model: a case study of dissolved oxygen prediction. *Environ Sci Pollut Res* 25, 9360–9370 (2018). <https://doi.org/10.1007/s11356-018-1246-5>
- [10] Kisi, O., Alizamir, M. and Docheshmeh Gorgij, A. Dissolved oxygen prediction using a new ensemble method. *Environ Sci Pollut Res* 27, 9589–9603 (2020). <https://doi.org/10.1007/s11356-019-07574-w>
- [11] Zhong Xiao, Lingxi Peng, Yi Chen, Haohuai Liu, Jiaqing Wang, Yanggang Nie, "The Dissolved Oxygen Prediction Method Based on Neural Network", *Complexity*, vol. 2017, Article ID 4967870, 6 pages, 2017. <https://doi.org/10.1155/2017/4967870>
- [12] El-Rawy M, Batelaan O, Alshehri F, Almadani S, Ahmed MS, Elbeltagi A. An integrated GIS and machine-learning technique for groundwater quality assessment and prediction in southern Saudi Arabia. *Water*. 2023;15(13):2448. <https://login.ezproxy.uta.edu/login?url=https://www.proquest.com/scholarly-journals/integrated-gis-machine-learning-technique/docview/2836475582/se-2>. doi: <https://doi.org/10.3390/w15132448>.



- [13] Gad M, Saleh AH, Hussein H, Elsayed S, Farouk M. Water quality evaluation and prediction using irrigation indices, artificial neural networks, and partial least square regression models for the Nile river, Egypt. *Water*. 2023;15(12):2244. <https://login.ezproxy.uta.edu/login?url=https://www.proquest.com/scholarly-journals/water-quality-evaluation-prediction-using/docview/2829889402/se-2>. doi: <https://doi.org/10.3390/w15122244>.
- [14] Mohammad Rezaie Balf, Roohollah Noori, Ronny Berndtsson, Alireza Ghaemi, Behzad Ghiasi; Evolutionary polynomial regression approach to predict longitudinal dispersion coefficient in rivers. *Journal of Water Supply: Research and Technology-Aqua* 1 August 2018; 67 (5): 447–457. doi: <https://doi.org/10.2166/aqua.2018.021>
- [15] Iskandar Shah Mohd Zawawi, Mohd Ridza Mohd Haniffah, Hazleen Aris, "Trend Analysis on Water Quality Index Using the Least Squares Regression Models," *Environment and Ecology Research*, Vol. 10, No. 5, pp. 561 - 571, 2022. DOI: 10.13189/eer.2022.100504.
- [16] Khan, F., Husain, T. & Lumb, A. Water Quality Evaluation and Trend Analysis in Selected Watersheds of the Atlantic Region of Canada. *Environ Monit Assess* 88, 221–248 (2003). <https://doi.org/10.1023/A:1025573108513>
- [17] Qin, X., Huang, G., Chen, B. et al. An Interval-Parameter Waste-Load-Allocation Model for River Water Quality Management Under Uncertainty. *Environmental Management* 43, 999–1012 (2009).
- [18] **MDPI and ACS Style** Najafzadeh, M.; Basirian, S. Evaluation of River Water Quality Index Using Remote Sensing and Artificial Intelligence Models. *Remote Sens.* **2023**, 15, 2359. <https://doi.org/10.3390/rs15092359>



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)