



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 12    **Issue:** V    **Month of publication:** May 2024

**DOI:** <https://doi.org/10.22214/ijraset.2024.62154>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Audience Engagement Monitoring System Using Machine Learning

Mandar Rane<sup>1</sup>, Pratik Kumare<sup>2</sup>, Akash Bharati<sup>3</sup>, Tejas Chaudhari<sup>4</sup>, Akshat Tawait<sup>5</sup>  
Department of Computer Engineering D Y Patil College of Engineering, Akurdi, Pune, India

**Abstract:** *Effective communication in educational and presentation settings relies heavily on audience engagement. To address this, we propose a novel Real-Time Audience Engagement Monitoring System that leverages computer vision and real-time data analysis techniques. The system employs a multi-step process, beginning with face detection and facial landmark detection to identify audience members and analyze their head movements. Utilizing OpenCV and MediaPipe libraries, the system estimates the pose of audience members' heads, allowing for the calculation of attention scores based on head movements and facial orientation. These attention scores are then streamed in real-time using Socket.IO to a Node.js/Express.js server, which serves as a central hub for data distribution. The server disseminates the attention scores to multiple dashboard applications, where speakers and educators can monitor audience engagement throughout the session. This research presents a comprehensive approach to assessing and enhancing audience engagement in real-time, providing valuable insights for improving communication and learning outcomes.*

**Keywords:** *Audience engagement, Real-time monitoring, Computer vision, Head Pose Estimation, Socket.IO, Node.js, Express.js, Dashboard application, Educational technology.*

## I. INTRODUCTION

In the dynamic landscape of education and public speaking, captivating an audience's attention stands as a cornerstone of effective communication. Traditional methods of assessing audience engagement have often relied on subjective observations or post-event surveys, offering limited insights into real-time interaction dynamics. However, with the advent of cutting-edge technologies such as real-time video analysis and machine learning, a new frontier has emerged in the form of Audience Engagement Monitoring Systems (AEMS). This paper delves into the revolutionary advancements in AEMS, particularly focusing on systems employing real-time video analysis and machine learning algorithms. AEMS represents a paradigm shift, offering speakers, educators, and presenters unprecedented insights into audience behavior and interaction during lectures, presentations, or speeches. The relevance of this topic extends beyond mere technological innovation; it addresses a fundamental need in communication and education. As society increasingly embraces digital platforms for learning and knowledge dissemination, the ability to gauge audience attention and adapt content delivery in real-time becomes paramount.

### A. Background Information

Traditionally, assessing audience engagement has been a challenging task, often relying on subjective assessments or crude metrics such as audience applause or participation. However, these methods lack granularity and fail to capture subtle nuances in audience behavior. Moreover, they offer limited opportunities for speakers and educators to make timely adjustments to their presentations. In recent years, advancements in computer vision, artificial intelligence, and machine learning have paved the way for innovative solutions to this problem. AEMS leverages the power of real-time video analysis to track audience movements, particularly head pose and interprets these cues using machine learning algorithms to infer attention levels. The fusion of these technologies represents a groundbreaking approach to audience engagement monitoring, offering real-time, quantifiable metrics that were previously unattainable. By providing speakers and educators with instant feedback on audience attention, AEMS enables them to adapt their delivery styles, rearrange content, or employ engagement techniques on the fly, thereby fostering more effective communication and learning environments. In the following sections of this paper, we will delve into the practical implementation of the Audience Engagement Monitoring System (AEMS) and discuss its technical intricacies. By exploring the underlying principles of AEMS and examining its real-world applications across various domains, we aim to provide insights into how this system has been effectively deployed in educational institutions, corporate settings, and other environments. Furthermore, we will discuss the implications of AEMS for the future of communication and education, showcasing how it can be transformed audience engagement practices.

## II. LITERATURE REVIEWS AND PAST RESEARCHES

The evolution of digital communication platforms and the increasing prevalence of remote learning have underscored the critical need for effective methods to monitor and enhance audience engagement. This comprehensive literature review synthesizes findings from several research papers spanning diverse methodologies and applications in the realm of Audience Engagement Monitoring Systems (AEMS). The reviewed papers collectively highlight the multidisciplinary nature of AEMS research, incorporating computer vision techniques, artificial intelligence algorithms, and innovative approaches to address technical challenges and improve scalability. Several studies in the reviewed literature focus on leveraging computer vision techniques, such as facial recognition and expression analysis, to monitor audience attention during online classes and examinations. A system was also proposed that utilizes face detection and landmark detection techniques to identify signs of distraction or fatigue among students, aiming to improve academic integrity in online assessments [2][7]. These studies emphasize the importance of real-time feedback in facilitating timely interventions to maintain engagement levels.

In addition to computer vision, artificial intelligence (AI) plays a crucial role in AEMS development, as demonstrated in a subset of papers. These studies harness machine learning models to predict attention levels based on facial expressions, eye movements, and head poses. For example, deep convolutional neural networks (CNNs) and machine learning algorithms are utilized to automate the measurement of students' attentiveness in classroom settings, achieving high accuracy rates in predicting attention levels [4][8]. Furthermore, innovative approaches proposed in the literature aim to address technical challenges and improve the scalability of AEMS. A lightweight CNN model was introduced for head pose estimation, offering a practical solution for real-time monitoring of audience attention [9]. Meanwhile, the integration of computer vision techniques with video conferencing platforms are explored to monitor participant attention in virtual meetings, showcasing the potential for AEMS to enhance engagement in remote communication settings [11].

Building upon the insights gained from the literature review, our project implements a robust Audience Engagement Monitoring System. Leveraging computer vision techniques, artificial intelligence algorithms, and innovative approaches, our system offers real-time monitoring of audience attention to enhance engagement during lectures and presentations.

## III. METHODOLOGY

### A. User Interface and User Experience

The user interface (UI) of the Audience Engagement Monitoring System was meticulously designed with a user-centric approach, ensuring a sleek aesthetic, intuitive navigation, and responsive design for optimal user experience (UX). The system's dashboard provided real-time updates on audience attention, allowing speakers and teachers to monitor engagement throughout the session effectively.

#### 1) User-Centric Approach

- a) *Sleek Aesthetics:* The dashboard was designed with sleek aesthetics to provide a visually appealing user interface, enhancing the overall user experience.
- b) *Intuitive Navigation:* The user interface was designed with intuitive navigation to make it easy for presenters to access and interpret audience engagement data quickly.
- c) *Responsive Design:* The dashboard was built with a responsive design, ensuring seamless user experience across various devices, including desktops, tablets, and mobile phones.

#### 2) Dashboard Features:

- a) *Real-time Attention Score:* The dashboard prominently displayed the current attention score, providing immediate feedback on audience engagement levels.
- b) *Graphical Representation:* A graphical representation of the attention score over time was provided, allowing presenters to visualize fluctuations in audience engagement during the session.
- c) *Session Analytics:* Every session's data was stored, enabling presenters to access detailed analytics such as average attention score, peak engagement moments, and overall session engagement.

### B. System Architecture

The Audience Engagement Monitoring System comprises several key components that work together to analyze live video feeds and calculate audience attention scores. The system architecture includes the following components:

- 1) *Camera Module*: High-resolution cameras with suitable frame rates are chosen to capture audience movements effectively without latency.
- 2) *Data Processing Module*: Efficient streaming protocols and codecs are utilized to minimize data transfer and processing requirements. Real-time data processing is achieved by employing low-latency algorithms for immediate feedback on audience attention.




Fig. 1. System Architecture

### C. Machine Learning for Attention Monitoring

Machine learning plays a pivotal role in the Audience Engagement Monitoring System for accurately detecting and monitoring audience attention. The methodologies employed in this component include:

#### 1) Feature Selection and Model Training

To accurately detect audience attention, relevant features such as head movements and head postures were selected. Additionally, an entropy concept was introduced to capture the similarity of head movements among audience members. This entropy calculation helps in understanding the level of distraction within the audience. Machine learning models were trained using these features and entropy scores to ensure accurate and efficient recognition..

#### 2) Optimization of Algorithms

To ensure real-time processing and minimal computational load, lightweight machine learning models are implemented, and existing models are optimized. The goal is to maintain high accuracy while reducing the computational overhead.

### D. Entropy Calculation for Attention Detection:

As an improvement from previous projects, the system incorporates entropy calculation to enhance audience attention detection. Entropy analysis provides insights into the level of distraction within the audience by measuring the similarity of head movements among audience members.

Entropy is computed based on the variability of head movements across the audience. A low entropy value suggests that audience members exhibit similar head movements, indicating focused attention. Conversely, a high entropy value suggests that audience members are exhibiting diverse head movements, indicating distraction, even if they appear engaged in the lecture.

### E. Mathematical Model

Several mathematical models are utilized within the system to analyze audience attention. These models include:

#### 1) Rodrigues Rotation:

The Rodrigues Rotation formula is a mathematical expression that provides a way to compute a rotation matrix from an axis-angle representation, and vice-versa. It's particularly useful when dealing with rotations in 3-dimensional space. This conversion is crucial for interpreting the orientation of audience members' heads.

#### 2) Rodrigues Rotation Formula

Given an axis of rotation represented by a unit vector

$k = (k_x, k_y, k_z)$  and an angle of rotation  $\theta$ , the rotation matrix  $R$  corresponding to this rotation is calculated as follows:

$$R = I + \sin(\theta) K + (1 - \cos(\theta)) K^2$$



Where:

- $I$  is the identity matrix.
- $K$  is the skew-symmetric matrix from the cross-product of the axis vector  $K$ :

$$K = \begin{bmatrix} 0 & -k_z & k_y \\ k_z & 0 & -k_x \\ -k_y & k_x & 0 \end{bmatrix}$$

### 3) Decomposition of Rotation Matrix

Rotation matrices are decomposed into Euler angles or rotation vectors using appropriate mathematical functions.

The formulas for decomposing a rotation matrix  $R$  into Euler angles in the XYZ convention:

(i) Roll Angle ( $\phi$ ) :

$$\phi = \text{atan2}(R_{32}, R_{33})$$

(ii) Pitch Angle ( $\theta$ ) :

$$\theta = \text{atan2}\left(-R_{31}, \sqrt{R_{32}^2 + R_{33}^2}\right)$$

(iii) Yaw Angle ( $\psi$ ) :

$$\psi = \text{atan2}(R_{21}, R_{11})$$

Where:

- $\text{atan2}(y,x)$  is the arctangent function that returns the angle whose tangent is the quotient of the two specified numbers  $y$  and  $x$ .
- $R_{ij}$  represents the elements of the rotation matrix  $R$ , with  $i$  denoting the row and  $j$  denoting the column.

This decomposition provides essential information about the orientation of faces in the video feed.

### 4) FPS Calculation:

To ensure smooth real-time processing, the system calculates the frames per second (FPS) by measuring the elapsed time for processing each frame. This metric helps in optimizing system performance and ensures timely feedback

### F. Model-Wise Algorithm

The Audience Engagement Monitoring System employs a specific algorithm for head pose estimation. The algorithm consists of the following steps:

- 1) *Face Detection*: Using a pre-trained deep learning model, faces within the video feed are detected. This step is essential for identifying individuals within the audience.
- 2) *Facial Landmark Detection*: Key facial landmarks are identified using advanced computer vision techniques. These landmarks provide crucial information about the position and orientation of faces.
- 3) *Head Movement Analysis*: Head movements indicating attentiveness, such as nodding or tilting of the head, are analyzed. These movements are used as indicators of audience engagement.
- 4) *Pose Estimation*: Using the solvePnP algorithm, the system estimates the pose of audience members' heads. This includes both rotation and translation, providing a comprehensive understanding of audience behavior.
- 5) *Entropy Calculation for Attention Detection*: The system calculates entropy to detect audience attention. Entropy indicates if everyone is having similar head movements, suggesting they are not distracted.
- 6) *Attention Score Calculation*: Based on head movements, facial orientation, and other relevant factors, attention scores are calculated for each audience member. These scores provide insights into audience engagement levels.
- 7) *Real-time Feedback*: Aggregated attention scores are displayed in real-time on a dashboard, allowing speakers and teachers to monitor audience engagement throughout the session.

**G. Data Flow**

The data flow within the Audience Engagement Monitoring System is as follows:




Fig. 2. Data Flow Diagram

- 1) *Camera*: Live video of the audience is captured using high-resolution cameras.
- 2) *Video Streaming*: The live video feed is streamed to the Data Processing Module.
- 3) *Data Processing Module*: Utilizing OpenCV and MediaPipe libraries, the system estimates the pose of audience members' heads and calculates attention scores.
- 4) *Attention Score Calculation*: Attention scores are computed based on head movements, facial orientation, and other relevant factors.
- 5) *Real-time Feedback*: The calculated attention scores are sent to a Node.js/Express.js server via Socket.IO for real-time processing.
- 6) *Dashboard Applications*: Multiple dashboard applications receive and display the attention scores and graphs in real-time, allowing speakers and teachers to monitor audience engagement throughout the session.

**H. Backend**

The backend of the Audience Engagement Monitoring System was responsible for handling data processing, storage, and communication between different modules. It consisted of:

**Node.js/Express.js Server**: Receives the data stream of attention scores in real-time.

**Socket.IO Data Stream**: Sends the calculated attention scores to the server.

**Data Stream of Attention Scores**: The server distributes the attention scores to multiple dashboard applications simultaneously.




Fig. 3. Sequence diagram

#### IV. RESULT




Fig 1 Home page




Fig 2 Real-time Attention dashboard




Fig 3 Session results window

## V. CONCLUSION

In conclusion, the Real-Time Audience Engagement Monitoring System presented in this research offers a groundbreaking solution to the challenge of assessing audience engagement in real-time. By leveraging computer vision, machine learning, and real-time data analysis techniques, the system provides speakers, educators, and presenters with invaluable insights into audience attention level during lectures, presentations, or speeches. With its ability to calculate attention scores based on head movements and facial orientation, the system enables timely adjustments to content delivery, ultimately enhancing communication and learning outcomes. Moving forward, further refinements to the system, such as improving the accuracy of attention score calculations and enhancing the user interface of the dashboard applications, can enhance its effectiveness. Additionally, the integration of advanced machine learning techniques for more nuanced analysis of audience behavior could further augment the system's capabilities, making it an indispensable tool for improving audience engagement in various domains.

## REFERENCES

- [1] D. F. Terraza Arciniegas, M. Amaya, A. Piedrahita Carvajal, P. A. Rodriguez-Marin, L. Duque-Muñoz and J. D. Martinez-Vargas, "Students' Attention Monitoring System in Learning Environments based on Artificial Intelligence," in IEEE Latin America Transactions, vol. 20, no. 1, pp. 126-132, Jan. 2022, doi: 10.1109/TLA.2022.9662181.
- [2] M. L. Roy, D. Malathi and J. D. D. Jayaseeli, "Students Attention Monitoring and Alert System for Online Classes using Face Landmarks," 2021 IEEE 4th International Conference on Computing, Power and Communication Technologies (GUCON), Kuala Lumpur, Malaysia, 2021, pp. 1-6, doi: 10.1109/GUCON50781.2021.9573793.
- [3] M. M. A. Parambil, L. Ali, F. Alnajjar and M. Gochoo, "Smart Classroom: A Deep Learning Approach towards Attention Assessment through Class Behavior Detection," 2022 Advances in Science and Engineering Technology International Conferences (ASET), Dubai, United Arab Emirates, 2022, pp. 1-6, doi: 10.1109/ASET53988.2022.9735018.
- [4] U. B. P. Shamika, W. A. C. Weerakoon, P. K. P. G. Panduwawala and K. A. P. Dilanka, "Student concentration level monitoring system based on deep convolutional neural network," 2021 International Research Conference on Smart Computing and Systems Engineering (SCSE), Colombo, Sri Lanka, 2021, pp. 119-123, doi: 10.1109/SCSE53661.2021.9568328.
- [5] T. Dacayan, D. Kwak and X. Zhang, "Computer-Vision Based Attention Monitoring for Online Meetings," 2022 5th International Conference on Pattern Recognition and Artificial Intelligence (PRAI), Chengdu, China, 2022, pp. 533-538, doi: 10.1109/PRAI55851.2022.9904097.
- [6] H. Wang and Y. Xia, "Research and design of an attention monitoring system based on head posture estimation," 2021 6th International Conference on Intelligent Computing and Signal Processing (ICSP), Xi'an, China, 2021, pp. 1456-1459, doi: 10.1109/ICSP51882.2021.9408711.
- [7] S. P. Saurav, P. Pandey, S. K. Sharma, B. Pandey and R. Kumar, "AI Based Proctoring," 2021 3rd International Conference on Advances in Computing, Communication Control and Networking (ICAC3N), Greater Noida, India, 2021, pp. 610-613, doi: 10.1109/ICAC3N53548.2021.9725547
- [8] I. D. Raga Priya, P. Sree Ramya, M. V. Vamshi, B. Chandana and M. K. Rao, "Malpractice Detection in Online Proctoring using Deep Learning," 2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS), Coimbatore, India, 2023, pp. 575-583, doi: 10.1109/ICAIS56108.2023.10073664





- [9] A. Sanders, B. Boswell, A. Allen, G. Singh Walia and M. Shakil Hossain, "Development and Field-Testing of a Non-intrusive Classroom Attention Tracking System (NiCATS) for Tracking Student Attention in CS Classrooms," 2022 IEEE Frontiers in Education Conference (FIE), Uppsala, Sweden, 2022, pp. 1-9, doi: 10.1109/FIE56618.2022.9962447.
- [10] Y. -Y. Cheng, C. -T. Chiu and Y. -F. Chen, "RGBD-based Hardware Friendly Head Pose Estimation System via Convolutional attention module," 2022 IEEE International Symposium on Circuits and Systems (ISCAS), Austin, TX, USA, 2022, pp. 2715-2719, doi: 10.1109/ISCAS48785.2022.9937330.
- [11] A. Abeysinghe, I. D. Arachchige, P. Samarasinghe, V. Dhanawansa and M. Velayuthan, "Qualitative Analysis of Automated Visual Tracking of Objects Through Head Pose Estimation," 2022 4th International Conference on Advancements in Computing (ICAC), Colombo, Sri Lanka, 2022, pp. 369-374, doi: 10.1109/ICAC57685.2022.10025053.
- [12] T. Dacayan, D. Kwak and X. Zhang, "Computer-Vision Based Attention Monitoring for Online Meetings," 2022 5th International Conference on Pattern Recognition and Artificial Intelligence (PRAI), Chengdu, China, 2022, pp. 533-538, doi: 10.1109/PRAI55851.2022.9904097.
- [13] S. Akash, V. Dinesh, S. Muthamil Selvan, J. Alfred Daniel and R. Srikanth, "Monitoring and Analysis of Students' Live Behaviour using Machine Learning," 2023 7th International Conference on Intelligent Computing and Control Systems (ICICCS), Madurai, India, 2023, pp. 98-103, doi: 10.1109/ICICCS56967.2023.10142486.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)