



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 10 **Issue:** VII **Month of publication:** July 2022

DOI: <https://doi.org/10.22214/ijraset.2022.45523>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Classification and Detection of Bone Fracture Using Machine Learning

Miss. Swapna N¹, Mrs. Renuka Malge²

¹PG Scholar, VTU, CPGSB, MUDDENAHALLI, CHIKKABALLAPUR-562101

²Asst.Professor, Dept. Of CSE (MCA), VTU, CPGSB, MUDDENAHALLI, CHIKKABALLAPUR-562101

Abstract: *Technologies that are rapidly growing are appearing every day in a variety of disciplines, particularly the medical one. However, there are still certain outdated methods that are still widely used, effective, and efficient. One of these methods is the use of X-rays to identify damaged bones. However, sometimes the number of fractures is insignificant and difficult to see. Systems should be created that are efficient and intelligent. In this study, an artificial classification system that can recognise and categorise bone fractures is being developed. There are two main steps in the system that has been designed. The photos of the fractures are processed in the first stage using various image processing techniques to identify their position and shapes. The classification phase follows, in which a back propagation neural network training on the processed images before being put to the test. The system was put to the test experimentally on various photographs of bone fractures, and the results indicate high performance as well as a classification rate.*

Keywords: *Bone Classification; Bone Fracture Detection; Fracture Classification; Machine Learning.*

I. INTRODUCTION

A large range of bones can be found in the human body. Auto accidents and serious falls are the two main causes of bone abnormalities. Due to the fragility of their bones, older people tend to experience a bone fracture. If the patient is treated properly, the shattered bone will heal. To identify the fractured bone, the doctor takes x-ray or MRI (Magnetic Resonance Imaging) images. The clinician faces challenges while examining the microscopic broken bone. The potential of error is substantial and the process is time-consuming when evaluating a fractured bone manually. Therefore, creating a computer-based method is essential to reducing both the time and potential for error with the diagnosing of broken bones. Therefore, creating a computer-based strategy is essential to reducing both the time and potential for error there in the diagnosing of broken bones. Recently created machine learning technology is widely employed.

II. RELATED WORK

A Pictures with or without fractures are included in the X-rays that are taken. Pre-processing methods were used to initially improve the photographs using filtering techniques including the Lucy Richardson filters, blind deconvolution filters, and median filters in order to decrease gaussian noise and salty and pepper noise from these shots. In the second step, edge detection is achieved using the edge detection technique. After that, the image is segmented using the k-means clustering technique. The Region of Interest (ROI) algorithm is used to classify the image after the GLCM feature extraction algorithm has retrieved the image's features.

III. TECHNIQUES USED FOR IMAGE PROCESS

Classifiers

Introduction Regression issues are commonly focused on supervised desktop learning methods as well as randomly forested areas. It creates ideal wood on a wide range of samples by utilising their similar due to alignments and majority suffrage because to regression.

A. RF (Random Forest)

The Random Forest Algorithm's capacity to oversee information units along with both persistent factors, explicitly among relapse, and key factors, as into characterizations, is quite possibly of its most significant element. That can deliver remarkable outcomes when utilized in words connecting with arrangement issues.

B. CNN(Convolutional Neural Network)

The ordinary design of a CNN is a heap of convolution layer blended with pooling layers, with the non-direct initiation capability generally applied after the convolutional layer. The result of the convolutional segment is smoothing into a one-layered vector and shipped off a classifier, which is regularly an ANN or completely associated net work.

C. ANN (Artificial Neural Network)

An Artificial brain network association (ANN) is a PC model that may be used to perform tasks like assumption, request, and course. It is included made neurons. These produced neurons are cautious impersonations of human frontal cortex neurons. Neurons in the frontal cortex convey messages that speedy exercises to be performed. Basically, fake neurons in a cerebrum network collaborate to execute endeavors. Weight insinuates the relationship between the fake neurons.

IV. DATA PROCESSING

In this research, a method for classifying and detecting broken bones was developed using deep learning. Utilizing X-ray scans of a human's healthy bone and damaged bone, the experiment was conducted. The first 100 images were compiled from several sources. The small data set was increased to address the over fitting problem in deep learning. The size of the data collection was finally changed to 4000. The classification accuracy of the model is 92.44 percent for both healthy and fractured bones. The advised accuracy is considerably more than the 82.89 percent and 84.7 %




Figure 1 Data processing

V. IMPLEMENTATION AND RESULT

Usage is the process of creating a game plan or carrying out a plan, and it may result in the venture's success. The improvements required for a module to be set to operate, the planning's justification, carrying out the computation as a coding execution, and detailing the tool and equipment requirements of a PC framework using an effective arrangement of organisations, models, project execution, and planning and execution are all required for the framework's use. Furthermore, the project's plan will be improved by first testing. Execution is the awareness of how calculations, results, and other framework elements are being.

In programming architecture and framework creation, a "utilisation case" is a representation of how a framework will respond to a request that comes from outside the framework. In a sense, a usage example shows who can do what with the in question framework.




Figure 2 3D Representation of the Resnet50 Architecture

The system's execution provisions are in favour of copyright holders.

It also includes the following:

Furthermore, it includes:

- Carefully designed.
- Research for upcoming projects.
- It is important to train developers.

Module Description

- 1) *Dataset Collection/Upload:* Using this module we will upload bones dataset to application
- 2) *Characteristics Extraction:* This module we will extract RGB pixel values from each images and then build a feature vector
- 3) *Train and Test Data Split:* Using this module we will split dataset into train and test part where application will use 80% dataset size for training and 20% for testing
- 4) *Build Random Forest Model:* using this module we will train Random Forest Algorithm on above splitted train dataset and then apply this random forest algorithm on test data to calculate how much correctly random forest predict test images.

This segment incorporates information assortment, expansion of information utilizing changes of the picture lastly characterization of sound and malignant bone utilizing profound CNN. The analyze has been performed on the bone X-ray picture informational collections, gathered from various sources openly accessible for examination, for example, the Cancer Imaging Archive(TCIA) and Indian Institute of Engineering Science and Technology, Shibpur (IEST).



A. Proposed System two Main Stages Make Up The Evolved System

The photographs of the breaks are handled in the primary stage involving different picture handling procedures for distinguish the position likewise shapes classification stage follows, where a back engineering brain network preparing on the handled pictures prior to being scrutinized. The handling stage as well as the grouping technique are the two critical periods of the proposed framework. During the picture handling stage, techniques like Haar Wavelet changes and SIFT as a component extractor are utilized to deal with the images. These strategies are utilized to further develop the pictures' quality and to eliminate the bone's cracked region. The photographs are ready to likewise be taken care of into to the brain network at the finish of this step.

VI. CONCLUSION

In this paper bone break discovery and order framework utilizing deep learning method has been created. The X-ray picture of the human crack bone and the sound bone were utilized to play out the trial. The first 100 pictures were gathered from the different source. The informational collection was expanded to conquer the over fitting issue in the profound learning on the little informational collection. At last, the size of the informational collection was set to 4000. The characterization precision of the model is 92.44% for the solid and the broke bone.

The current precision is obviously superior to of 82.89% and 84.7% of the . The precision of the model can be additionally improved by determination of other profound learning model. The framework needs approval on the bigger informational collection to additionally research the exhibition.

The utilization of another deep learning model can expand the model's exactness much more. To all the more completely analyze the exhibition, the framework requires approval on the greater informational collection. X-beam pictures are utilized as info pictures in this model, while CT examine pictures are being utilized to gauge breaks.

We are enthusiastic about different assessment districts from where the endeavor is at this point at in light of the fact that they require working on the model's value and securing some level of sensibility from the discoveries. We acknowledge that we can use something like one of the models we've examined in the future to convey positive outcomes. Whether or not we abandoned it due to the adverse results, we acknowledge the explanation and fundamental catalyst behind its creation were not irrational. Likewise, we could re at any point look at it and explore elective decisions.

To match photos of comparable article from various places, it could similarly be helpful to encourage a particular pre-taking care of pipeline using two or three other CV strategies.

REFERENCES

- [1] key-points, International Journal of Computer Vision 60, 91-110.
- [2] Lowe, D., 2001. Local feature view clustering for 3D object recognition, IEEE Conference on Computer Vision and Pattern Recognition.
- [3] Kauai, USA. Abdolshah, M., Teimouri, M., Rahmani, R., 2017. Classification of X-Ray images of shipping containers. Expert Systems with Applications 77, 57-65.
- [4] Chenand, Y.T., Tseng, D.C, 2007. Wavelet-based medical image compression with adaptive prediction. Computerized Medical Imaging and Graphics 31, 1-8.
- [5] Devi, S. S. and Vidhya, K., 2007. Development of medical image compression techniques, Proceedings of the International Conference on Computational Intelligence and Multimedia Applications. Sivakasi, India.
- [6] Dimililer, K. and Kavalcıoğlu, C., 2011. Gaussian Noise and Haar Wavelet Transform Image Compression on Transmission of Dermatological Images, International Conference on Advances in Computing and Communications. Kochi, India.
- [7] Dimililer K., 2012. Neural network implementation for image compression of x-rays. Electronics World 118, 26-29. Dimililer K., 2013. Backpropagation neural network implementation for medical image compression. Journal of Applied Mathematics 453098, 1-8
- [8] Dimililer, K., İlhan, A., 2016. Effect of image enhancement on MRI brain images with neural networks. Procedia Computer Science 102, 39-44.
- [9] Dimililer, K., Kirsal Ever, Y., Ratemi, H., 2016. Intelligent eye tumour detection system. Procedia Computer Science 102, 325-332.
- [10] Dimililer, K., Kirsal Ever, Y., & Ugur, B., 2016. ILTDS: Intelligent lung tumor detection system on CT images, Intelligent Systems Technologies and Applications. Kochi, India.
- [11] Famagusta General Hospital and Radiology Department, X-Ray radiograph database, Famagusta, Cyprus, 2013.
- [12] Gao, X., 2014. Feature wise representation for both still and motion 3d medical images, South-west Symposium on Image Analysis and Interpretation. California, USA.
- [13] Ghasabi-Oskoei, H., Mahdavi-Amiri N., 2006. An efficient simplified neural network for solving linear and quadratic programming problems, Applied Mathematics and Computation 175, 452-464.
- [14] Hua, K.-L., Dai, B.-R., Srinivasan, K., Hsu, Y.-H., Sharma, V., 2017. A hybrid NSCT domain image watermarking scheme. Eurasip Journal on Image and Video Processing 10, 1-17.
- [15] Karlik, B., 2006. Medical image compression by using Vector Quantization Neural Network (VQNN). Neural Network World 16, 341-348.
- [16] Khashman, A., Dimililer, K., 2008. Image compression using Neural Networks and Haar wavelet. WSEAS Transactions on Signal Processing 4, 331-339.
- [17] Khashman, A., Sekeroglu, B., & Dimililer K., 2006. Coin identification using neural networks, 5th WSEAS International Conference on Signal Processing, Istanbul, Turkey.



- [18] Kromer, T., 2014. Fractal neural vector - Machines, tomography and inheritance of behaviour, WSEAS Transactions on Circuit Systems 13, 464-475.
- [19] Lai, B. L., Chang, L. W., 2006. Adaptive data hiding for images based on haar discrete wavelet transform. Advances in Image and Video Technology. Lecture Notes in Computer Science 4319, 1085–1093.
- [20] Li, W., Wu, X., Zhang, Y., and Yu M., 2007. Wavelet-based far infrared medical image compression with histogram shifting, Proceedings of the 1st International Conference on Bioinformatics and Biomedical Engineering. Wuhan, China. Lowe, D., 2004. Distinctive image features from scale invariant



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)