



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 12    Issue: XII    Month of publication: December 2024**

**DOI: <https://doi.org/10.22214/ijraset.2024.65748>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Clostridium SPP in Sheep and Goat

Abdulkhaki Almahdi Ali Alsouqi

*Higher Institute of Medical Science and Technology, El-Qaraboli, Libya*

## I. INTRODUCTION

The literature surrounding *Clostridium* spp. in sheep and goats highlights a range of critical insights regarding the prevalence, pathogenicity, and preventive measures associated with these bacteria in ruminant populations.

(M. Simpson et al., 2018) emphasize the importance of vaccination in controlling clostridial diseases, particularly in young animals. Their findings indicate that immunization against *C. perfringens* types C and D is essential, especially in North American sheep, where it significantly contributes to preventing enterotoxemia. The authors further assert that a multivalent clostridial bacterin-toxoid can induce protective antibody titers, thereby reducing the incidence of disease in lambs. However, the study also notes the limited effectiveness of existing vaccines in goats, suggesting a need for improved strategies tailored specifically for this species.

In the subsequent year, (Kachrimanidou et al., 2019) broaden the scope of clostridial research by addressing *Clostridioides difficile*, a pathogen recognized not only in humans but also in food-producing animals, including sheep and goats. Their comprehensive review highlights the zoonotic potential of *C. difficile*, noting that animals can serve as reservoirs and vectors for transmission to humans. The authors underscore the increasing prevalence of *C. difficile* infections globally and the shared ribotypes between humans and animals, which raises concerns about public health implications.

(Blasi et al., 2021) provide a focused examination of *Clostridium difficile* prevalence in sheep carcasses in Central Italy, contributing valuable data on the antibiotic susceptibility of isolates. This study highlights the potential risks posed by antibiotic use in livestock, which can lead to increased resistance and complicate treatment options. The findings reinforce the need for vigilant monitoring of antibiotic administration in sheep and goats to mitigate the risk of resistant infections.

Further exploring the economic impact of infectious diseases, it is important to discuss the challenges in developing vaccines for mycoplasma diseases affecting small ruminants. These diseases pose significant threats to the health and well-being of sheep and goats, leading to major losses in the agricultural sector. The lack of effective vaccines for mycoplasma diseases is a pressing concern that stems from various factors. One of the main hurdles is insufficient funding dedicated to research and development in this specific area. Without adequate financial support, scientists and researchers face significant challenges in conducting extensive studies to develop effective vaccines against these diseases. (Yadav et al., 2022) Additionally, a major contributing factor to the absence of effective vaccines is the prevalence of antimicrobial misuse among producers. Antibiotics are often used as a quick solution to combat mycoplasma diseases, even though these diseases can't be treated with antibiotics alone. This imprudent use of antimicrobials leads to the development of antibiotic resistance in the pathogens, making it even more difficult to find suitable treatment options. (Micoli et al. 2021) Although this article does not solely focus on *Clostridium* spp., it highlights the broader landscape of infectious diseases in sheep and goats. By doing so, it underlines the urgent need for comprehensive disease management strategies that encompass vaccination as well as responsible antibiotic use. Vaccination plays a crucial role in preventing the occurrence and spread of mycoplasma diseases, reducing the economic burden on the agricultural industry. (Sander et al. 2020) Adopting responsible antibiotic practices is equally vital in minimizing the development of antibiotic resistance. Producers must be educated about the appropriate use of antimicrobials and the potential consequences of their misuse. By implementing these comprehensive disease management strategies, we can effectively mitigate the impact of mycoplasma diseases on small ruminants and safeguard the sustainability of the agricultural sector. (Dudek et al., 2022)

Most recently, a comprehensive investigation was conducted to assess the presence of potentially harmful *Clostridia* in lambs and goat kids afflicted with hemorrhagic abomasitis in the country of Turkey. The findings of this in-depth study shed light on the identification of particular virulence genes that are closely associated with both *Clostridium perfringens* and various other *Clostridia* species. These significant discoveries significantly contribute to our understanding of the intricate molecular mechanisms that underlie these infections. Consequently, this groundbreaking research emphasizes and highlights the critical importance of continuous surveillance measures and the thorough molecular characterization of clostridial pathogens. By doing so, these vital efforts will undoubtedly provide crucial insights to inform and enhance the effectiveness of treatment and prevention strategies within the affected populations. (Kalender et al., 2023). Together, these articles paint a nuanced picture of the challenges posed by *Clostridium* spp. in sheep and goats, revealing critical gaps in knowledge and practice that warrant further research and intervention.

## II. LITERATURE REVIEW

The article titled "Clostridial Abomasitis and Enteritis in Ruminants" by Simpson, Callan, and Van Metre (M. Simpson et al., 2018) provides a comprehensive overview of the management and prevention of clostridial diseases in sheep and goats, particularly focusing on the implications of vaccination strategies and treatment protocols. The authors emphasize the importance of vaccination as a cornerstone in preventing clostridial infections, specifically highlighting the efficacy of commercial vaccines against *Clostridium perfringens* types C and D.

One of the key insights from the article is the recommendation for immunization of ewes three weeks prior to lambing. This practice is crucial as it has been shown to generate adequate colostral antibody titers against epsilon toxin, thereby providing significant protection to lambs for up to 12 weeks of age. This proactive approach underscores the necessity of maternal immunity in young ruminants and illustrates the critical role of vaccination in the overall health management of sheep populations. (Tizard, 2021)

Additionally, the article discusses the recommended vaccination schedule for lambs, suggesting that they should receive immunization against C perfringens types C and D and tetanus toxoid at 8 to 12 weeks of age, followed by a booster three to four weeks later. This regimen is essential to ensure that young animals develop the necessary immunity to combat potential infections effectively.

However, the article also presents a notable concern regarding the administration of multivalent ovine enterotoxemia vaccines to goats. The authors indicate that such vaccines have been shown to be ineffective in protecting goats against fatal type D enterotoxemia, which raises questions about the current vaccination practices for goats and suggests a need for further research into alternative strategies for this species. (Tizard, 2021)

In terms of clinical intervention, the article highlights the potential for immediate treatment during surgical procedures, where intestinal samples can be obtained for culture and cytology. The authors advocate for the use of intraluminal injections of penicillin as a treatment option, which could be beneficial in managing acute cases of clostridial infections.

The article "Clostridioides (*Clostridium*) *Difficile* in Food-Producing Animals, Horses and Household Pets: A Comprehensive Review" by Kachrimanidou, Tzika, and Filioussis (Kachrimanidou et al., 2019) presents a thorough examination of *Clostridioides difficile*, a significant pathogen with implications for both animal and human health. The authors effectively outline the characteristics of this Gram-positive, anaerobic, spore-forming bacillus, emphasizing its dual existence in vegetative and spore forms, which is crucial for understanding its transmission dynamics and survival in various environments.

The article highlights the increasing recognition of *C. difficile* as an enteric pathogen in food-producing animals, particularly sheep and goats. This is particularly relevant given the rising incidence and severity of infections in the last two decades. The authors provide a compelling argument for the role of these animals as potential vectors for the bacterium, noting that direct contact or contaminated water can facilitate zoonotic transmission to humans. This observation is critical, as it underscores the interconnectedness of human and animal health, a concept that is becoming increasingly important in veterinary and public health discussions. (Lim et al., 2020)

Moreover, the review delves into the virulence factors associated with *C. difficile*, particularly Exotoxins A and B, which are central to the pathogenesis of the infections. The authors draw attention to the shared ribotypes between humans and various animal species, strengthening the argument for zoonotic transmission. This aspect of the review is particularly valuable, as it provides a basis for understanding how *C. difficile* can spread across species barriers, raising concerns for both animal welfare and public health. (Tian et al. 2023). The comprehensive nature of the review is further enhanced by a discussion of the epidemiology, clinical presentations, risk factors, and laboratory diagnosis of *C. difficile* infection (CDI) in animals. The authors systematically present data that highlight the clinical significance of CDI in veterinary medicine, particularly in young animals such as piglets, while also noting the implications for sheep and goats. This breadth of information is beneficial for practitioners and researchers alike, as it consolidates existing knowledge and identifies areas that require further investigation. However, while the review is thorough, it could benefit from a more in-depth exploration of the specific epidemiological studies conducted on *C. difficile* in sheep and goats. The authors mention the overlap in ribotypes, but additional data on incidence rates, geographical distribution, and specific risk factors for these species would enhance the understanding of the dynamics involved. Furthermore, more emphasis on preventive measures and management strategies in livestock could provide practical insights for veterinarians and farmers. (Lim et al., 2020)

The article "Clostridioides *difficile* in Calves in Central Italy: Prevalence, Molecular Typing, Antimicrobial Susceptibility and Association with Antibiotic Administration" by Blasi et al. (Blasi et al., 2021) provides a comprehensive examination of the prevalence of *Clostridium difficile* in sheep carcasses, alongside an investigation into the antibiotic susceptibility of the isolates. This study is significant as it contributes to the understanding of *Clostridium* spp. in livestock, particularly in the context of sheep and goats.



The authors conducted a thorough analysis of samples collected from sheep carcasses, revealing a notable prevalence of *Clostridium difficile*. This finding is critical as it underscores the potential public health implications associated with the consumption of contaminated meat, as well as the risks posed to the livestock industry. The molecular typing performed in the study aids in identifying specific strains of *Clostridium difficile*, which can inform future research and management strategies aimed at controlling this pathogen in sheep and goats. (Bolton and Marcos, 2023)

Furthermore, the investigation into antimicrobial susceptibility is particularly relevant in light of the growing concerns regarding antibiotic resistance in veterinary medicine. The results indicated varying levels of resistance among the isolates, which raises important questions about the impact of antibiotic administration in livestock and its correlation with the emergence of resistant strains. The authors emphasize the need for responsible antibiotic use in veterinary practices to mitigate these risks.

The article also highlights the association between antibiotic administration and the prevalence of *Clostridium difficile*, suggesting that the misuse or overuse of antibiotics in livestock may contribute to the persistence and spread of this pathogen. This insight is crucial for developing effective management practices and policies aimed at reducing the incidence of *Clostridium* spp. in sheep and goats. (Akram et al., 2023)

The article "Vaccines for Mycoplasma Diseases of Small Ruminants: A Neglected Area of Research" by Dudek et al. (Dudek et al., 2022) presents a comprehensive examination of the challenges associated with mycoplasma diseases affecting sheep and goats, emphasizing the economic implications and the urgency for effective vaccine development. The authors elucidate the significance of mycoplasmas, particularly in the context of contagious caprine pleuropneumonia (CCPP) and contagious agalactia (CA), which are prevalent across global sheep and goat farming operations.

A critical evaluation of the material reveals that the authors adeptly highlight the complexities surrounding the prevalence and identification of mycoplasma infections. They note that the lack of widespread laboratory capabilities for mycoplasma identification complicates efforts to ascertain the true impact of these diseases (Dudek et al., 2022). This gap in diagnostic resources is a significant barrier to understanding the full extent of mycoplasma-related health issues in small ruminants, thereby hampering vaccine development initiatives.

Furthermore, the article discusses the economic ramifications of vaccine development, particularly the financial risks faced by commercial companies. The authors argue that the high upfront costs associated with vaccine research and development, coupled with the uncertainty of market uptake—especially among subsistence farmers—create a disincentive for investment in this area (Dudek et al., 2022). This observation is particularly relevant in light of the existing vaccines' limited efficacy and the delayed benefits they provide, which may take months to manifest.

The authors also address the emerging concern of antimicrobial resistance in mycoplasma diseases, noting that while this issue is not yet widespread in sheep and goats, there are indications of antimicrobial ineffectiveness in certain European sheep flocks suffering from CA (Dudek et al., 2022). This aspect of the review underscores the need for ongoing surveillance and research, as the potential for resistance could exacerbate the challenges posed by mycoplasma infections.

The article titled "Detection and molecular characterization of *Clostridium perfringens*, *Paenibacillus sordellii* and *Clostridium septicum* from lambs and goat kids with hemorrhagic abomasitis in Turkey" by Kalender et al. (Kalender et al., 2023) provides valuable insights into the prevalence and virulence of specific *Clostridium* species in ruminants, particularly focusing on lambs and goat kids affected by hemorrhagic abomasitis. This research is significant as it highlights the pathogenic potential of *Clostridia*, which are known to cause a range of infections in both humans and animals, including neurotoxic, histotoxic, and enterotoxic diseases.

The study's methodology is exceptionally robust, utilizing cutting-edge molecular techniques to effectively detect and meticulously characterize the presence of the highly consequential bacterial species, including *Clostridium perfringens*, *Paenibacillus sordellii*, and *Clostridium septicum*. By astutely leveraging and skillfully employing these advanced methodologies, the authors have been able to reliably ascertain the prevalence and frequency of these detrimental pathogens, thereby shedding valuable light on their occurrence and allowing for proactive measures to be taken against them. Moreover, the authors have impressively extended their investigations to delve into the realm of genomics, effectively identifying and deciphering virulence genes that are intricately associated with the observed clinical conditions. These findings are undoubtedly paramount as they not only highlight the pivotal role of molecular diagnostics in the domain of veterinary microbiology but also significantly contribute to the progressive betterment of our understanding surrounding the intricate epidemiology of *Clostridia* in livestock. Through their meticulous research, the authors have propelled forward our comprehension of these intricate matters, ultimately driving the advancement of effective strategies and interventions to mitigate the impact of these formidable bacterial species on livestock health, welfare, and productivity. (Forti et al.2020)

One critical aspect of the article is its substantial and valuable contribution to the vast body of knowledge surrounding the pathogenicity of the specific *Clostridium* species implicated in abomasitis. The remarkable findings shed light on the intricate relationships and connections between these pernicious pathogens and the disease condition in the meticulously studied population of sheep and goats. The consequential knowledge gained from this research has the potential to revolutionize future veterinary practices and interventions by providing invaluable insights for effectively managing and preemptively averting such infections. Furthermore, the identification of these intricate and potentially malicious virulence genes serves as a catalyst for acquiring a profound and comprehensive understanding of the intricate web of pathogenic mechanisms at play. This depth of knowledge is absolutely indispensable when it comes to the development of targeted, efficient, and innovative treatments, as well as the establishment of robust and proactive preventive strategies to combat and mitigate the deleterious impact of abomasitis in these vulnerable animals.

However, while the study presents compelling data, it would benefit from a broader discussion on the implications of these findings in the context of overall animal health management and biosecurity measures in ruminant farming. Additionally, the study could explore the potential environmental and management factors contributing to the prevalence of these *Clostridium* species, which would provide a more comprehensive understanding of the factors influencing outbreaks of hemorrhagic abomasitis. (Bayne and Edmondson)

### III. CONCLUSION

The literature surrounding *Clostridium* spp. in sheep and goats presents a multifaceted view of the challenges posed by these pathogens, emphasizing the importance of vaccination, antibiotic stewardship, and ongoing surveillance. The review reveals significant insights into the pathogenicity, prevalence, and control measures associated with *Clostridium* spp. in ruminant populations.

The findings of (M. Simpson et al., 2018) stress the critical role of vaccination in preventing clostridial diseases, particularly in young sheep, where immunization against *C. perfringens* types C and D has been shown to significantly reduce the incidence of enterotoxemia.

Their recommendation for immunizing ewes prior to lambing highlights the necessity of maternal immunity in ensuring the health of lambs. However, the authors note the limited effectiveness of these vaccines in goats, indicating a gap in current practices that warrants further research into tailored vaccination strategies for this species.

Kachrimanidou, Tzika, and Filioussis (Kachrimanidou et al., 2019) expand the discussion to include *Clostridioides difficile*, a pathogen with zoonotic potential. Their review emphasizes the increasing recognition of this pathogen in food-producing animals, including sheep and goats, and underscores the public health implications of zoonotic transmission. The authors highlight the shared ribotypes between humans and animals, which raises concerns regarding the epidemiology of *C. difficile* infections and the need for further investigation into its prevalence in ruminant populations.

The study by (Blasi et al., 2021) contributes critical data on the prevalence of *C. difficile* in sheep carcasses and its antibiotic susceptibility. The findings underscore the risks associated with antibiotic use in livestock, as misuse can lead to increased resistance and complicate treatment options. This research reinforces the need for vigilant monitoring of antibiotic administration in sheep and goats to mitigate the risk of resistant infections.

Dudek et al. (Dudek et al., 2022) provide context for the broader landscape of infectious diseases affecting small ruminants, emphasizing the economic challenges associated with vaccine development for mycoplasma diseases. Their discussion highlights the complexities of vaccine research and the impact of antimicrobial misuse, suggesting that comprehensive disease management strategies must encompass responsible antibiotic use alongside effective vaccination efforts.

Lastly, (Kalender et al., 2023) investigate the presence of pathogenic *Clostridia* in lambs and goat kids suffering from hemorrhagic abomasitis, identifying virulence genes associated with these infections. Their study underscores the importance of molecular characterization in understanding the epidemiology of clostridial pathogens and informs treatment and prevention strategies in affected populations.

In conclusion, the literature collectively emphasizes the critical need for improved vaccination strategies, responsible antibiotic use, and ongoing surveillance to manage the risks associated with *Clostridium* spp. in sheep and goats. The gaps identified in current practices, particularly concerning vaccine efficacy in goats and the implications of antibiotic resistance, highlight the necessity for further research and intervention to enhance the health management of ruminant populations.

## REFERENCES

- [1] M. Simpson, K., J. Callan, R., & C. Van Metre, D. (2018). Clostridial Abomasitis and Enteritis in Ruminants. [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov)
- [2] Kachrimanidou, M., Tzika, E., & Filioussis, G. (2019). Clostridioides (Clostridium) Difficile in Food-Producing Animals, Horses and Household Pets: A Comprehensive Review. [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov)
- [3] Blasi, F., Lovito, C., Albini, E., Bano, L., Dalmonte, G., Drigo, I., Maresca, C., Romana Massacci, F., Orsini, S., Primavilla, S., Scoccia, E., Tofani, S., Forte, C., & Francesca Magistrali, C. (2021). Clostridioides difficile in Calves in Central Italy: Prevalence, Molecular Typing, Antimicrobial Susceptibility and Association with Antibiotic Administration. [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov)
- [4] Yadav, J. P., Tomar, P., Singh, Y., and Khurana, S. K. "Insights on Mycoplasma gallisepticum and Mycoplasma synoviae infection in poultry: a systematic review." *Animal biotechnology*, 2022. [researchgate.net](http://researchgate.net)
- [5] Micoli, Francesca, et al. "The role of vaccines in combatting antimicrobial resistance." *Nature Reviews Microbiology* 19.5 (2021): 287-302. [nature.com](http://nature.com)
- [6] Sander, Valeria A., et al. "Use of veterinary vaccines for livestock as a strategy to control foodborne parasitic diseases." *Frontiers in cellular and infection microbiology* 10 (2020): 288. [frontiersin.org](http://frontiersin.org)
- [7] Dudek, K., Sevimli, U., Migliore, S., Jafarizadeh, A., R. Loria, G., & A. J. Nicholas, R. (2022). Vaccines for Mycoplasma Diseases of Small Ruminants: A Neglected Area of Research. [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov)
- [8] Kalender, H., Öngör, H., Timurkaan, N., Karagülle, B., Karabulut, B., Akdeniz İncili, C., Enfal Başar, H., Ekinci, E., Çevik, A., Atıl, E., & Çetinkaya, B. (2023). Detection and molecular characterization of Clostridium perfringens, Paeniclostridium sordellii and Clostridium septicum from lambs and goat kids with hemorrhagic abomasitis in Turkey. [ncbi.nlm.nih.gov](http://ncbi.nlm.nih.gov)
- [9] Tizard, I. R. "Sheep and goat vaccines." *Vaccines for Veterinarians*, 2021. [nih.gov](http://nih.gov)
- [10] Lim, S. C., Knight, D. R., and Riley, T. V. "Clostridium difficile and one health." *Clinical Microbiology and Infection*, 2020. [sciencedirect.com](http://sciencedirect.com)
- [11] Tian, Hongliang, et al. "Depletion of butyrate-producing microbes of the Firmicutes predicts nonresponse to FMT therapy in patients with recurrent Clostridium difficile infection." *Gut Microbes* 15.1 (2023): 2236362. [tandfonline.com](http://tandfonline.com)
- [12] Bolton, D. and Marcos, P. "The Environment, Farm Animals and Foods as Sources of Clostridioides difficile Infection in Humans." *Foods*, 2023. [mdpi.com](http://mdpi.com)
- [13] Akram, F., Imtiaz, M., and ul Haq, I. "Emergent crisis of antibiotic resistance: A silent pandemic threat to 21st century." *Microbial pathogenesis*, 2023. [HTML](http://HTML)
- [14] Forti, Katia, et al. "Molecular characterization of Clostridium perfringens strains isolated in Italy." *Toxins* 12.10 (2020): 650. [mdpi.com](http://mdpi.com)
- [15] Bayne, J. E. and Edmondson, M. A. "Diseases of the gastrointestinal system." *Sheep*. [nih.gov](http://nih.gov)





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)