



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 12    **Issue:** X    **Month of publication:** October 2024

**DOI:** <https://doi.org/10.22214/ijraset.2024.64435>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Effective Air Pollution Monitoring System for Eco Balance

Priyanka Kotnala<sup>1</sup>, Tejas Langhe<sup>2</sup>, Akanksha Malusare<sup>3</sup>, Prof. Prachi Deshpande<sup>4</sup>, Dr. B. E. Shinde<sup>5</sup>

<sup>1, 2, 3, 4, 5</sup>Department of Electronics and Telecommunication Engineering, Dhole Patil College of engineering, Pune

**Abstract:** Air pollution in urban areas is increasingly driven by vehicle emissions, which release harmful gases include such things as carbon monoxide (CO), nitrogen oxides (NO<sub>x</sub>), hydrocarbons (HC), and particulate matter (PM). These pollutants pose significant risks to both environmental quality and public health, highlighting the urgent need for effective monitoring and control systems. This project presents the development of an automated Effective Air Pollution Monitoring System for Eco Balance, designed to detect exhaust gas levels in real-time as vehicles pass designated points. The system employs advanced sensors to monitor pollutant concentrations and utilizes a camera-based recognition system to capture the number plates of vehicles that exceed permissible emission levels. The collected data, including pollution metrics and vehicle details, is transmitted to the Regional Transport Office (RTO) for necessary enforcement actions. By promoting compliance with emission standards, this automated system aims to significantly reduce vehicle-related air pollution, fostering a cleaner and healthier urban environment.

**Keywords:** Air Pollution, Vehicle Emission, Pollution Sensor, Camera-Based Recognition, Vehicle Identification, Regional Transport Office (RTO)

## I. INTRODUCTION

Air pollution is a growing concern in urban areas, largely due to the increasing number of vehicles emitting harmful gases. Vehicle exhaust gases, including carbon monoxide (CO), nitrogen oxides (NO<sub>x</sub>), hydrocarbons (HC), and particulate matter (PM), contribute significantly to air pollution, affecting both environmental and public health. An effective system for monitoring and controlling vehicle emissions is urgently needed to address this issue. This project focuses on the development of an automated 'Effective Air Pollution Monitoring System for eco balance', which can detect the level of exhaust gases released from vehicles and take necessary actions. The system uses advanced sensors to monitor pollutants in real-time as vehicles pass by. Once a vehicle is found to be emitting gases beyond permissible levels, the system captures the vehicle's number plate using a camera-based recognition system. The gathered information, including the pollution levels and vehicle details, is then sent to the Regional Transport Office (RTO) for further action. This automated system aims to enhance compliance with emission standards and reduce vehicle-related air pollution, promoting a cleaner and healthier environment.

## II. LITERATURE SURVEY

1) Molina-Moreno, M., González-Díaz, I., & Díaz-de-María, F. (2019). Efficient Scale-Adaptive License Plate Detection System. IEEE Transactions on Intelligent Transportation Systems, 20(6), 2150-2160.

In the paper, Molina-Moreno et al. (2019) present an innovative scale-adaptive license plate detection system designed to enhance the efficiency and accuracy of vehicle identification in various environments. The authors focus on the challenges associated with traditional license plate detection methods, particularly in dynamic urban settings where vehicles may be approaching at different speeds and distances. The proposed system incorporates a scale-adaptive approach that allows for effective detection of license plates across varying distances and sizes. This adaptability is crucial for applications in real-time monitoring systems, where vehicles can appear at different scales due to their speed and the angle of approach. The authors utilize advanced image processing techniques and machine learning algorithms to improve detection rates. The system leverages a combination of edge detection and template matching, providing robust performance even in challenging conditions such as low lighting or obstructions. The system is optimized for real-time processing, making it suitable for implementation in automated monitoring systems for traffic enforcement and pollution control. The authors report significant improvements in processing speed compared to conventional methods. The paper includes extensive experiments conducted under varied conditions, demonstrating the system's effectiveness in diverse scenarios. The results indicate a high detection accuracy, reinforcing the potential for practical applications in urban settings. The findings from this study have significant implications for air pollution monitoring initiatives that involve vehicle emissions detection.

The scale-adaptive license plate detection system can be integrated with pollution monitoring technologies to enhance compliance with emissions standards. By accurately identifying vehicles that exceed emission limits, regulatory bodies can take necessary actions more effectively. The ability to process license plate data in real-time supports the development of comprehensive databases that can inform policymakers and aid in traffic management strategies.


2) He, Z., Zhang, W., & Jia, N. (2020). *Estimating Carbon Dioxide Emissions from Freeway Traffic: A Spatiotemporal Cell-Based Approach*. IEEE Transactions on Intelligent Transportation Systems, 21(5), 2034-2045.

In this study, He, Zhang, and Jia (2020) propose a novel spatiotemporal cell-based model for estimating carbon dioxide (CO<sub>2</sub>) emissions from freeway traffic. The model integrates traffic flow data with vehicle emission factors to provide a comprehensive assessment of CO<sub>2</sub> emissions at a granular level across different times and locations. The authors introduce a cell-based modeling approach that divides freeway segments into discrete spatial cells, allowing for detailed analysis of traffic conditions and emissions over time. This framework enables the model to capture variations in traffic patterns and environmental factors that influence emissions. The model effectively integrates various data sources, including traffic volume, speed, and vehicle type distributions, to generate accurate emission estimates. By utilizing real-time traffic data, the model enhances the reliability of its emissions forecasts. The authors develop a methodology that combines emission factors from established databases with actual traffic data. This approach allows for the calculation of CO<sub>2</sub> emissions per cell, which can then be aggregated to provide overall emissions estimates for specific freeway segments or time periods. He, Zhang, and Jia (2020) present a significant advancement in the estimation of freeway traffic CO<sub>2</sub> emissions through their spatiotemporal cell-based model. The integration of detailed traffic data with emission factors provides a robust framework for understanding and managing vehicular emissions. This research underscores the importance of employing innovative modeling techniques in air pollution monitoring efforts, paving the way for more informed decision-making in environmental management. Future studies could explore the application of this model in different contexts, including urban roads and diverse traffic conditions, to broaden its applicability.

3) *IOT BASED VEHICLE EMISSION MONITORING SYSTEM AT TOLLPLAZA USING RFID AND CLOUD SERVICES*, Jamalla Somasekhar\*1, Kandanuru Bindhu\*2, Jangiti Eswara Sai\*3, Gupi Rupesh\*4, Dr. P. Sreenivasulu\*5, volume:05/Issue:01/January-2023

Discusses the impact of vehicle emissions on health and the environment, highlighting the necessity for effective monitoring systems. Provides an overview of emission standards set by governmental bodies to control pollution. Explains IoT and its significance in enhancing operational efficiency in various sectors, including transportation. Highlights how IoT can enable smarter decision-making through real-time data collection and analysis. Describes how RFID works for automatic vehicle identification and data collection at toll plazas. Details existing use cases where RFID enhances efficiency in toll operations. Data Management: Discusses how cloud services facilitate the storage and processing of large volumes of emission data. Real-Time Monitoring: Explains the benefits of cloud computing in enabling instant access to data for regulatory authorities. The paper serves as a foundational study for developing an IoT-based vehicle emission monitoring system at toll plazas. It highlights the integration of advanced technologies—RFID for identification and cloud computing for data management—as essential components for effective environmental monitoring. The proposed system has the potential to enhance compliance with regulations and improve air quality, making it a valuable contribution to both transportation and environmental management sectors.

### III. WORKING MECHANISM



This diagram illustrates the wiring of a Raspberry Pi to various sensors and components on a breadboard. Here's a breakdown of the main components and their connections:

- 1) Raspberry Pi (Model B 3+): This is a single-board computer used to process and control the components on the breadboard. It has GPIO pins that are used to interface with external sensors and modules.
  - 2) 8x8 IR GridEye Sensor (AMG8833): This sensor is used to detect infrared radiation and can be used for thermal imaging. It is mounted in the center of the breadboard, with multiple connections to the Raspberry Pi.
  - 3) 3V: Connected to the 3.3V pin of the Raspberry Pi.
  - 4) GND (Ground): Connected to the ground (GND) pin of the Raspberry Pi.
  - 5) SDA (Serial Data): Connected to one of the I2C pins (typically GPIO 2 on Raspberry Pi).
  - 6) SCL (Serial Clock): Connected to another I2C pin (typically GPIO 3 on Raspberry Pi).
  - 7) MQ Gas Sensor (likely MQ-135): This is a gas sensor that detects gases such as hydrogen. It's on the top-left of the breadboard.
  - 8) VCC: Connected to the 5V power rail. GND: Connected to the ground (GND) rail.
  - 9) A0: This pin outputs an analog signal and is connected to an analog-to-digital converter (ADC), which is required because the Raspberry Pi only supports digital input.
  - 10) MCP3008 ADC (Analog-to-Digital Converter): Since the Raspberry Pi lacks an analog-to-digital converter, this IC (Integrated Circuit) converts the analog signal from the MQ sensor into digital signals that the Raspberry Pi can interpret. Connected to both the Raspberry Pi and the gas sensor to allow the analog sensor data to be processed.
- Resistors and Wires: Several resistors are used to ensure proper current flow and protect the circuit. The wires connect all the components together through the breadboard and to the GPIO pins on the Raspberry Pi. The connections between components suggest that this setup is used to measure gas concentration using the MQ sensor and to capture thermal data with the AMG8833 sensor, all controlled by the Raspberry Pi.

#### IV. ADVANTAGES

- 1) *Real-Time Monitoring*: The system provides continuous, real-time data on vehicle emissions, allowing for immediate detection of excessive pollution levels.
- 2) *Automated Enforcement*: By automatically capturing license plates of non-compliant vehicles, the system streamlines the enforcement process, reducing the burden on law enforcement agencies.
- 3) *Data Collection*: It gathers valuable data on pollution sources, which can be used for research, policy-making, and improving urban air quality management strategies.
- 4) *Public Awareness*: The visibility of such monitoring systems may encourage vehicle owners to adhere to emission standards, raising public awareness about air pollution.
- 5) *Regulatory Compliance*: Facilitates better compliance with existing emission regulations, ultimately leading to cleaner air in urban areas.
- 6) *Health Benefits*: Reducing vehicle emissions can lead to significant improvements in public health, lowering the incidence of respiratory and cardiovascular diseases linked to air pollution.
- 7) *Environmental Protection*: By targeting and reducing harmful emissions, the system supports broader environmental sustainability goals and helps mitigate climate change.
- 8) *Integration with Smart Cities*: The system can be integrated into smart city initiatives, utilizing data analytics for improved urban planning and environmental monitoring.
- 9) *Scalability*: It can be implemented in various urban settings, making it adaptable to different cities and their specific pollution challenges.
- 10) *Cost-Effectiveness*: Over time, reduced health care costs and improved quality of life may offset the initial investment in the monitoring system.

#### V. SCOPE OF PROJECT

The scope of the Effective Air Pollution Monitoring System for Eco Balance project encompasses several key areas:

**Monitoring Framework:** Develop a comprehensive monitoring framework that includes the selection of advanced sensors for detecting various pollutants (CO, NO<sub>x</sub>, HC, PM). Establish protocols for data collection, analysis, and reporting.

**Technological Integration:** Integrate vehicle number plate recognition systems with pollution sensors to create an automated detection and reporting mechanism. Ensure compatibility with existing traffic management systems and infrastructure.

**Geographic Implementation:** Pilot the system in high- traffic urban areas with significant air pollution issues. Evaluate the potential for expansion to other regions based on initial findings and effectiveness.**Data Management and Analysis:** Develop a centralized database for storing and analyzing pollution data, vehicle details, and enforcement actions. Implement data visualization tools for easy interpretation by authorities and the public.**Regulatory Collaboration:** Collaborate with regional transport offices and environmental agencies to ensure the system aligns with existing regulations and policies. Create feedback mechanisms for regulatory bodies to act on collected data.**Public Engagement and Awareness:** Design outreach programs to inform the public about the system's purpose and benefits. Promote community involvement in pollution reduction efforts.

## VI. ACKNOWLEDGMENT

We extend our sincere gratitude to the Department Head and project guide Prof. Prachi Deshpande for their constant support and valuable guidance during the course of our project. We are also grateful to Prof. Bhausaheb Shinde, the project coordinator, and Principal Dr. Omprakash Rajankar Sir for their unwavering encouragement and assistance. Furthermore, we would like to express our appreciation to the entire staff and our fellow classmates who played a significant role in our achievements. Their availability and continuous encouragement have been invaluable to our success.

## VII. CONCLUSION

In our research, represents a proactive and innovative approach to tackling the pressing issue of vehicle emissions in urban areas. By leveraging advanced sensor technology and automated systems, this project aims to provide real-time monitoring and enforcement of air quality standards, significantly contributing to cleaner air and improved public health. The integration of vehicle recognition systems ensures that non-compliant vehicles are identified and addressed promptly, fostering greater accountability among vehicle owners. Moreover, the data collected will serve as a valuable resource for policymakers and researchers, enabling informed decisions and effective urban planning. Ultimately, this project not only seeks to reduce air pollution but also promotes a culture of environmental responsibility among citizens and stakeholders. As cities continue to grow and face increased environmental challenges, the implementation of such a system is crucial for achieving sustainable urban living and ensuring a healthier future for all. Through ongoing collaboration, public engagement, and continuous improvement, this initiative has the potential to make a lasting impact on urban air quality and ecological balance.

## REFERENCES

- [1] V. S. S. R. K. Prasad, V. S. Prasad, and G. R. S. S. V. Kumar, "Intelligent Vehicle Emission Monitoring System Using IoT," *International Journal of Advanced Research in Computer Science*, vol. 9, no. 5, pp. 1-6, 2018.
- [2] R. K. Gupta, M. K. Gupta, and R. Sharma, "Automated Air Quality Monitoring System Using IoT," *International Journal of Engineering and Technology*, vol. 7, no. 2, pp. 1-6, 2018.
- [3] A. F. Al-Sabahi, A. A. R. Al-Zahrani, and H. A. J. Al-Sharif, "Vehicle Emissions Monitoring System Using Image Processing and IoT," *Journal of King Saud University - Computer and Information Sciences*, 2020.
- [4] S. Kumar and P. Kumar, "Pollution Monitoring System Using IoT: A Survey," *International Journal of Computer Applications*, vol. 179, no. 45, pp. 1-7, 2018.
- [5] N. Mohan, R. Kumar, and A. S. S. Ali, "Smart Vehicle Pollution Detection and Monitoring System Using IoT," *International Journal of Innovative Research in Computer Science and Technology*, vol. 6, no. 1, pp. 1-5, 2020.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)