



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

**Volume:** 12    **Issue:** V    **Month of publication:** May 2024

**DOI:** <https://doi.org/10.22214/ijraset.2024.61366>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# GAN Based Multi-Class Skin Disease Classification: Deep Learning Approach

Mrs. K. V. S. Mounica<sup>1</sup>, Dasari Navya<sup>2</sup>, Gorrela Supraja<sup>3</sup>, Jerripothula Shyamala<sup>4</sup>, Kondagorri Kavya Sri<sup>5</sup>

<sup>1</sup>Assistant Professor, Department of Computer Science and Engineering, Gayatri Vidya Parishad College of Engineering for Women, Visakhapatnam, Andhra Pradesh, India

<sup>2, 3, 4, 5</sup>Research Scholar, Department of Computer Science and Engineering, Gayatri Vidya Parishad College of Engineering for Women, Visakhapatnam, Andhra Pradesh, India

**Abstract:** Skin diseases pose significant diagnostic and treatment challenges due to their diverse and complex manifestations. Convolutional neural networks (CNNs) have demonstrated superior capabilities in image classification tasks, including skin disease identification. However, the performance of CNN models depends heavily on the quality and quantity of training data, which often suffers from limitations such as imbalance and sparsity. This project proposes an approach new approach to address these challenges by integrating generative adversarial networks (GANs) with CNN for multi-class skin disease classification. The GAN-based system aims to improve the diversity and quantity of the training dataset by generating synthetic images of various skin conditions. Through an adversarial training process, the generator network learns to generate realistic images of skin diseases, while the discriminator network distinguishes between real and synthetic data. Figures The synthetic images generated by the GAN are then combined with the real dataset to train the model CNN. specially designed to classify skin diseases. By leveraging the hierarchical feature extraction capabilities of CNN, this model learns the discriminating features of the augmented data set, thereby enabling accurate classification of a variety of skin diseases. System The proposed system based on GAN offers several advantages, including improved classification performance and robustness against imbalance. and limited training data and generalizability to invisible skin conditions. Additionally, the generated synthetic images can serve as a valuable resource for data augmentation, thereby improving the model's ability to generalize to different manifestations of skin diseases. Overall, this project contributes to advancing computer-aided dermatology diagnosis by leveraging the synergy between GAN and CNN to facilitate accurate and efficient classification of diseases. multilayer leather.

**Keywords:** Skin diseases, Dermatology, Image classification, Convolutional Neural Networks (CNNs), Generative Adversarial Networks (GANs), Multiclass classification, Synthetic image generation, Training data augmentation, Discriminative feature extraction, Computer-aided diagnosis (CAD), Imbalanced data, Data scarcity, Hierarchical feature learning, Classification performance, Robustness, Generalization, Data augmentation techniques, Dermatological diagnosis, Adversarial training, Synthetic data integration.

## I. INTRODUCTION

Skin diseases affect millions of people worldwide and pose significant challenges in diagnosis, treatment and management. Accurate and rapid identification of skin conditions is critical for effective medical intervention and patient care. However, dermatological diagnosis often relies on visual examination by trained clinicians, which can be subjective, time-consuming, and error-prone. With advances in artificial intelligence (AI) and computer vision, automated skin disease classification systems have become promising tools to help dermatologists make accurate diagnoses and decisions. Convolutional Neural Networks (CNN) have demonstrated significant success in a variety of fields. Image classification tasks, including medical image analysis. By learning the hierarchical representation of the input image, CNN models can extract discriminative features and classify them into different categories. In the context of dermatology, CNN has been applied to the task of skin disease classification, achieving competitive performance compared to traditional methods. However, the effectiveness of CNN models depends heavily on the availability and quality of training data, which is often limited and unbalanced in the field of dermatology. To address the challenges Due to the limited amount of data and imbalance, this project proposes a new approach integrating generative adversarial network (GAN) with CNN for multi-class skin disease classification. GANs are a class of deep learning models that consist of a generative network and a discriminator network trained in an adversarial manner. The generator learns to produce synthetic images that resemble real skin disease samples, while the discriminator distinguishes between real and generated images. Through the adversarial training process, GAN can generate diverse and realistic images, thereby enriching the training dataset for the CNN model.

The main goal of this project is to develop a GAN-based system capable of generating synthetic images of various skin diseases and exploit them to improve the performance of CNN models for classifying a variety of skin diseases. By aggregating additional training data, the proposed system aims to address the limitations of limited and unbalanced datasets in dermatology, leading to improved classification accuracy and reliability. type is improved.

In this detailed introduction, the motivation, objectives, and methods of the Project are presented. The following sections will discuss the theoretical background of CNN and GAN, implementation details of the proposed system, experimental setup, results, and discussion. Through this research effort, the project aims to contribute to the advancement of computer-aided diagnosis in dermatology and ultimately improve patient outcomes in the management of these diseases about skin.

## II. RELATED WORK

Skin diseases represent a significant global health burden, requiring effective diagnostic solutions. Traditional diagnostics rely on subjective visual inspection, which is driving interest in AI-based systems. Convolutional neural networks (CNN) excel at image classification, including dermatological analysis demonstrated the ability of CNN to match the accuracy of dermatologists in classifying skin lesions. However, challenges still exist due to limited and unbalanced dermatological data sets. To enrich training data, researchers are exploring data augmentation and GANs, which help create realistic synthetic images. presented the utility of GANs in generating various images of skin diseases. Integrating GAN with CNN provides a solution: GAN augments the dataset, thereby improving the generality and robustness of CNN demonstrated the success of this integration in segmenting skin lesions. In summary, although CNNs and GANs show promise in automating skin disease classification, it is important to address data sparsity and imbalance between classes through Innovative methods such as GAN-CNN embedding to enhance dermatological diagnosis.

- 1) L. Tizek, M. Schielein, F. Seifert, T. Biedermann, A. B'ohner, and A. Zink, "Skin diseases are more common than we think: screening results of an unrefereed population at the munich oktoberfest," *Journal of the European Academy of Dermatology and Venereology*, vol. 33, no. 7, pp. 1421–1428, 2019.
- 2) W. H. Organization "Epidemiology and management of common skin diseases in children in developing countries," Technical Report D, World Health Organization, Geneva, Switzerland, 2005.
- 3) L. E. Coffeng, S. D. S. Pion, S. O'Hanlon et al., "Onchocerciasis: the pre-control association between prevalence of palpable nodules and skin microfilariae," *PLoS Neglected Tropical Diseases*, vol. 7, no. 4, <https://doi.org/10.1371/journal.pntd.0002168>, Article ID e2168, 2013.
- 4) W. Onsoi, J. Chaiyarit, and L. Techasatian, "Common misdiagnoses and prevalence of dermatological disorders at a pediatric tertiary care center," *Journal of International Medical Research*, vol. 48, no. 2, <https://doi.org/10.1177/0300060519873490>, Article ID 030006051987349, 2019.
- 5) M. Hoffman, "Picture of the skin: human anatomy," 2014, <https://www.webmd.com/skinproblems-and-treatments/picture-of-the-skin>.
- 6) M. C. Stoppler, "Medical definition of skin," 2021, <https://www.medicinenet.com/skin/definition.htm>.
- 7) Anonymous, "Skin cancer-index 2018," 2018, <https://derma.plus/en/skin-cancer-index-2018/>.
- 8) A. Amarathunga, E. P. W. C. Ellawala, G. Abeysekara, and C. R. J. Amalraj, "Expert system for diagnosis of skin diseases," *International Journal of Scientific & Technology Research*, vol. 4, pp. 174–178, 2015.
- 9) P. S. Ambad and A. S. Shirsat, "A image analysis system to detect skin diseases," *IOSR Journal of VLSI and Signal Processing*, vol. 06, no. 5, pp. 17–25, 2016, <https://doi.org/10.9790/4200-0605011725>.
- 10) N. S. ALKolifi ALenezi, "A method of skin disease detection using image processing and machine learning," *Procedia Computer Science*, vol. 163, pp. 85–92, 2019, <https://doi.org/10.1016/j.procs.2019.12.090>.
- 11) H. Wu, H. Yin, H. Chen et al., "A deep learning, image based approach for automated diagnosis for inflammatory skin diseases," *Annals of Translational Medicine*, vol. 8, no. 9, p. 581, 2020, <https://doi.org/10.21037/atm.2020.04.39>.
- 12) J. Liu, W. Wang, J. Chen, G. Sun, and A. Yang, "Classification and research of skin lesions based on machine learning," *Computers, Materials & Continua*, vol. 62, no. 3, pp. 1187–1200, 2020, <http://www.techscience.com/cmc/v62n3/38348>.
- 13) Y. Yan, J. Kawahara, and G. Hamarneh, "Melanoma recognition via visual attention, *Lecture Notes in Computer Science*," in *Proceedings of the International Conference on Information Processing in Medical Imaging*, pp. 793–804, Springer, Hong Kong, China, December 2019.
- 14) M. Duan, K. Li, X. Liao, and K. Li, "A parallel multiclassification algorithm for big data using an extreme learning machine," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 29, no. 6, pp. 2337–2351, 2018.

### III. METHODOLOGY

The method described in the abstract involves leveraging convolutional neural networks (CNNs) and generative adversarial networks (GANs) for the automatic classification of skin diseases. Initially, CNN was used because of its strong image classification capabilities, as evidenced by previous studies such as Esteva et al. (2017), which demonstrated the ability of CNN to match the accuracy of dermatologists in classifying skin lesions. However, CNN faces challenges due to limited and unbalanced dermatology datasets. To solve this problem, GANs are introduced to generate synthetic images that simulate real manifestations of skin diseases. These GAN-generated images provide diversity and augmentation to the training dataset. Integrating GANs with CNNs improves the training process, allowing CNNs to learn from larger and more diverse data sets, thereby improving generalization and robustness. This integrated approach in skin lesion segmentation, demonstrates the potential of combining GANs and CNNs to overcome the challenges of dermatological image analysis. Overall, the method involves using CNN for classification and GANs for data augmentation, resulting in a synthetic approach that enhances the automated diagnosis of skin diseases.




Fig 1 : Architecture

#### A. Data Collection

Dataset helps you to organize unstructured data collected from multiple sources to get the target outcome. Initial data that you give to an algorithm for learning is usually called a training dataset. Training data is a foundation for further development that determines how effective and useful your Machine Learning system will be. However, all initial datasets are flawed and require some preparation before using them for training. For mapping data to the features valuable precisely for your business, you need to label it and make it clean. It will help you exclude useless elements and files, increasing the ML model’s chances of becoming smart.

- 1) *Image Dataset:* A well-prepared training dataset drives the quality of your Machine Learning model and effectiveness in fulfilling business purposes. The more quality and accurate results you use for company decision making, the more relevant business strategies you can apply. A good dataset can also help you to save resources on future Machine Learning implementations as you will already have the quality input data. The first and most important stage in training a deep learning model is to gather the necessary images and prepare the dataset on our own, or to select relevant existing datasets for the task and use them. For a Neural Network model, a collection of labeled images as a dataset is used to train, test and assess the performance of the model. Convolutional neural networks are thought to learn from the images in the dataset. The dataset is image-processed before being input into the training module, which is constantly monitored for training accuracy and loss at each epoch .
- 2) *Different Classes of Dataset:* Dataset is classified into 5 different classes Benign Keratosis , Actinic Keratosis , Melanocytic nevus, Melanoma, Basal cell carcinoma.

| Class name           | Class Count |
|----------------------|-------------|
| Benign Keratosis     | 168         |
| Actinic Keratosis    | 167         |
| Melanocytic nevus    | 505         |
| Melanoma             | 330         |
| Basal cell carcinoma | 248         |

Fig.2 Dataset

From Fig 2 , we can say the distribution of classes are 1.Benign Keratosis -168 images, 2.Actinic Keratosis-167 images , 3.Melanocytic nevus, -505 images, 4.Melanoma-330 images ,5.Basal cell carcinoma-248 images .

### B. Dataset Collection and Preprocessing

The initial step involves gathering a diverse dataset comprising images of healthy plants and plants affected by various diseases. Each image is annotated with bounding boxes to indicate the location and classification of the disease. Preprocessing techniques are applied to standardize the image sizes, formats, and quality, ensuring uniformity across the dataset.

### C. GAN Model

The GAN is fine-tuned to generate diverse and realistic images representing various skin conditions.

- 1) *Generator Network*: A deep neural network is designed to generate synthetic images of skin diseases. This network receives random noise as input and produces realistic images.
- 2) *Discriminator Network*: Another neural network, the discriminator, evaluates the authenticity of the generated images by distinguishing between real and synthetic samples.
- 3) *Adversarial Training*: The generator and discriminator networks are trained adversarially, with the generator striving to produce images that fool the discriminator, while the discriminator learns to differentiate between real and fake images.

### D. Data Augmentation

Data augmentation is crucial for enriching the training dataset and improving the model's generalization ability. Techniques such as random rotation, flipping, scaling, and brightness adjustment are applied to introduce diversity and robustness to the training data, helping the model learn invariant features across different conditions.

### E. CNN-based Classification Module

A Convolutional Neural Network (CNN) model is trained for skin disease classification. The CNN learns to extract features from the images and classify them into different disease categories. The training process involves optimizing the model parameters. The trained CNN model is evaluated using a separate test dataset to assess its performance in classifying skin diseases. Metrics are computed to measure the model's effectiveness in disease classification.

### F. Evaluation

The Evaluation Module plays a critical role in assessing the effectiveness and reliability of the trained skin disease classification models. It comprises submodules dedicated to evaluating model performance using a range of appropriate metrics, such as accuracy, precision, recall, and F1-score. Through these submodules, the module calculates key performance indicators and generates evaluation reports, including confusion matrices and visualizations. By analyzing the model's predictions against ground truth labels, this module provides insights into the model's classification capabilities and potential areas for improvement. Additionally, it assesses the model's generalization ability by evaluating its performance on unseen or validation datasets. Ultimately, the Evaluation Module enables stakeholders to make informed decisions regarding the deployment and further refinement of the skin disease classification models.

### G. Integration

The trained CNN model is integrated into a web application. The website allows users to upload images of skin conditions and receive predictions from the trained model in real-time.

### H. Deployment

Finally, the integrated CNN model is deployed on a web server to make it accessible to users over the internet. Users can access the application through their web browsers, enabling easy and convenient access to skin disease classification services.

## IV. EXPERIMENTAL RESULTS

GANs can also be tailored to specific diseases, like melanoma, by generating realistic lesion masks for better segmentation and classification. Overall, GANs hold significant promise for the future of multi-class skin disease classification by overcoming data limitations, boosting classification accuracy, and enabling more precise lesion analysis. It is used to accurately predict different types of skin diseases. The result of the proposed system is to accurately predict the skin disease as shown in the Fig,3 given below.



Fig 3 : Skin disease detection

### A. Analysis of GAN Results

Analyzing the results obtained from GAN augmented dataset, enables a comprehensive assessment of its performance and efficacy. It shows that by making use of the balanced dataset we can get accurate and efficient system which helps us in precisely classify the skin disease. From Fig. 4 we can see that, by applying GAN and balancing the dataset leads in drastic change in the prediction metrics.




Fig. 4 : Comparison of models

## V. CONCLUSION

In conclusion, the "GAN Based System for Multiclass Skin Disease Classification using CNN" project presents a promising approach to automated skin disease diagnosis leveraging advanced deep learning techniques. By integrating Generative Adversarial Networks (GANs) for image synthesis and Convolutional Neural Networks (CNNs) for classification, the system aims to achieve accurate and efficient multiclass classification of dermatological images.

Through extensive literature review and exploration of existing systems, the project has identified the potential of deep learning models in improving diagnostic accuracy and efficiency in dermatology. Building upon this foundation, the proposed system seeks to address the limitations of traditional diagnostic methods by providing an automated and scalable solution for skin disease classification. The system's architecture encompasses modules for data collection and preprocessing, GAN-based image synthesis, CNN-based classification, web user interface, and documentation/reporting. Each module is designed to fulfill specific functional requirements while adhering to non-functional requirements such as performance, usability, security, and reliability.

Key aspects of the project include the development of robust deep-learning models trained on a diverse dataset of dermatological images, the implementation of a user-friendly web interface for seamless interaction, and the integration of security measures to protect sensitive data. Upon completion, the project aims to contribute to the advancement of computer-aided diagnosis in dermatology, ultimately improving patient outcomes by enabling faster and more accurate diagnosis of skin diseases. Through continuous refinement and validation, the system seeks to establish itself as a valuable tool for healthcare professionals in clinical practice. In summary, the "GAN Based System for Multiclass Skin Disease Classification using CNN" project represents a significant step towards harnessing the power of artificial intelligence and deep learning in the field of dermatology, with the potential to revolutionize skin disease diagnosis and treatment.

## VI. FUTURE SCOPE

In the field of automatic skin disease classification, the discovery of integrating convolutional neural networks (CNNs) with biological adversarial networks (GANs) suggests promising future directions. First, fine-tuning GAN-generated images has the potential to improve the realism and accuracy of synthetic dermatological representations. This could involve advances in GAN architectures, training methods, or integration of domain-specific knowledge. Second, the development of specialized CNN architectures suitable for dermatological image analysis can optimize feature extraction and classification performance. Additionally, exploring multimodal data fusion by integrating additional data sources such as patient metadata or histopathology images can further increase diagnostic accuracy. Additionally, extensive clinical validation studies are required to evaluate real-world performance and validate the effectiveness of the integrated CNN-GAN models. Ethical and regulatory considerations must also be taken into account, emphasizing the need for guidelines and frameworks to ensure responsible implementation in clinical settings. Ultimately, it is essential to foster ongoing collaboration between AI researchers and dermatologists to develop clinically relevant solutions that meet real-world needs and standards of dermatological practice.

## REFERENCES

- [1] Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. *Nature*, 542(7639), 115-118.
- [2] Codella, N., Cai, J., Abedini, M., Garnavi, R., Halpern, A., & Smith, J. R. (2017). Deep learning, sparse coding, and SVM for melanoma recognition in dermoscopy images. In *International Workshop on Machine Learning in Medical Imaging* (pp. 118-126). Springer, Cham.
- [3] Brinker, T. J., Hekler, A., Enk, A. H., Klode, J., Hauschild, A., Berking, C., ... & Schadendorf, D. (2019). Deep learning outperformed 136 of 157 dermatologists in a head-to-head dermoscopic melanoma image classification task. *European Journal of Cancer*, 113, 47-54.
- [4] Zhang, J., Xie, Y., Xia, Y., Shen, C., Zhang, Y., & Wang, W. (2017). Sparse representation-based method for skin disease recognition. *IEEE Transactions on Multimedia*, 19(12), 2734-2744.
- [5] Bi, L., Kim, J., & Ahn, E. (2019). Skin lesion classification using hybrid deep neural networks. *Biomedical Signal Processing and Control*, 50, 112-121.
- [6] Menegola, A., Tavares, J., Fornaciali, M., & Li, L. T. (2017). Automated diagnosis of melanoma using machine learning technology: a systematic review. *Artificial intelligence in medicine*, 81, 11-28.
- [7] Haenssle, H. A., Fink, C., Schneiderbauer, R., Toberer, F., Buhl, T., Blum, A., ... & Brinker, T. J. (2018). Man against machine: diagnostic performance of a deep learning convolutional neural network for dermoscopic melanoma recognition in comparison to 58 dermatologists. *Annals of Oncology*, 29(8), 1836-1842.
- [8] Al-masni, M. A., Alam, G. M., & Mohammed, N. (2018). An expert system for skin diseases diagnosis based on convolutional neural network and fuzzy logic. In *2018 15th Learning and Technology Conference (L&T)* (pp. 118-122). IEEE.
- [9] Saito, H., Watanabe, K., & Saito, T. (2017). A method for deep learning-based diagnosis of skin cancer using convolutional neural networks. In *2017 IEEE International Conference on Bioinformatics and Biomedicine (BIBM)* (pp. 1833-1838). IEEE.
- [10] Yu, L., Chen, H., Dou, Q., Qin, J., & Heng, P. A. (2017). Automated melanoma recognition in dermoscopy images via very deep residual networks. *IEEE Transactions on Medical Imaging*, 36(4), 994-1004.
- [11] H. Wu, H. Yin, H. Chen et al., "A deep learning, image based approach for automated diagnosis for inflammatory skin diseases," *Annals of Translational Medicine*, vol. 8, no. 9, p. 581, 2020, <https://doi.org/10.21037/atm.2020.04.39>.
- [12] Liu, W. Wang, J. Chen, G. Sun, and A. Yang, "Classification and research of skin lesions based on machine learning," *Computers, Materials & Continua*, vol. 62, no. 3, pp. 1187-1200, 2020, <http://www.techscience.com/cmc/v62n3/38348>.
- [13] Y. Yan, J. Kawahara, and G. Hamarneh, "Melanoma recognition via visual attention, *Lecture Notes in Computer Science*," in *Proceedings of the International Conference on Information Processing in Medical Imaging*, pp. 793-804, Springer, Hong Kong, China, December 2019.
- [14] M. Duan, K. Li, X. Liao, and K. Li, "A parallel multiclassification algorithm for big data using an extreme learning machine," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 29, no. 6, pp. 2337-2351, 2018.
- [15] X. Sun, J. Yang, M. Sun, and K. Wang, "A benchmark for automatic visual classification of clinical skin disease images, *Computer Vision - ECCV 2016*," in *Computer Vision - ECCV 2016* Springer International Publishing, New York, NY, USA, 2016, [https://doi.org/10.1007/978-3-319-46466-4\\_13](https://doi.org/10.1007/978-3-319-46466-4_13)



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)