



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** III **Month of publication:** March 2025

DOI: <https://doi.org/10.22214/ijraset.2025.67505>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

IoT Based Automatic Street Lighting System

Dasari Meena¹, Shaik Arshiya², Regalla Sushma³, Panthangani Vijay Babu⁴, Konakanchi Manikanta⁵

¹Assistant Professor, ^{2,3,4,5}Students, Department of ECE, Kallam Haranadhareddy Institute of Technology, Guntur, Andhra Pradesh, India

Abstract: *The IoT-based automatic lighting system proposed in this paper solves the inefficiencies and problems of traditional urban lighting by using the Internet of Things (IoT) technology. This system has been designed to increase energy efficiency and provide good illumination by controlling the lighting according to the environment. Infrared sensors trigger the system to turn on the street lamp by detecting motion, while LDR sensors measure the ambient light to ensure that the light is on only in the dark. The application is validated with hardware integration and programming in Arduino IDE, demonstrating real-time sensor data, decision logic, and reliable control of the street lamp. The scheme demonstrates the feasibility and effectiveness of IoT applications in urban infrastructure, providing scalability and adaptability to the smart city scale for urban development.*

Keywords: *Arduino, Automatic street lighting, IR Sensor, Motion detection, Ambient light detection, Energy efficiency, Smart city, Urban infrastructure.*

I. INTRODUCTION

Street lighting has long been an essential component of urban infrastructure, providing safety and visibility at night. According to Downey (1957), traditional street lighting systems have evolved over time from simple incandescent lamps to more complex technologies, driven by advancements in electrical engineering and an increasing focus on energy efficiency. Initially, the primary goal was illumination; however, the development of modern street lighting systems now includes considerations of energy consumption, maintenance, and integration with other urban services. This evolution paves the way for the introduction of IoT-based street lights, which combine advanced sensors, connectivity, and intelligent control mechanisms to transform urban lighting into a dynamic, responsive system capable of responding to real-time data and environmental changes [1]. The integration of IoT technologies into street lighting systems has gained significant traction in recent years, offering distinct advantages over traditional lighting systems. One of the most widely adopted technologies for managing street lighting is ZigBee, a low-power wireless sensor network protocol, as discussed by Lavric et al. (2014). ZigBee facilitates the efficient communication between streetlights, sensors, and central control systems, enabling streetlights to automatically adjust their brightness based on ambient light conditions and pedestrian or vehicle movement. This results in a more adaptable and efficient lighting system that can respond to real-time data and optimize energy usage, providing both convenience and energy savings for urban areas [2]. Energy efficiency remains one of the primary benefits of IoT-based street lighting systems. Chen et al. (2008) emphasize the role of advanced sensors and automated control mechanisms in enhancing energy efficiency. IoT-enabled streetlights can adjust their intensity based on environmental factors such as ambient light levels and detected motion. For instance, when no activity is detected, the lights can dim to conserve power. Conversely, when movement is detected, the lights brighten to ensure safety and visibility. This dynamic adjustment ensures that energy is used only when and where it is needed, leading to significant savings in electricity costs and contributing to overall sustainability goals [3].

The integration of IoT platforms into street lighting systems also provides enhanced automation and centralized control, boosting the reliability and efficiency of urban lighting infrastructure. Szalai et al. (2016) discuss the application of Cyber-Physical Systems (CPS) design platforms in LED-based streetlighting luminaires, which offer sophisticated control over lighting systems. These platforms enable remote monitoring and optimization of street lights, making it possible to manage lighting schedules, detect faults, and predict maintenance needs. Additionally, the use of LED technology in IoT-based systems further enhances energy efficiency, as LEDs consume less power and have a longer lifespan compared to traditional lighting technologies [4]. Many cities are already implementing IoT-based street lighting systems to create smarter, more energy-efficient urban environments. In the case of Nagpur Smart City, Prasad (2020) highlights how IoT-based street lighting has been integrated with other smart city initiatives. By connecting streetlights to the cloud and incorporating sensors for monitoring traffic and light levels, Nagpur can optimize its energy usage and reduce operational costs. Furthermore, the system allows for real-time lighting adjustments based on traffic density, weather conditions, and other factors, providing a more responsive and efficient infrastructure that enhances the overall urban experience [5].

The economic and environmental advantages of IoT-based street lighting systems are substantial. Khan and Mohammad (2023) discuss the energy and economic impacts of integrating smart technologies into street lighting, finding that IoT-based systems offer significant reductions in both energy consumption and maintenance costs. These savings can be reinvested into other areas of urban development, further fostering the growth of smart cities. Additionally, by reducing the environmental impact of street lighting through energy-efficient solutions, cities can contribute to achieving sustainability goals and reducing carbon footprints [6].

IoT-based street lighting systems can also enhance traffic management and public safety. Saifuzzaman et al. (2017) explore how integrating street lighting with traffic management systems enables the lights to adjust based on traffic flow. For example, street lights may brighten in areas with heavy traffic or dim in less-congested areas, improving energy efficiency and traffic safety. Moreover, linking streetlights with real-time traffic data can help optimize traffic flow, reduce congestion, and improve the overall quality of life for urban residents, demonstrating the broader benefits of IoT in smart city infrastructure [7].




Fig.1: IoT based Street Lights

II. RELATED RESEARCH

A. IoT-Based Automated Street Lighting System with Arduino

This paper concentrates on reversing the unfavorable characteristics of conventional urban lighting by applying IoT. The system puts in place improvised Arduino microcontroller technology enhanced by the use of IR (Infrared) and LDR (Light Dependent Resistor) for better management of energy consumption and control of street lights. The IR sensor gives the system the ability to differentiate movement so that the street lamps can turn on when any object is moving, while the LDR sensor helps the lights to only come on when the intensity of light is low. This includes interaction with hardware components, acquiring data from the sensors, and decision-making logic programmed using the Arduino Integrated Development Environment (IDE). This research shows that IoT is feasible in the setting of urban lighting and provides further possibilities for smart city projects and sustainable city advancement [3][4].

B. IoT and Embedded Systems for Automated Street Lighting

This paper focuses on Arduino-based IoT systems for automatic street lighting with special reference to energy management and smart cities. IR and LDR sensors facilitate the flexible control of lighting by intervening in movements and adjusting the intensity of the luminance based on the level of lighting prevailing in the room. Through the integration of Arduino for real-time computation and control, power consumption inconveniences are reduced, supporting urban structures. This study explains how embedded systems help to improve energy management in city lighting frameworks [2][5].

C. Intelligent Street Lighting with IoT and Arduino

This paper presents an intelligent street lighting system with Arduino as the control. Utilizing IR sensors for motion detection and LDR sensors for detecting light intensity, the already installed street lights are managed based on online environmental parameters. The system's objective is to achieve energy conservation, and its feasibility is proven by prototypes. It demonstrates how the application of IoT can be done in the public domain to prevent energy wastage and increase the sustainability of progressive cities [4][6].

D. Smart Street Lighting Control System Using IoT

This paper presents an analysis of a smart street lighting system that employs IR and LDR sensors in coordination with an Arduino-based control unit. The system is programmed to turn on the lights when motion is detected and to remain off when the environment is bright enough due to the LDR sensor. The IoT architecture enables the device to be monitored and regulated from a distance, and this principle can enhance power usage in smart city activities. The research emphasizes the relevance of sensor fusion and microcontroller configuration in advancing urban illumination networks [5].

E. IoT-Based Energy-Efficient Street Lighting System

This paper outlines a proposed IoT approach to street lighting and the associated energy savings. The systematic integration of IR motion detection and LDR ambient light sensing with an Arduino microcontroller allows for deciding when and how street lights operate optimally. A relay module is used to link the lights with the control system to enable accurate control of power. The system is designed to be adaptable for smart city solutions that use real-time data to enhance resource allocation for street lighting [6].

III.METHODOLOGY

The methodology for implementing the IoT-based Weather Adaptive Street Light System involves a systematic and phased approach to ensure the successful integration of advanced technologies and the achievement of desired outcomes. The initial phase encompasses a thorough assessment of the existing urban lighting infrastructure, identifying key locations for deploying weather sensors and assessing the compatibility of current street lights for IoT integration. This phase also involves a comprehensive review of weather patterns specific to the geographical area to inform the system's adaptability features.

The IoT-Based Automated Street Lighting System is a high-value addition as an innovative concept devised for enhancing energy efficiency, cutting down the cost of operations, and enhancing smart city development parameters. This system incorporates the use of IoT technologies to provide a responsive, adaptive, and intelligent lighting system capable of meeting today's demands of the urban environment. At its core is the Arduino microcontroller, which is an inexpensive and widely adopted platform controlled through the Arduino Integrated Development Environment (IDE). The use of the Arduino IDE eases the development challenge as it provides a user-friendly format for coding and uploading instructions onto the microcontroller, thereby establishing the interaction of the whole system [3][4]. One of the most important characteristics of this system is that it works in response to data obtained from the sensors. It employs two primary sensors: Infrared (IR) sensor and Light Dependent Resistor (LDR). The IR sensor can sense any motion around the sensitive area, such as moving vehicles or pedestrians, ensuring that lights will only illuminate when there is motion. This guarantees that energy is not wasted on lighting areas that are vacant most of the time. The LDR sensor, on the other hand, detects the amount of light within the environment to know whether the environment is dark enough to call upon the light. Through these two sensors, the system ensures that lighting is only turned on at night or when there is movement, thereby making the most efficient use of the limited power available and avoiding wastage [3][5].

The main distinctive feature of this system is the IoT connectivity that allows devices to interact with cloud platforms. These connections enable sophisticated capabilities including monitoring, interaction in real-time, and data analysis. This information is saved to cloud servers for analysis of patterns and can be used to fine-tune lighting operations even more. For example, areas with heavy foot traffic or high vehicle activity could be programmed for more frequent lighting than less-used areas. Conversely, less frequented areas could be lit up with minimal intensity, ensuring optimal energy usage while maintaining safety and visibility [4][5]. Additionally, IoT integration helps predict ongoing problems in the system before they cause a breakdown. For example, if one streetlight or sensor is not functioning efficiently, the system can alert maintenance crews in real time, thereby reducing downtime and improving system reliability. The system is implemented in a modular fashion, allowing for the integration of additional components such as wireless communication modules, extra sensors, or renewable power sources like solar panels. This ensures the system's future-proofing and adaptability to diverse urban environments [5][6].

The IoT-Based Automated Street Lighting System is highly scalable to accommodate a wide range of urban settings, including downtown areas, highways, parks, campuses, and residential compounds. By reducing energy wastage and operating costs, the system promotes environmental conservation and aligns with modern efforts to reduce carbon emissions. Furthermore, improved public safety from well-lit roads and pathways increases the system’s appeal for adoption in smart city projects. Future systems might include machine learning or artificial intelligence to enable predictive adjustments and further enhance performance [4][6]. The IoT-Based Automated Street Lighting System is a valuable tool for modern smart cities. Through the application of sensors, IoT integration, and energy-efficient solutions, the system provides a sustainable approach to street lighting for cities, societies, and the environment. Its real-time response capability, remote access, and adaptability to future technologies make it an integral part of smart and sustainable cities [5][6].

IV. ARCHITECTURE

The IoT-based control system for street lighting is designed to enhance energy efficiency through automation, relying on key components such as an Arduino Microcontroller, a Light Dependent Resistor (LDR), and an Infrared (IR) sensor. The system's primary function is to automate the operation of street lights based on environmental conditions, such as ambient light and movement. The LDR plays a crucial role by acting as a sun-level sensor that measures sunlight intensity. When there is sufficient sunlight during the day, the Arduino Microcontroller receives this input and automatically turns off the street lights, preventing unnecessary energy consumption. This system ensures that street lights are only operational when needed, contributing to significant energy savings.




Fig.2: Architecture for Street Lighting

At night, when the ambient light levels drop, the system switches on the IR sensor, which detects movement within a certain range. The IR sensor plays a vital role in ensuring that street lights are only fully illuminated when necessary. The Arduino Microcontroller processes the data from the IR sensor and adjusts the light intensity based on detected movement. If no movement is detected, the system maintains a low light intensity to save energy while still ensuring a minimal level of illumination for safety. However, when movement is detected, the system increases the light intensity to ensure adequate visibility, improving public safety and reducing the risk of accidents. The intelligent design of this IoT-based system ensures that street lights are dynamic, automatically adjusting to changes in the environment or human activity. This makes the system highly energy-efficient, as it ensures that lighting is only at full capacity when necessary.

During periods of low activity or during the daytime when sunlight is sufficient, the system reduces energy expenditure by dimming or switching off the lights. This ability to adjust the lighting based on real-time conditions makes the system ideal for streetlights, parking lots, or walkways, where lighting needs can vary throughout the day and night.

One of the major advantages of this system is its simplicity and cost-effectiveness. By using affordable and widely available components such as the Arduino, LDR, and IR sensors, the system is able to provide modern, automated lighting solutions at a relatively low cost. The use of these simple components makes the system accessible for implementation in a variety of settings, from street lighting to public spaces like parking lots and walkways. This affordability, coupled with its energy-saving capabilities, makes it an attractive solution for municipalities and organizations looking to enhance their lighting infrastructure while reducing operational costs. Furthermore, this IoT-based street lighting system aligns with the principles of smart cities and sustainable development. By minimizing energy losses and implementing automatic controls, the system not only contributes to energy conservation but also supports the broader goals of sustainable urban growth. With smart lighting systems like this, cities can achieve greater levels of automation and efficiency, reducing the environmental impact of street lighting while improving the quality of life for residents. This system represents a step forward in the evolution of urban infrastructure, where technology plays a central role in driving energy efficiency and sustainability.

V. EVALUATION

The research on the IoT-Based Automated Street Lighting System presents an effective solution to the limitations of traditional street lighting by leveraging Arduino microcontroller technology, combined with Infrared (IR) and Light Dependent Resistor (LDR) sensors. The system enhances energy efficiency by adjusting lighting based on movement and ambient light levels, thereby minimizing unnecessary power consumption. The use of real-time sensor data acquisition through an IoT platform, along with decision-making logic programmed via Arduino IDE, demonstrates the system's practicality and adaptability for smart city applications. The paper effectively highlights how automation can drive sustainability in urban environments by optimizing energy use and improving lighting efficiency. However, further improvements could be made by addressing key technical aspects such as performance testing under varying environmental conditions, detailed power consumption analysis, scalability challenges, and security vulnerabilities within the IoT framework. Ultimately, the study underscores the potential of IoT-based solutions in modern urban planning, providing a valuable framework for building more energy-efficient smart cities.

VI. RESULT

The IoT-Based Automated Street Lighting System demonstrates the successful integration of Arduino microcontroller technology, along with Infrared (IR) and Light Dependent Resistor (LDR) sensors, to efficiently control street lighting. The system effectively adjusts street light operation based on both motion detection and ambient light conditions, ensuring that the lights are only turned on when needed—specifically, during dark conditions and in the presence of motion. This responsive and energy-efficient design was validated through sensor data acquisition, confirming the proper operation of the decision-making logic during hardware implementation. As a result, the system proves to be highly effective in managing street lighting, optimizing energy conservation, and contributing positively to the sustainability goals of urban areas. The system's performance indicates a significant potential for scalability, making it suitable for deployment in smart city environments where energy efficiency and automation are key priorities. Given its success in energy management and its adaptability for broader applications, this system is a promising solution for modern urban infrastructure, driving sustainable development in cities.



Fig.3: Dark and Motion Detected




Fig.4: Bright or No Motion Detected

VII. CONCLUSION

The "IoT-Based Automatic Street Lighting System" is a highly cost-effective, practical, environmentally friendly, and energy-efficient solution. The system provides real-time access to lighting information from anywhere, offering a reliable solution to two major global challenges: energy conservation and the reduction of incandescent lamp waste. While the initial investment and maintenance costs may pose challenges, advancements in technology and effective resource planning are expected to lower production costs over time. Additionally, the use of high-quality equipment can minimize the need for frequent inspections and maintenance. LED lights, which are integral to the system, offer several advantages: they have a long lifespan, emit cool light, are non-toxic, and allow for quick replacements. These features enhance the overall efficiency and sustainability of the project, ensuring that it can overcome current limitations. When considering the long-term benefits, the initial cost is offset by the short payback period. This system is designed for a variety of applications, including parking lot lighting for businesses, schools, and retail spaces, making it a versatile solution for both commercial and educational environments.

REFERENCES

- [1] J. C. Downey, "Discussion on street lighting", in *Trans SAIEE*, vol. 48, no. 1, pp. 36–38, January 1957.
- [2] A. Lavric, V. Popa, C. Males and I. Finis, "A performance study of ZigBee wireless sensor network topologies for street lighting control systems", *International Workshop on Mobile Ad-Hoc W.*
- [3] P.Y. Chen, Y.H. Liu, Y.T. Yau and H.C. Lee, "Development of energy efficient street lighting system", *IEEE International Conference on Sustainable Energy Technologies*, Singapore, 2008.
- [4] A. Szalai, T. Szabó, P. Horváth, A. Timár and A. Poppe, "Smart SSL: Application of IoT/CPS design platforms in LED-based streetlighting luminaires," *Proceedings of the 2016 IEEE Lighting Conference of the Visegrad Countries (Lumen V4)*, Karpacz, Poland, 2016.
- [5] R. Prasad, "Energy Efficient Smart Street Lighting System in Nagpur Smart City using IoT - A Case Study," *2020 Fifth International Conference on Fog and Mobile Edge Computing (FMEC)*, Paris, France.
- [6] M. Modabbir Khan & A. Mohammad, "Energy and Economic Analysis of Smart Technologies on Street Lighting System," *Proceedings of International Conferences on Advanced Computing and Communication Systems*, Coimbatore, India, 2023.
- [7] M. Saifuzzaman, N. N. Moon and F. N. Nur, "IoT based street lighting and traffic management system," *2017 IEEE Region 10 Humanitarian Technology Conference (R10-HTC)*, Dhaka, Bangladesh, 2017, pp. 121-124, doi: 10.1109/R10-HTC.2017.8288921.
- [8] P. Arjun, S. Stephenraj, N. N. Kumar and K. N. Kumar, "A Study on IoT based Smart Street Light Systems," *2019 IEEE International Conference on System, Computation, Automation and Networking (ICSCAN)*, Pondicherry, India, 2019, pp. 1-7, doi: 10.1109/ICSCAN.2019.8878770.
- [9] Omar, A., AlMaeni, S., Attia, H., Takruri, M., Altunaiji, A., Sanduleanu, M. ... & Al Hebsi, G. (2022). Smart city: Recent advances in intelligent street lighting systems based on IoT. *Journal of Sensors*, 2022(1), 5249187.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)