



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 11    **Issue:** IX    **Month of publication:** September 2023

**DOI:** <https://doi.org/10.22214/ijraset.2023.55746>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Machine Learning Based Diabetes Decision Support System by using Decision Level Fusion

Vaddagani Madhuri<sup>1</sup>, Dr. V. Uma Rani<sup>2</sup>

<sup>1</sup>M.Tech, (Computer Science), Student, Department of Information Technology, JNTUHUCESTH, Hyderabad, Telangana – 500085

<sup>2</sup>Professor of CSE, Department of Information Technology, JNTUHUCESTH, Hyderabad, Telangana – 500085

**Abstract:** It is fundamental in medication to have the option to expect illnesses early with the goal that they can be restored. Diabetes is considered one of the most perilous infections worldwide. The prevalence of this disease has reached nearly 100% due to the inclusion of sugar and fat in our high-calorie diets. To know when the contamination will strike, it is indispensable to comprehend what its signs are. Machine-learning (ML) procedures are useful for tracking down disorders right now. In this article, a "melded ML"- based diabetes forecast model is examined. The central strategy comprises of the Supports vector machine (SVM) and artificial neural network (ANN) models. These models examine the data to determine whether the diabetes conclusion is complete or negative. 70% of the information used in this review is preparatory information and 30% is test information. The fluffy model's feedback participation capability is the consequence of these models. In the final analysis, the outcome of diabetes is determined by logical and rational deliberation. The integrated models are reserved for future utilization in a cloud-based storage system. The merged model can sort out regardless of whether a patient has diabetes considering the patient's consistent clinical information. The suggested entwined ML model has a higher accuracy (94.87) than the procedures that have proactively been circulated.

**Index Terms:** Diabetic prediction, fuzzy system, fused machine learning model, diabetic symptoms, disease prediction.

## I. INTRODUCTION

Diabetes is a common chronic metabolic disease that is widely recognized worldwide. It manifests in her two different forms, type 1 and type 2. Type 1 diabetes occurs when the immune system attacks the beta cells (- cells) of the pancreas, resulting in minimal or no insulin production. On the other hand, Type-2 diabetes is an inflammatory disorder characterized by the body's cells' unresponsiveness to insulin or insufficient insulin production by the pancreatic cells to regulate blood sugar levels. Inadequate insulin levels in the body lead to elevated glucose levels and a reduction in the breakdown of carbohydrates, fats, and proteins. This is called Type-1 diabetes. A few side effects of diabetes include: I) persistent pee (ii) ordinary thirst (iii) feeling slight (iv) Polyphagia (v) Being overweight (vi) Lack of Weight Unexpectedly (vii) (viii) Genital-Thrush Visual Streaks (x) Shivering (x) Flying out of control (xi) Recovering Takes Unnecessarily Extended (xii) To some degree Self-evident (xiii) Strength of muscles (xiv) Thinning up top, etc [ 1]. Diabetes is a metabolic disease that kills countless people reliably all around the planet considering its various ailments. From 2000 to 2019, the quantity of diabetic passings expanded by 70% overall [2]. An ML based brilliant determination framework is expected to track down these lethal infections. An expert decision system that depends on ML can precisely perceive diabetes in people at a starting stage. Experts used different kinds of educational assortments to figure out the way that someone was so inclined to get diabetes. For ML-based designs to work, they need a fair model with all of the qualities expected for planning and testing.




Fig 1 Example Figure

By picking pertinent and significant characteristics from the data, the ML model is better ready to make exact expectations. The information used in the proposed framework comes from the UCI machine learning library [3] compiled by the clinic in Sylhet, Bangladesh. Diabetes Mellitus (DM) happens when the body doesn't assimilate enough of the food it eats, which changes the glucose level in the body. Diabetes can once in a while be brought about by not getting sufficient food or being overweight. A sound eating regimen and an adjustment of living can assist with forestalling these issues. Additionally, these means help to monitor circulatory strain and lower the gamble of medical issues. Diabetes is not difficult to distinguish when you go to the specialist for an exam. A few tests are likewise finished in the lab to track down the illness. Insulin is a medication that assists individuals with Type 2 DM stay alive. Thus, on the off chance that this hazardous circumstance isn't fixed, it takes the assets of individuals, families, and the entire country. For prediabetic individuals to carry on with a solid, blissful life, they should be seen as right on time and treated for their side effects. A clinical assessment strategy that is savvy and in light of side effects, signs, lab tests, and notes will help find and stop sicknesses. Artificial Intelligence (AI) has likewise been utilized in a fascinating ways to find sicknesses in clinical screening devices. This study proposes a method for utilizing ML combination to find diabetic individuals right off the bat.

## II. LITERATURE REVIEW

### A. A Study On Various Machine Learning Algorithms Used For Prediction Of Diabetes Mellitus

Diabetes mellitus (DM) is one of the most serious diseases in both rich and poor countries. Recently, machine learning (ML) and data mining have been used to accurately detect diabetes. Consequently, medical professionals seek a framework that can precisely predict a diagnosis. This article explores various ML techniques for predicting diabetes, including decision trees, random forests, naive Bayes, artificial neural networks, support vector machines, and logistic regression.

### B. An Ensemble Approach For Classification And Prediction Of Diabetes Mellitus Using Soft Voting Classifier

Elevated levels of glucose in the bloodstream are indicative of the debilitating illness known as diabetes. Early detection and diagnosis of diabetes can be facilitated through the utilization of machine learning (ML) systems. The main aim of this study is to improve the accuracy of diabetes diagnosis using different ML techniques. The Pima Indians Diabetes dataset, which contains information on individuals with and without diabetes, has been selected for testing purposes. The proposed ensemble-based classifier employs three ML algorithms - random forest, logistic regression, and Naive Bayes - to partition the population into two groups. The proposed methodology was evaluated for accuracy, precision, recall, and F1 score using state-of-the-art techniques and basic classifiers such as AdaBoost, logistic regression, support vector machines, random forests, naive Bayes, and bagging. I was GradientBoost, XGBoost, CatBoost. On the PIMA diabetes dataset, the proposed ensemble-based approach showed the highest precision, accuracy, recall and F1 score of 79.04%, 73.48%, 71.45% and 80.6%, respectively. A chest dangerous development dataset has moreover been used to check out and examine how well the proposed methodology capabilities. The proposed outfit delicate vote classifier was right 97.02% of the time on the breast cancer dataset.

### C. Prediction Of Diabetes Using Machine Learning Algorithms In Healthcare

Forecast examination on large information are done in different settings utilizing an assortment of machine learning (ML) approaches. Albeit prescient examination in medical services is a difficult field, it can help doctors in pursuing fast choices in regards to the wellbeing and therapy of their patients in light of enormous information. Six unmistakable ML methods are utilized in this paper to examine prescient examination in the medical care area. For the endeavor, six unique ML systems are used on a combination of clinical records from different patients. There is conversation and correlation of the techniques' presentation and rightness. The best technique for expecting diabetes can be found by differentiating the different ML strategies that were used in this audit. The goal of this paper is to help trained professionals and specialists with using ML strategies to distinguish diabetes very quickly.

### D. Implementation Of A Web Application To Predict Diabetes Disease: An Approach Using Machine Learning Algorithm

Diabetes happens when the blood has an abundance of sugar. The present moment, being maybe of the most dangerous disease on the planet is thought. This disastrous disease impacts people all over, whether or not they know it. Diabetes can likewise cause coronary episode, loss of motion, kidney sickness, visual deficiency, and other medical conditions. A couple of PC based methodologies for distinguishing and examining diabetes have been made and organized. The normal technique for seeing whether someone has diabetes takes extra time and money. However, now that ML is ending up being more renowned, we can sort out some way to deal with this outrageous issue.



Subsequently, we fostered a plan that can distinguish diabetic patients. The main purpose of this evaluation is to create a web-based application that facilitates the refinement of assumptions using the discipline. To achieve this, we used a standardized dataset, commonly called the Pima Indians, in which diagnostic criteria can be used to predict the development of diabetes. Our analysis revealed that the Artificial Neural Network (ANN) algorithm demonstrated a noteworthy increase in accuracy, achieving an assumption rate of 82.35%. As a result, we have developed an Interactive Web Application for Diabetes Prediction.

*E. Diabetes Disease Prediction Using Machine Learning On Big Data Of Healthcare*

Clinical benefits study is a crucial locale since development is changing quickly and there is something different and more data reliably. To manage a lot of medical services information, we want Huge Information Examination, another methodology in the medical care industry. All around the planet, different strategies are used to help countless people. We can pursue better decisions and raise the general degree of medical care by seeing how individuals with a specific infection are treated after some time. ML is an incredibly sure method that helps experts with tracking down ailments at every turn and could attempt to help them with picking which contaminations to look for. The purpose of this study is to use Naive Bayes, Support Vector Machines, Random Forest, and Basic Track Computation to create an indicator model and use the WEKA tool to predict diabetes. The objective of this investigation is to determine the optimal approach for anticipating diabetes disease based on its efficacy. The outcomes of each computation's tests on the dataset were analyzed. Support vector machines were considered the most reliable technique for predicting disease.

**III. METHODOLOGY**

Early disease assumption is huge in the clinical field since it helps people with doing whatever it takes not to turn out to be sick. Diabetes is considered to be one of the most hazardous illnesses worldwide. Diabetes has become more probable because of the great sugar and fat substance of numerous advanced food sources. To make estimates about a turmoil, it implies a lot to comprehend what its signs are. By then, machine learning (ML) systems can be used to find infections.

*A. Drawbacks*

- 1) Type-2 diabetes is a searing sickness wherein the phones of the pancreas don't make adequate insulin or the phones of the body don't work with insulin to control how much glucose in the blood.
- 2) Type-1 diabetes is achieved by not having adequate insulin, which makes the glucose level go up and tones down how proteins, carbs, and fats are isolated.

This study presents a model for predicting diabetes, which employs a combination of machine learning techniques. Basic approaches include using support vector machines (SVM) and artificial neural network (ANN) models. These models analyze data to determine the accuracy of diagnosing diabetes. The dataset used in this study was divided into two segments, the training set and the test set, accounting for 70% and 30% of the data respectively. The results of these models are used as commitments for the soft model's enlistment capacity. Ultimately, cushioned reasoning finishes up whether a finding of diabetes is positive or negative. For sometime later, the joined models are saved in a cloud-based capacity framework.

*B. Benefits*

- 1) The recently distributed techniques are less precise than the proposed blended ML model at making expectations.
- 2) One more model is supposed to additionally foster how well diabetes can be expected.




Fig 2 Proposed Architecture

### C. Modules

- 1) Information investigation: This part will be utilized to place data into the framework.
- 2) Processing: This module will be utilized to peruse information that will be utilized for process.
- 3) Placing the information into train and test: This illustration will assist us with placing the information into train and test.
- 4) Model generation: Building the model - Random Forest - Decision Tree - KNN - SVM - Voting Classifier ( KNN + RF + DT) - ANN - Fuzzy ML - DNN. Algorithms accuracy calculated.
- 5) Joining as a client and signing in: This module allows you to join and sign in.
- 6) Client input: Utilizing this instrument will prompt expectation input from the client.
- 7) Prediction: The specific number that is normal will be unveiled.

## IV. IMPLEMENTATION

### A. Algorithms

- 1) *Random Forest*: Leo Breiman and Adele Cutler imaginary the Random Forest ML method, that appropriates the results of any choice saplings to find a single resolution. It has enhance famous taking everything in mind the case that it is easy to apply and maybe handled to tackle both arrangement and relapse issues.
- 2) *Decision Tree*: A decision tree is an exemplification of a supervised ML method. Although it maybe secondhand for both categorization and reversion questions, this plan is mainly secondhand for categorization one. A conclusion timber handles a bunch of as long as that assertions to show the news and set it into bunches taking everything in mind the assertions.
- 3) *KNN*: The k-nearest neighbors planning, also named KNN or k-NN, is a non-parametric, governed education sign that appropriates nearness to distinguish or consider how a alone facts point squeezes into a accumulation.
- 4) *SVM*: Support Vector Machine (SVM) is a blueprint for ML namely took advantage of for both arrangement and relapse. Despite the fact that we can similarly mention that it is a relapse issue, it equips best for arrangement. The objective of the SVM plan search out find a hyperplane in a spot accompanying N facets that orders the dossier of interest in a justifiable method.
- 5) *Voting Classifier*: Kagglers repeatedly engage the Voting Classifier, a vehicle-knowledge method, to boost their model's happiness and advance in rank. Voting Classifier can similarly be promoted to further expand killing accompanying honest experience datasets, nevertheless it has any layoff points.
- 6) *ANN*: ANN way "artificial neural networks," that are PC programs. Mirroring the habit "neurons" act in instinctive orders was pretended." ANNs are PC models that believe the focal nerve foundations of beasts. It can both discover without companionship or confidant and see designs.
- 7) *Fuzzy ML*: A means of interpretation namely corresponding to human hope is famous as fuzzy logic (FL). This method is like the category at which point things clearly end. Additionally, it circumscribes all likely effects between YES and NO. To accomplish a clear decision, fluffy philosophy form use of the differing levels of potential inputs.
- 8) *DNN*: Deep neural networks (DNN) are a powerful sort of ML approach namely involved of coatings of intellect networks that are shapely in addition to each one near the wisdom and breadth of more humble designs.

## V. EXPERIMENTAL RESULTS




Fig 3 Home Page




Fig 4 Registration Page




Fig 5 Login Page




Fig 6 Main Page




Fig 7 Upload input values




Fig 8 Prediction Result

## VI. CONCLUSION

Specialists have utilized various models to attempt to sort out the fact that somebody is so prone to get diabetes, yet their primary concern has forever been the way well the models work at foreseeing sicknesses. Therefore, if we want to improve our ability to determine who will develop diabetes, we require a new model. This study proposed utilizing choice level combination to make an ML based framework to assist individuals with diabetes decide. Utilizing fuzzy logic, the proposed model joins two broadly utilized ML techniques. The exactness of the recommended fuzzy logic framework is 94.87, which is superior to the precision of different frameworks that are as of now being used. We can save more than one life by employing this identification technique. Furthermore, in the event that diabetes is identified at an early stage and proactive measures are implemented, the mortality rate can be diminished.

## REFERENCES

- [1] F. Islam, R. Ferdousi, S. Rahman, and H. Y. Bushra, *Computer Vision and Machine Intelligence in Medical Image Analysis*. London, U.K.: Springer, 2019.
- [2] World Health Organization (WHO). (2020). WHO Reveals Leading Causes of Death and Disability Worldwide: 2000–2019. Accessed: Oct. 22, 2021. [Online]. Available: <https://www.who.int/news/item/09-12-2020-whoreveals-leading-causes-of-death-and-disability-worldwide-2000-2019>
- [3] A. Frank and A. Asuncion. (2010). UCI Machine Learning Repository. Accessed: Oct. 22, 2021. [Online]. Available: <http://archive.ics.uci.edu/ml>
- [4] G. Pradhan, R. Pradhan, and B. Khandelwal, "A study on various machine learning algorithms used for prediction of diabetes mellitus," in *Soft Computing Techniques and Applications (Advances in Intelligent Systems and Computing)*, vol. 1248. London, U.K.: Springer, 2021, pp. 553–561, doi: 10.1007/978-981-15-7394-1\_50.
- [5] S. Kumari, D. Kumar, and M. Mittal, "An ensemble approach for classification and prediction of diabetes mellitus using soft voting classifier," *Int. J. Cogn. Comput. Eng.*, vol. 2, pp. 40–46, Jun. 2021, doi: 10.1016/j.ijcce.2021.01.001.
- [6] M. A. Sarwar, N. Kamal, W. Hamid, and M. A. Shah, "Prediction of diabetes using machine learning algorithms in healthcare," in *Proc. 24th Int. Conf. Autom. Comput. (ICAC)*, Sep. 2018, pp. 6–7, doi: 10.23919/ICAC.2018.8748992.
- [7] S. K. Dey, A. Hossain, and M. M. Rahman, "Implementation of a web application to predict diabetes disease: An approach using machine learning algorithm," in *Proc. 21st Int. Conf. Comput. Inf. Technol. (ICCIT)*, Dec. 2018, pp. 21–23, doi: 10.1109/ICCITECHN.2018.8631968.
- [8] A. Mir and S. N. Dhage, "Diabetes disease prediction using machine learning on big data of healthcare," in *Proc. 4th Int. Conf. Comput. Commun. Control Autom. (ICCUBEA)*, Aug. 2018, pp. 1–6, doi: 10.1109/ICCUBEA.2018.8697439.
- [9] S. Saru and S. Subashree. *Analysis and Prediction of Diabetes Using Machine Learning*. Accessed: Oct. 22, 2022. [Online]. Available: [https://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=3368308](https://papers.ssrn.com/sol3/papers.cfm?abstract_id=3368308)
- [10] P. Sonar and K. JayaMalini, "Diabetes prediction using different machine learning approaches," in *Proc. 3rd Int. Conf. Comput. Methodologies Commun. (ICCMC)*, Mar. 2019, pp. 367–371, doi: 10.1109/ICCMC.2019.8819841.
- [11] S. Wei, X. Zhao, and C. Miao, "A comprehensive exploration to the machine learning techniques for diabetes identification," in *Proc. IEEE 4th World Forum Internet Things (WF-IoT)*, Feb. 2018, pp. 291–295, doi: 10.1109/WF-IoT.2018.8355130.
- [12] M. F. Faruque and I. H. Sarker, "Performance analysis of machine learning techniques to predict diabetes mellitus," in *Proc. Int. Conf. Electr., Comput. Commun. Eng. (ECCE)*, Feb. 2019, pp. 7–9, doi: 10.1109/ECACE.2019.8679365.
- [13] B. Jain, N. Ranawat, P. Chittora, P. Chakrabarti, and S. Poddar, "A machine learning perspective: To analyze diabetes," *Mater. Today: Proc.*, pp. 1–5, Feb. 2021, doi: 10.1016/J.MATPR.2020.12.445.
- [14] N. B. Padmavathi, "Comparative study of kernel SVM and ANN classifiers for brain neoplasm classification," in *Proc. Int. Conf. Intell. Comput., Instrum. Control Technol. (ICICICT)*, Jul. 2017, pp. 469–473, doi: 10.1109/ICICICT1.2017.8342608.
- [15] J. Liu, J. Feng, and X. Gao, "Fault diagnosis of rod pumping wells based on support vector machine optimized by improved chicken swarm optimization," *IEEE Access*, vol. 7, pp. 171598–171608, 2019, doi: 10.1109/ACCESS.2019.2956221.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)