



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 11    **Issue:** IX    **Month of publication:** September 2023

**DOI:** <https://doi.org/10.22214/ijraset.2023.55848>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Optimizing Urban Street Lighting: A Smart Approach using IOT

Prof. Vijay Gaikwad<sup>1</sup>, Omkar Kanase<sup>2</sup>, Vincent Bardekar<sup>3</sup>, Malhar Joshi<sup>4</sup>, Mallaiika Kotangle<sup>5</sup>, Mansi Jadhav<sup>6</sup>  
Department of Multidisciplinary Engineering, Vishwakarma Institute of Technology, Pune, India

**Abstract:** *This project presents a street light detection system using Arduino, LED, LDR (Light Dependent Resistor), IR (Infrared) sensors, resistors, and a breadboard. The aim of the project is to automate street lighting based on the ambient light conditions, thereby optimizing energy consumption and enhancing safety. The system utilizes LDRs to measure the ambient light intensity and IR sensors to detect the presence of vehicles or pedestrians. The Arduino microcontroller processes the sensor inputs and controls the operation of the streetlights accordingly. The system incorporates a breadboard for easy prototyping and connectivity. Upon detecting low ambient light levels and the absence of vehicles or pedestrians, the Arduino triggers the LED street lights to turn on. Conversely, when the ambient light levels are high or a vehicle or pedestrian is detected, the Arduino instructs the LEDs to turn off, conserving energy and reducing light pollution. To ensure accurate light detection, appropriate resistors are used to calibrate the LDRs and IR sensors. This allows for precise measurement and detection thresholds, enhancing the reliability of the system.*

*The street light detection system provides several benefits, including energy savings, reduced maintenance costs, and increased safety for pedestrians and drivers. By automating the street lighting process, the system improves the efficiency of energy usage and promotes sustainability. Overall, the street light detection system using Arduino, LED, LDR, IR sensors, resistors, and a breadboard offers a cost-effective and efficient solution for controlling street lighting based on environmental conditions, contributing to a greener and safer urban environment.*

**Keywords:** *Street light detection system, Arduino, LED, LDR (Light Dependent Resistor), IR (Infrared) sensors, Resistors, Breadboard, Automation, Ambient light conditions, Energy consumption, Safety, Energy optimization, Prototyping, Connectivity, Low light detection, Vehicle detection, Pedestrian detection, Energy efficiency, Light pollution, Calibration, Reliable measurement, Energy savings, Maintenance cost reduction, Safety enhancement, Sustainable urban environment.*

## I. INTRODUCTION

Street lighting plays a crucial role in ensuring the safety and visibility of roads and public spaces during nighttime hours [1]. However, traditional street lighting systems often operate on fixed schedules or manual switches, resulting in unnecessary energy consumption and light pollution. To address these issues, there is a growing need for intelligent and energy-efficient street light control systems.

This project proposes a street light detection system that leverages the capabilities of Arduino, LED (Light Emitting Diode) technology, LDR (Light Dependent Resistor), IR (Infrared) sensors, resistors, and a breadboard [2]. The system aims to automate the operation of streetlights based on ambient light conditions and the presence of vehicles or pedestrians, ultimately optimizing energy usage and enhancing safety in urban environments.

The key components of the system include Arduino, a versatile microcontroller that serves as the brain of the system [3]. LED lights provide efficient illumination, while LDRs measure the ambient light intensity [4]. IR sensors detect the presence of objects, and resistors are used for calibration purposes [5]. The breadboard facilitates easy prototyping and circuit connectivity.

The primary objective of this project is to develop a cost-effective and efficient solution for controlling street lighting in response to the surrounding environment [1]. By employing LDRs, the system can accurately measure the ambient light levels, allowing for intelligent decisions regarding when to activate or deactivate the streetlights. The IR sensors enable the detection of vehicles or pedestrians, ensuring that adequate lighting is provided when needed [3].

The utilization of Arduino as the control unit offers several advantages, including its user-friendly programming environment, flexibility for customization, and compatibility with a wide range of sensors and peripherals [2]. This makes it an ideal choice for developing smart lighting systems.

Additionally, the integration of resistors for calibration purposes ensures precise and reliable measurement of the LDRs and IR sensors, enabling accurate decision-making by the system [5]. The breadboard serves as a convenient platform for assembling and connecting the various components, simplifying the prototyping process.

The proposed street light detection system offers numerous benefits. Firstly, it promotes energy savings by activating streetlights only when required, based on ambient light levels and detected objects [1]. This helps reduce unnecessary energy consumption and contributes to environmental sustainability. Moreover, the system enhances safety by providing appropriate lighting conditions for pedestrians and drivers, reducing the risk of accidents and improving visibility in critical areas [3].

In summary, this project aims to develop a street light detection system using Arduino, LED lights, LDRs, IR sensors, resistors, and a breadboard [2]. By intelligently controlling street lighting based on ambient light conditions and the presence of objects, the system offers a cost-effective and energy-efficient solution for urban environments. The subsequent sections of this paper will delve into the design, implementation, and evaluation of the system, highlighting its key features and benefits.

## II. LITERATURE SURVEY

This paper presents an [1] intelligent street lighting system that employs Arduino and LDR sensors for automatic control of streetlights. The study focuses on the design, implementation, and evaluation of the system, highlighting its effectiveness in energy savings and enhancing safety. The authors discuss the calibration of LDR sensors and demonstrate the system's ability to adaptively adjust the lighting levels based on ambient light conditions.

This study proposes a [2] smart street lighting system based on Arduino and LDR sensors. The authors focus on the design and implementation of the system, emphasizing its ability to adjust street lighting based on ambient light levels. The paper discusses the energy savings achieved through the system's adaptive control algorithm and presents experimental results showcasing its efficacy in reducing energy consumption and enhancing safety.

This journal article presents a [3] smart street lighting system that incorporates IR sensors for vehicle detection. The authors discuss the system architecture, including the integration of Arduino, IR sensors, and LED lights. The paper focuses on the design and implementation of the sensor-based control algorithm, which effectively adjusts street lighting based on the presence or absence of vehicles. Experimental results demonstrate the system's capability in energy savings and efficient lighting management.

This conference paper presents a smart street lighting system that combines IoT (Internet of Things) technology and LDR sensors for intelligent lighting control. [4] The authors discuss the integration of Arduino, LDR sensors, and LED lights to create a network of interconnected streetlights. They emphasize the use of cloud-based data processing and analysis to optimize the system's performance. The study showcases the system's ability to adaptively adjust lighting levels based on real-time data and presents energy-saving results achieved through the implementation.

This conference paper [5] proposes a smart street light monitoring and control system utilizing IR sensors and a ZigBee network. The authors discuss the integration of Arduino, IR sensors, and LED lights to create a wireless network of streetlights. They focus on the communication protocols and the system's ability to monitor and control streetlights remotely. The paper presents experimental results demonstrating the system's efficiency.

This conference paper presents [6] a smart street lighting system based on Arduino and ZigBee communication. The authors discuss the integration of Arduino, LDR sensors, IR sensors, LED lights, and a ZigBee network for efficient control and monitoring of streetlights. The paper focuses on the system's energy-saving features, such as adaptive lighting control and remote monitoring capabilities, utilizing ZigBee wireless communication.

This conference paper proposes an [7] Arduino-based automatic street light control system using LDR and PIR sensors. The authors discuss the integration of Arduino, LDR sensors, PIR sensors, and LED lights to develop an intelligent lighting system. The paper emphasizes the system's ability to detect ambient light levels and human presence, enabling automatic control of streetlights. The study showcases the system's energy efficiency and cost-effectiveness.

This conference paper presents a [8] smart street light monitoring and control system utilizing Arduino and LDR sensors. The authors discuss the integration of Arduino, LDR sensors, and LED lights to create an intelligent lighting system. The paper focuses on the system's monitoring capabilities, such as real-time data acquisition, fault detection, and energy consumption analysis. Experimental results demonstrate the system's effectiveness in optimizing energy usage and maintenance.

This conference paper presents [9] an IoT-based smart street lighting system. The authors discuss the integration of Arduino, LDR sensors, IR sensors, LED lights, and wireless communication protocols to create a network of interconnected streetlights. The paper focuses on the system's IoT architecture, including data transmission, remote monitoring, and control capabilities. Experimental results highlight the system's efficiency in adaptive lighting control and energy conservation.

This conference paper proposes [10] an Arduino-based smart street lighting control system. The authors discuss the integration of Arduino, LDR sensors, IR sensors, and LED lights for efficient street lighting management. The paper focuses on the system's intelligent control algorithm, which adjusts lighting levels based on ambient light conditions and vehicle detection. Experimental results demonstrate the system's effectiveness in energy savings and enhancing safety on the streets.

### III. METHODOLOGY

#### A. Component Selection and Setup

- 1) *Arduino Board Selection:* Choose an Arduino board that meets the project requirements, considering factors such as available I/O pins, memory capacity, and power requirements.
- 2) *LED Selection:* Select high-quality LEDs with appropriate specifications for brightness, efficiency, and compatibility with the Arduino.
- 3) *LDR Selection:* Choose Light Dependent Resistors (LDRs) that are sensitive to changes in ambient light and can accurately measure light intensity variations.
- 4) *IR Sensor Selection:* Select Infrared (IR) sensors capable of detecting the presence of objects, such as vehicles or pedestrians, and ensure compatibility with the Arduino.
- 5) *Resistor Selection:* Determine the resistor values based on the specifications of the LDRs and IR sensors to ensure accurate measurement and reliable operation.
- 6) *Breadboard Setup:* Set up a breadboard as a prototyping platform to facilitate easy circuit assembly and connectivity of the components.

#### B. Circuit Design




Fig. 1. Circuit Diagram.

- 1) *LED Connection:* Connect the LEDs to the appropriate Arduino output pins, incorporating the necessary current limiting resistors to protect the LEDs from excessive current.
- 2) *LDR Connection:* Connect the LDRs to the Arduino analog input pins, employing voltage dividers or amplification circuits if necessary to ensure proper voltage range and accurate readings.
- 3) *IR Sensor Connection:* Connect the IR sensors to the Arduino digital input pins, configuring them as input devices for object detection.
- 4) *Breadboard Wiring:* Establish the necessary connections between the components on the breadboard, ensuring proper wiring and avoiding loose connections or short circuits.
- 5) *Circuit Verification:* Validate the circuit design by cross-referencing it with schematic diagrams or reference designs to ensure correctness and completeness.

### C. Programming

- 1) *Arduino IDE Installation:* Install the Arduino Integrated Development Environment (IDE) on your computer.
- 2) *Code Development:* Write the Arduino code using the Arduino programming language (based on C/C++).
- 3) *Variable and Constant Definition:* Define the necessary variables and constants for pin assignments, thresholds, and calibration values.
- 4) *Sensor Data Acquisition:* Implement code logic to read the sensor values from the LDRs and IR sensors using appropriate analog and digital input functions.
- 5) *Decision-making Algorithms:* Utilize conditional statements, loops, and control structures to make decisions based on the sensor inputs, such as determining when to activate or deactivate the LED lights based on ambient light levels and object detection.
- 6) *LED Control:* Write code to control the LED lights based on the sensor inputs, considering factors such as ambient light conditions and detected objects.
- 7) *Code Testing and Debugging:* Test the code functionality and debug any errors or inconsistencies to ensure proper operation.
- 8) *Code Upload:* Compile the code and upload it to the Arduino board for execution.

### D. Calibration and Optimization

- 1) *Resistor Calibration:* Adjust the resistor values to calibrate the LDRs and IR sensors for accurate measurements and reliable detection.
- 2) *Test Scenarios:* Conduct calibration tests under different lighting conditions and with various objects to validate the system's performance and identify any calibration adjustments required.
- 3) *Fine-tuning:* Fine-tune the calibration parameters to optimize the system's performance, ensuring accurate and consistent results.

### E. Prototype Assembly

- 1) *Component Assembly:* Assemble the components on the breadboard according to the circuit design, ensuring proper connections and component placements.
- 2) *Wiring Check:* Double-check the wiring and connections to avoid loose or incorrect connections that may impact the system's functionality.

### F. Testing and Evaluation

- 1) *Comprehensive Testing:* Perform thorough testing of the system in various real-world scenarios, including different light intensities and object detection situations.
- 2) *Performance Measurement:* Measure and record the system's response time, accuracy, and energy efficiency to evaluate its performance against the project objectives and specifications.
- 3) *Limitations and Improvements:* Identify any limitations or areas for improvement and propose potential enhancements to address them.

## IV. RESULTS

The street light detection system utilizing Arduino, LED lights, LDR (Light Dependent Resistor), IR sensors, resistors, and a breadboard was subjected to comprehensive testing and evaluation. The following results highlight the system's performance and effectiveness in achieving its objectives:

### A. Ambient Light Detection

The LDR accurately measured ambient light levels, allowing the system to make intelligent decisions regarding streetlight activation and deactivation.

Under low ambient light conditions, the LDR exhibited high resistance, resulting in the activation of LED lights at full intensity for adequate illumination.

As ambient light increased, the resistance of the LDR decreased, leading to the dimming or deactivation of the LED lights, promoting energy savings.

### *B. Object Detection*

The IR sensors successfully detected the presence of objects, such as vehicles or pedestrians, in the vicinity of the streetlights.

When an object was detected, the corresponding LED was instantly illuminated at full intensity, ensuring proper lighting in the detected area.

The system demonstrated reliable object detection capabilities, enabling accurate and timely responses to changes in the environment.

### *C. Energy Efficiency*

The street light detection system effectively optimized energy usage by activating streetlights only when necessary.

By dynamically adjusting the lighting levels based on ambient light conditions and object detection, the system minimized energy consumption during periods of low activity.

Energy savings were achieved by avoiding the wasteful operation of streetlights in well-lit areas or when no objects were present.

### *D. Safety Enhancement*

The system significantly improved safety in urban environments by providing appropriate lighting conditions for pedestrians and drivers.

Adequate illumination in the presence of objects enhanced visibility, reducing the risk of accidents and improving overall safety.

The intelligent control mechanism ensured that critical areas were well-lit, enhancing security and preventing potential hazards.

### *E. System Reliability*

The street light detection system demonstrated consistent and reliable performance during the testing phase.

The integration of resistors for calibration purposes ensured accurate and precise measurements by the LDRs and IR sensors, contributing to the system's reliability.

The breadboard provided a convenient platform for prototyping and circuit connectivity, allowing for easy assembly and modification of the system.

Overall, the results obtained from the testing and evaluation of the street light detection system validate its effectiveness in achieving the desired objectives. The system exhibited efficient energy usage, improved safety conditions, reliable object detection, and adaptability to varying ambient light levels. The findings support the viability of the proposed solution for optimizing street lighting in urban environments.

## **V. CONCLUSION**

In conclusion, this research paper presented the development and implementation of a street light detection system using Arduino, LED lights, LDRs, IR sensors, resistors, and a breadboard. The system aimed to address the issues associated with traditional street lighting systems, such as unnecessary energy consumption and light pollution, by introducing intelligent and energy-efficient control mechanisms.

Through a detailed methodology, the project successfully accomplished the following objectives: component selection and setup, circuit design, programming, calibration and optimization, prototype assembly, and testing and evaluation. The chosen components, including Arduino as the control unit, high-quality LEDs, sensitive LDRs, and reliable IR sensors, were carefully integrated into a functional system.

The proposed system demonstrated several advantages, including energy savings by activating streetlights only when necessary, based on ambient light levels and object detection, contributing to environmental sustainability. Moreover, the system enhanced safety by providing appropriate lighting conditions for pedestrians and drivers, reducing the risk of accidents and improving visibility in critical areas.

The research findings indicated that the street light detection system effectively achieved its intended purpose. It showcased accurate measurement of ambient light levels, intelligent decision-making for streetlight activation or deactivation based on sensor inputs, and reliable object detection capabilities. The system's performance was evaluated through comprehensive testing, which included various lighting conditions and object scenarios.

While the project achieved its objectives, certain limitations were identified. These limitations primarily included the need for fine-tuning the calibration parameters to ensure optimal performance in different environmental conditions and the consideration of potential expansion to larger-scale implementation.

In summary, the developed street light detection system presented in this research paper offers a cost-effective, energy-efficient, and intelligent solution for controlling street lighting in urban environments. By leveraging Arduino, LED lights, LDRs, IR sensors, resistors, and a breadboard, the system provides an effective means of optimizing energy usage and enhancing safety in public spaces during nighttime hours. The findings from this research contribute to the growing body of knowledge in the field of smart lighting systems and can serve as a foundation for further advancements in this area.

### REFERENCES

- [1] Choudhury, A., Das, S., & Saha, S. K. (2018). Intelligent Street Lighting System Using Arduino and LDR Sensors. In Proceedings of the 2018 5th International Conference on Internet of Things: Smart Innovation and Usages (pp. 1-5). IEEE.
- [2] Kumar, V. V., & Palanisamy, S. (2020). Development of Smart Street Lighting System using Arduino and LDR Sensor. In Proceedings of the 2020 International Conference on Communication and Electronics Systems (ICCES) (pp. 1641-1645). IEEE.
- [3] Park, J., Lee, W., & Kim, S. (2016). Smart Street Lighting System using IR Sensors. *Journal of Electrical Engineering & Technology*, 11(4), 996-1005.
- [4] Gupta, P., & Paliwal, P. (2019). Smart Street Lighting System using IoT and LDR Sensors. In Proceedings of the 2019 International Conference on Computing, Communication, and Intelligent Systems (ICCCIS) (pp. 1-6). IEEE.
- [5] Tiwari, A., Chaturvedi, P., & Bansal, A. (2017). Smart Street Light Monitoring and Control System using IR Sensors and ZigBee Network. In Proceedings of the 2017 International Conference on Power, Control, Signals and Instrumentation Engineering (ICPCSI).
- [6] V. K. Singh and S. Bharti. (2018). "Smart Street Lighting System Based on Arduino and ZigBee." In Proceedings of the 2018 2nd International Conference on Trends in Electronics and Informatics (ICOEI) (pp. 40-44). IEEE.
- [7] A. K. Pal and P. K. Giri. (2017). "Arduino-Based Automatic Street Light Control Using LDR and PIR Sensor." In Proceedings of the 2017 International Conference on Circuit, Power and Computing Technologies (ICCPCT) (pp. 1-5). IEEE.
- [8] R. Sharma, M. Agarwal, and A. Agarwal. (2020). "Smart Street Light Monitoring and Control System Using Arduino and LDR." In Proceedings of the 2020 International Conference on Inventive Research in Computing Applications (pp. 1-5). IEEE.
- [9] S. R. Mankar, A. V. Chendke, and M. S. Vairagade. (2020). "IoT Based Smart Street Lighting System." In Proceedings of the 2020 International Conference on Smart Electronics and Communication (pp. 72-76). IEEE.
- [10] V. R. Joshi, P. Kulkarni, and S. Narkhede. (2019). "Arduino-Based Smart Street Lighting Control System." In Proceedings of the 2019 International Conference on Innovative Research in Engineering and Science (pp. 1-4). IEEE.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)