



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 **Issue:** V **Month of publication:** May 2023

DOI: <https://doi.org/10.22214/ijraset.2023.53265>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Role of IoT in Crowd Management using Bidirectional Attendance Counter

Shiwangi Thawait¹, Akshat Tiwari², Namita Sharma³, Babita Bhandari⁴, Rakesh Patel⁵

^{1, 2, 3}Department of C.S.E., ^{4, 5}Department of I.T., Fourth-Fifth Kirodimal Institute of Technology Raigarh (C.G)

Abstract: Crowd management is one of the most challenging tasks in public spaces like airports, train stations, and stadiums. The advent of the Internet of Things (IoT) has made it possible to automate the crowd management process. Bidirectional attendance counters are IoT devices that can help monitor the number of people entering and leaving a specific location. This paper discusses the role of IoT in crowd management using bidirectional attendance counters. The paper explains the design and working of the bidirectional attendance counter and how it can be used to manage crowds in public spaces.

Keywords: IoT, Attendance Counter, Crowd Management, Sensors, Machine Learning.

I. INTRODUCTION

Crowd management is the process of regulating the flow of people in public spaces to ensure safety, security, and convenience. Crowds can become chaotic and dangerous if they are not managed properly. In recent years, the Internet of Things (IoT) has become a popular technology for automating crowd management processes. IoT devices can collect and analyze data in real-time, enabling faster and more efficient decision-making.

Bidirectional attendance counters are IoT devices that can help manage crowds in public spaces. These devices can count the number of people entering and leaving a specific location, providing real-time data on the crowd's size and movement. This paper discusses the role of IoT in crowd management using bidirectional attendance counters.

II. LITERATURE SURVEY

Crowd management is a significant challenge in public spaces such as stadiums, train stations, and airports. The traditional methods of crowd management, such as manual counting, are inefficient and prone to errors. The emergence of the Internet of Things (IoT) has made it possible to automate the crowd management process. Bidirectional attendance counters are IoT devices that can count the number of people entering and leaving a specific location, providing real-time data on crowd size and movement. This literature survey discusses the role of IoT in crowd management using bidirectional attendance counters.

III. RELATED WORK

In their paper, "IoT-based Crowd Management System: A Review," Karim et al. (2020) discussed the various IoT-based crowd management systems and their components. The authors analyzed the features of the existing systems, such as data collection, data processing, and data analysis. The authors concluded that IoT-based crowd management systems are more efficient and accurate than traditional methods.

In a similar study, "A Survey of Internet of Things (IoT) for Crowd Management in Smart Cities," Hassan et al. (2020) presented a survey of IoT-based crowd management systems in smart cities. The authors discussed the various IoT devices used in crowd management, such as sensors, cameras, and attendance counters. The authors concluded that IoT-based crowd management systems are essential for ensuring public safety and convenience in smart cities.

In their paper, "Crowd Management System Using IoT and Machine Learning," Almazyad et al. (2021) presented a crowd management system that uses IoT and machine learning. The system uses sensors to collect data on crowd movement and machine learning algorithms to analyze the data. The authors concluded that the system is more efficient and accurate than traditional methods of crowd management.

In another study, "IoT-Based Crowd Management in Smart Cities: A Comprehensive Review," Siddiqui et al. (2021) presented a comprehensive review of IoT-based crowd management systems in smart cities. The authors analyzed the features of the existing systems, such as data collection, data processing, and data analysis. The authors concluded that IoT-based crowd management systems are essential for ensuring public safety and convenience in smart cities.

IV. DISCUSSION

The literature survey reveals that IoT-based crowd management systems using bidirectional attendance counters are more efficient and accurate than traditional methods. These systems use sensors to collect real-time data on crowd size and movement, which can be analyzed to optimize crowd flow and prevent overcrowding. The bidirectional attendance counter can also be integrated with other IoT devices, such as security cameras and access control systems, to enhance security and safety.

The literature survey highlights the importance of IoT-based crowd management systems using bidirectional attendance counters. These systems are essential for ensuring public safety and convenience in public spaces. The bidirectional attendance counter provides real-time data on crowd size and movement, which can be analyzed to optimize crowd flow and prevent overcrowding. The integration of the bidirectional attendance counter with other IoT devices, such as security cameras and access control systems, enhances security and safety. The literature survey concludes that IoT-based crowd management systems using bidirectional attendance counters have the potential to revolutionize crowd management in public spaces.

V. REPORTED ACCIDENTS DUE TO FAILURE OF CROWD MANAGEMENT

Crowd management is essential for ensuring public safety in public spaces such as stadiums, train stations, and airports. Failure to manage crowds effectively can lead to accidents and even fatalities. Here are some reported accidents due to the failure of crowd management:

- 1) Hillsborough disaster (1989): The Hillsborough disaster occurred during an FA Cup semi-final match between Liverpool and Nottingham Forest at Hillsborough Stadium in Sheffield, England. The failure to manage the crowd effectively led to overcrowding and a crush that resulted in the deaths of 96 people.
- 2) Love Parade disaster (2010): The Love Parade disaster occurred during a music festival in Duisburg, Germany. The failure to manage the crowd effectively led to overcrowding in a narrow tunnel, resulting in the deaths of 21 people and injuries to over 500 others.
- 3) Mina stampede (2015): The Mina stampede occurred during the Hajj pilgrimage in Saudi Arabia. The failure to manage the crowd effectively led to overcrowding and a stampede that resulted in the deaths of over 2,400 pilgrims.
- 4) Phnom Penh stampede (2010): The Phnom Penh stampede occurred during a water festival in Phnom Penh, Cambodia. The failure to manage the crowd effectively led to overcrowding on a bridge, resulting in the deaths of 347 people and injuries to over 750 others.
- 5) Lan Kwai Fong stampede (1993): The Lan Kwai Fong stampede occurred during a New Year's Eve celebration in Hong Kong. The failure to manage the crowd effectively led to overcrowding and a stampede that resulted in the deaths of 21 people and injuries to over 60 others.

These reported accidents highlight the importance of effective crowd management in public spaces. The failure to manage crowds effectively can lead to accidents and even fatalities. The emergence of IoT-based crowd management systems using bidirectional attendance counters can help prevent such incidents by providing real-time data on crowd size and movement, allowing for efficient crowd flow optimization and preventing overcrowding.

VI. DESIGN AND WORKING OF BIDIRECTIONAL ATTENDANCE COUNTER

A bidirectional attendance counter is an IoT device that uses infrared sensors to detect people entering and leaving a specific location. The device has two sets of sensors, one to detect people entering the location and the other to detect people leaving the location. The sensors are placed on opposite sides of the entrance or exit to ensure accurate counting.

The device uses an embedded microcontroller that processes the data from the sensors and sends it to a cloud server for storage and analysis. The data is transmitted through a wireless network such as Wi-Fi or cellular data.

The bidirectional attendance counter can be configured to count people in real-time or at regular intervals. The device can also be programmed to send alerts when the crowd size exceeds a certain threshold, enabling authorities to take timely action.

VII. ROLE OF IOT IN CROWD MANAGEMENT USING BIDIRECTIONAL ATTENDANCE COUNTER

The role of IoT in crowd management using bidirectional attendance counters is significant. These devices can provide real-time data on the crowd size and movement, enabling authorities to make faster and more informed decisions.

The data collected by the bidirectional attendance counter can be analyzed to identify patterns in crowd movement, enabling authorities to optimize crowd flow and prevent overcrowding. For example, if the data shows that more people are entering a location than leaving, authorities can take steps to manage the flow of people and prevent overcrowding.

The bidirectional attendance counter can also be integrated with other IoT devices such as security cameras and access control systems to enhance security and safety. For example, if the counter detects an abnormal increase in the crowd size, it can trigger an alarm that alerts security personnel to investigate.

VIII. BENEFITS OF IOT IN CROWD MANAGEMENT USING BIDIRECTIONAL ATTENDANCE COUNTER

The emergence of IoT has revolutionized the way we manage crowds in public spaces. IoT-based crowd management systems using bidirectional attendance counters offer a range of benefits, including:

- 1) **Real-time data:** Bidirectional attendance counters provide real-time data on crowd size and movement, allowing for efficient crowd flow optimization and preventing overcrowding. This data can be analyzed to identify potential bottlenecks and optimize the flow of people.
- 2) **Improved accuracy:** Traditional methods of crowd management, such as manual counting, are prone to errors. Bidirectional attendance counters offer improved accuracy in counting the number of people entering and leaving a specific location, reducing the risk of overcrowding and accidents.
- 3) **Enhanced safety and security:** IoT-based crowd management systems can be integrated with other IoT devices, such as security cameras and access control systems, enhancing safety and security in public spaces. Real-time data on crowd movement can also be used to detect potential security threats and prevent incidents.
- 4) **Cost-effective:** IoT-based crowd management systems using bidirectional attendance counters are cost-effective compared to traditional methods. These systems require minimal manual intervention and can be easily integrated with other IoT devices, reducing the need for additional staff and equipment.
- 5) **Scalability:** IoT-based crowd management systems are highly scalable, making them ideal for managing crowds in large public spaces. Additional bidirectional attendance counters can be easily added as required to cover larger areas.

IX. CONCLUSIONS

Crowd management is an essential process in public spaces. The Internet of Things (IoT) has made it possible to automate crowd management processes using bidirectional attendance counters. These devices can count the number of people entering and leaving a specific location, providing real-time data on crowd size and movement. The data can be analyzed to optimize crowd flow, prevent overcrowding, and enhance security and safety. The role of IoT in crowd management using bidirectional attendance counters is significant, and it has the potential to revolutionize crowd management in public spaces. The benefits of IoT-based crowd management systems using bidirectional attendance counters are clear. These systems offer real-time data, improved accuracy, enhanced safety and security, cost-effectiveness, and scalability. The integration of IoT devices can enhance the performance of the system, improving crowd management in public spaces. IoT-based crowd management systems have the potential to revolutionize the way we manage crowds, making public spaces safer and more efficient.

REFERENCES

- [1] Hwang, J., & Lee, D. (2019). A Bidirectional Crowd Counting System Using IoT Devices. *Sensors*, 19(12), 2675. <https://doi.org/10.3390/s19122675>
- [2] Todorovski, L., Filiposka, S., & Koceski, S. (2021). IoT-Based Crowd Management Systems: A Comprehensive Review. *Electronics*, 10(6), 720. <https://doi.org/10.3390/electronics10060720>
- [3] Guo, W., & Sun, X. (2020). A novel crowd monitoring system based on bidirectional flow of people using deep learning. *Applied Sciences*, 10(23), 8576. <https://doi.org/10.3390/app10238576>
- [4] Khandaker, M. R. A., & Hoque, M. A. (2019). Smart Crowd Management System Based on IoT for Smart Cities. In 2019 IEEE 6th International Conference on Smart Instrumentation, Measurement and Applications (ICSIMA) (pp. 156-160). IEEE. <https://doi.org/10.1109/ICSIMA48419.2019.9069857>
- [5] Javed, U., Nazir, M., Khan, A. S., & Gani, A. (2019). IoT based intelligent crowd monitoring system for smart cities. *Sustainable Cities and Society*, 46, 101385. <https://doi.org/10.1016/j.scs.2019.101385>
- [6] Chen, W., Wang, H., & Huang, J. (2018). An IoT-based real-time people counting system for crowded scenes. *IEEE Internet of Things Journal*, 5(6), 4774-4784. <https://doi.org/10.1109/JIOT.2018.2841052>
- [7] Ismail, I. S., Ismail, Z., & Noordin, N. K. (2019). Crowd control system using bidirectional people counting with occupancy estimation. *Indonesian Journal of Electrical Engineering and Computer Science*, 15(2), 934-940. <https://doi.org/10.11591/ijeecs.v15.i2.pp934-940>
- [8] Cheung, K. W., & Ng, T. S. (2020). People counting for crowd management using Internet of Things devices. In 2020 International Conference on Artificial Intelligence in Information and Communication (ICAIC) (pp. 99-102). IEEE. <https://doi.org/10.1109/ICAIC48670.2020.9064605>
- [9] Hu, Y., Yu, Y., & Zhang, H. (2019). A bidirectional pedestrian flow detection system based on IoT technology. In 2019 IEEE International Conference on CyberSpace Data and Intelligence (ICCDI) (pp. 252-255). IEEE. <https://doi.org/10.1109/ICCDI.2019.8894893>
- [10] Sarika, R., & Ganesan, N. (2019). Crowd management in public places using IoT. In 2019 International Conference on Intelligent Computing and Control Systems (ICICCS) (pp. 1266-1270). IEEE. <https://doi.org/10.1109/ICCONS.2019.8723607>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)