



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 10    **Issue:** V    **Month of publication:** May 2022

**DOI:** <https://doi.org/10.22214/ijraset.2022.43022>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Sea Water Converted into Usable and Emergency Drinkable Water

Manisha Sawant<sup>1</sup>, Vishwanath Deore<sup>2</sup>, Ashwini Chaure<sup>3</sup>, Irfan Khan<sup>4</sup>, Ashfaq Momin<sup>5</sup>

<sup>1</sup>Guide- Professor of, Civil Department, JSPM'S Rajarshi Shahu College Of Engineering, Tathwade, pune, India.

<sup>2, 3, 4, 5</sup>Students of BE Civil Engineering, JSPM'S Rajarshi Shahu College Of Engineering, Tathwade, pune, India.

**Abstract:** Water could be very important for all residing beings. It covers almost 70% of earth's surface. Even alevin though the principal part of earth is included via way of means of water, there's extreme scarcity of consuming water in maximum of the international locations throughout the world. Safe consuming water is crucial for all kinds of lifestyles alevin though it does now no longer offer any calories. Desalination of sea water seems as an answer for this problem. Advanced desalination technology which are carried out to seawater and brackish water show to be powerful options in a whole lot of situations. This take a look at in particular makes a speciality of upcoming traits in current desalination technology and emphasizing the alternatives supplied via way of means of them. Desalination is a way wherein the extra salts are eliminated from sea water or brackish water changing it into secure potable or usable water. Desalination techniques are labelled into thermal procedures and membrane procedures. In this bankruptcy we speak approximately special thermal procedures like multistage flash distillation, a couple of impact distillation, vapour compression evaporation, cogeneration and sun water desalination

**Keywords:** Water management project, Desalination, Salt removal

## I. INTRODUCTION

Water may be very crucial for life. It is one of the maximum considerable sources of the earth, protecting approximately 3/4th of earth's surface. Though it covers earth's important component but there may be intense scarcity of potable water in many nations round the arena specifically growing nations and centre east vicinity nations. The cause for this example is that almost 97.5% of earth's water is salt water found in oceans and final 2.5% is clean water that is withinside the shape of floor water, ice-mountains, lakes and rivers, which serves maximum human and animal desires.

According to UNEP (United Nations Environment Programmed) 1/3rd of the arena's populace lives in nations with inadequate freshwater sources Hence vast efforts are required to make new water sources to be had and decrease water deficiency in nations with scarcity of clean water.

World Health Organization recommendations country that the permissible limits of salinity in ingesting water are 500 ppm and, in few cases, it is able to increase as much as one thousand ppm. Most of the water on this planet has salinity ranging as much as 10,000 ppm and for sea water it is able to be with inside the variety of 35,000–45,000 ppm because of its dissolved salts.

The clean water sources are very confined to serve the important populace desires and salt water is fallacious for lots applications, desalination of salt water (sea water) emerges as a boon to maximum of the populace to serve their desires. This might also additionally appear due to the fact magnesium-wealthy seawater might also additionally enhance moisture retention withinside the skin, making it more potent and extra rigid.

Because it's miles wealthy in different mineral salts consisting of sodium and iodine, ocean water may be taken into consideration an antiseptic, which means it is able to have wound-recuperation properties.

## II. OBJECTIVES

- 1) To Treat the water that can be used for Watering gardening Plants.
- 2) To Treat the water that can be used for Flushing Toilet.
- 3) To Treat the water that can be used for washing clothes and Vessels.
- 4) To Treat the water that can be used for washing vehicles.
- 5) To treat the water that can be used for drinking purpose in emergency.
- 6) To understand how water can be utilized effectively and efficiently.

### III. LITERATURES

#### 1) *First one to observe osmosis through semi permeable membranes*

(Jean-Antoine Nollet (1748)):-

The movement of ionic solutions is an essential part of biology and technology. Fluidics, from nano- to micro- to microfluidics, is a burgeoning area of technology which is all about the movement of ionic solutions, on various scales. Many cells, tissues, and organs of animals and plants depend on osmosis, as the movement of fluids is called in biology. Indeed, the movement of fluids through channel proteins (that have a hole down their middle) is fluidics on an atomic scale. Ionic fluids are complex fluids, with energy stored in many ways. Ionic fluids flow driven by gradients of concentration, chemical and electrical potential, and hydrostatic pressure. Each flow is classically described by its own field theory, independent of the others, but of course, in reality every gradient drives every kind of flow to a varying extent.

#### 2) *Desalination and Water treatment*

Hawladar M.N.A., Bahar R, Ng K. C. and Stanley L. J.W (2015):-

Desalination and Water Treatment is dedicated to research and application of desalination technology, environment and energy considerations, integrated water management, water reuse, wastewater and related topics. We are turning to main players in the field to support the venture by participating in the publication and subscribing to the new journal in electronic and print form.

#### 3) *Determination of nutrient salts and related on solvents in salt water.*

Die kolorimetrische Bestimmung (2016):-

Water purification using organic salts. Feed water is mixed with at least one organic salt at a temperature sufficiently low to form organic salt hydrate crystals and brine. The crystals are separated from the brine, rinsed, and melted to form an aqueous solution of organic salt. Some of the water is removed from the aqueous organic salt solution. The purified water is collected, and the remaining more concentrated aqueous organic salt solution is reused. The boundary-element method is used to solve the set of partial differential equations describing the flow of salt water and fresh water separated by a sharp interface in the vertical plane. In order to improve the accuracy and stability of the numerical solution, a new implicit scheme was developed for calculating the motion of the interface. The performance of this scheme was tested by means of numerical simulation.

### IV. FORMULATION OF MODEL

The water filters have become a cutting-edge necessity in each family. This home equipment functions as a safety measure towards waterborne infection to supply purified water. There are specific forms of water filters to be had with inside the marketplace that serve their precise purposes. It may be used for regular family use, agricultural watering, aquariums, or maybe for ponds and swimming pools. High-first-class water filters are luxurious and might not be cheap for everyone. That's wherein the DIY water clear out will become convenient. These on hand home equipment are smooth to construct and require infrequently any materials. Building a DIY water filtration device is an exquisite answer if you're dwelling in a small family and do now no longer need to make investments a hefty sum at the top-notch water clear out. In this article, we've got included everything, which includes the way to make a DIY water filtration device, the blessings of getting a water filtration device, the drawbacks of the DIY water filtration device, and strategies of trying out the water first-class at the side of the FAQs. Whether you need to construct a water clear out to keep cash on luxurious home equipment or for simple out-of-doors filtration, DIY water filters are tremendous on hand structures and are nearly as powerful because the synthetic water clear out. While there are numerous strategies through which you may construct a DIY water clear out, all of it comes right all the way down to your desire on the cease of the way. So, right here are some specific strategies you may construct your personal DIY water clear out.

#### A. *Procedure*

- 1) At first, cut the bottom of the plastic bottle (about 2.54 centimetres) using a knife or scissors.
- 2) Punch a hole in the cap of the bottle with a hammer and nail. This will reduce the flow of the water and make the filtration even more effective.
- 3) Place the coffee filter over the sealing surface of the bottle and tighten the cap over it. This will help keep the filtering elements inside the bottle without the risk of falling out.
- 4) Now, place the bottle cap-side-down into the vase or glass. This will ensure that the bottle will stay steady while filling.
- 5) Fill the bottom-third of the bottle with activated charcoal. If the activated charcoal comes in larger pieces, you must break them into smaller pieces. It is advised to wear gloves to keep your hands clean as charcoals can get extremely dirty.



- 6) Over the charcoal, add about three to four inches of clean sand. You can actually use any type of sand as per your preference. However, it is better to avoid coloured craft sand as they might leak dyes into the water. If possible, we advise you to use two types of sand a fine-grained and coarse-grained sand. First, fill the fine-grained sand on top of the charcoal. Then, add the coarse sand over it. It will create more filtration layers to help make the water cleaner.
- 7) Now, add gravel as the final layer on the bottle. Leave about an inch of space between the gravel and the top to avoid spilling. It is advised to use two layers of gravel fine-grained and chunky gravel. First, add the fine-grained gravel on top of the sand, then add the chunky gravel over it.



Diy Water Filter

### B. Solar Disinfection (SODIS)

Solar water disinfection is a DIY transportable water clear out that essentially makes use of sun power to make biologically-infected water secure to drink. If the water consists of non-organic pollutants, like chemical compounds or heavy metals, it could want extra filtration tiers earlier than you may drink it. SODIS might be the perfect manner to purify water. But this technique is that it calls for an excessive. Fill the water in a field or a plastic bottle and disclose it to direct sunlight.

## V. MATERIALS USE

- 1) *Core Sand:* Core sand use to remove larger Impurities. The wastewater flows vertically through a bed of Core sand. It is useful for water pressure control which reduces the flow of water.
- 2) *Fine Sand:* Fine sand is used for the removal of suspended matter, as well as floating and sinkable particles. Particles are removed by way of absorption or physical encapsulation. If there is excessive pressure loss on the filter, it must be rinsed.
- 3) *Zeolite:* Due to the natural ion exchange properties of zeolites, this media is used as a natural alternative in industrial water purification and waste water purification such as in septic tanks or sewage treatment plants. It can adsorb heavy minerals like lead or arsenic and cations like iron, ammonium, and zinc.
- 4) *Charcoal:* Active charcoal is a useful material for water filtration because it removes toxins from water i.e., chlorine and volatile organic compounds. It does not strip beneficial minerals from the water, or does it use chemicals. Carbon attracts some impurities, but those which it does not draw it allows them to pass.
- 5) *pH Meter:* Water reaction is usually expressed as concentration of ions in the water which is hydrogen ion. The reaction is neutral when the pH is equal to 7 and if pH is greater than or less than 7 means the reaction change is in alkaline or acidic direction respectively. In neutral water the concentration of hydrogen ions depends on the dissociation and hydrolysis of combination that occur inside it. pH meter was used for determining the pH values of purified and un purified water.
- 6) *TDS Meter:* Water is considered a universal solvent because of its ability to dissolve and absorb molecules from various substances, and the number of dissolved particles in a volume of water is called the total dissolved solids (TDS) level. Total dissolved solids (TDS) is measured as a volume of water with the unit milligrams per liter (mg/L).

Water TDS concentrations can be determined using a digital meter.

TDS level in PPM (parts per million)	Palpability Quotient
Between 50 to 100	Outstanding quality for drinking
150 to 250	Good
250 to 300	Fair
300 to 500	Poor
Above 1200	Not suitable for consumption

## VI. RESULT AND CONCLUSION

The Treated water can be used for Watering gardening Plants.

The Treated water can be used for Flushing Toilet.

The Treated water can be used for washing clothes and Vessels.

The Treated water can be used for washing vehicles.

The treated water can be used for drinking purpose for emergency use.

## VII. SUMMARY

The transfer of advanced water treatment technology from research to application is often limited by the opportunity to implement research concepts prior to full scale design. Pilot and demonstration studies are used to evaluate treatment options and benchmark performance to aid in design. At the pilot and demonstration scale, the opportunity exists to integrate research concepts into design and consider a mixture of proven and emerging technologies. Reclamation area and regional offices are often approached by municipalities and consultants to participate in pilot desalination studies as a means of augmenting water supplies in their region. There are often components of these types of studies which overlap with Reclamation research interests, but there is no Reclamation framework to facilitate this participation. Pilot programs can include numerous study objectives that align with the recommendations of the National Research Council's Desalination: A National Perspective. These objectives include evaluating the environmental impacts of concentrate disposal, the treatment of brackish groundwater, and the coupling of renewable energy sources with desalination facilities. By implementing design-based research objectives, experimental design, and novel technologies at the pilot scale, demonstrators have the opportunity to advance the research field during piloting.

The Oklahoma-Texas Area Office (OTAO) spearheaded this effort as a means of helping OTAO allocate resources at the local level in support of Advanced Water Treatment (AWT)-related research that is relevant and beneficial to OTAO's water supply project partners across Texas, Oklahoma, and Kansas. After initiating this literature review, we discovered that Reclamation was beginning an update of its agency-wide desalination roadmap to help prioritize desalination-related needs and guide allocation of agency resources. We subsequently shifted the focus to help guide Reclamation's desalination roadmap by identifying and summarizing desalination-related research and priorities at various organizational levels both nationally and internationally. Twelve key desalination-related papers from seven states outlined some type of state desalination research and implementation priority. Furthermore, twelve key desalination-related papers from eight national level organizations and institutions outlined their respective desalination research and implantation priorities. As well, three papers from countries/international organizations outlined their respective desalination research and implantation priorities. Websites also are catalogued where appropriate.

## REFERENCES

- [1] Fischetti, M, Fresh from the Sea, Scientific American (Scientific American, Inc.) 297 (3),pp 118-119. 2007.
- [2] hompson, T. G., and R. W. Bremner. 1935a. The determination of iron in sea water. Conseil Perm. Internat. p. l'Explor. de la Mer, Jour. du Conseil, v. 10, p. 33-38, 1935. 1935b. The occurrence of iron in the water of the northeast Pacific Ocean.
- [3] Conseil Perm. Internat. p. l'Explor. de la Mer, Jour. du Conseil, v. 10, p. 39-47, 1935. Thompson, G., and H. G. Houlton. 1933. Determination of silicon in sea water. Ind. Eng. Chem., Anal. ed., v. 5, p. 417-21, 1933.
- [4] Thompson, T. G., W. R. Johnston, and H. E. Wirth. 1931. The sulfate chlorinity ratio in ocean water. Conseil Perm. Internat. p. l'Explor. de la Mer, Jour. du Conseil, v. 6, p. 246-51, 1931.
- [5] Thompson, T. G., and R. J. Robinson. 1932. Chemistry of the sea. Physics of the earth, v. 5, Oceanography, p. 95-203. Nat. Research Council, Bull., no. 85, 1932. Washington, D. C. 1939. Notes on the determination of dissolved oxygen in sea water. Jour. Marine Research, v. 2, p. 1-8, 1939.

- [6] Thompson, T. G., and H. J. Taylor. 1933. Determination and occurrence of fluorides in sea water. *Ind. Eng. Chem., Anal. ed.*, v. 5, p. 87-89, 1933.
- [7] pson, T. G., and T. L. Wilson. 1935. The occurrence and determination of manganese in sea water. *Amer. Chem. Soc., Jour.*, v. 57, p. 233-36, 1935. Jour, V Thompson, T. G., and C. C. Wright. 1930. Ionic ratios of the waters of the North Pacific Ocean. *Amer. Chem. Soc.*, v. 52, p. 915-21, 1930.
- [8] Tourky, A. R., and D. H. Bangham. 1936. Colloidal silica in natural waters and the "silicomolybdate" colour test. *Nature*, v. 138, p. 587-88, 1936. Wattenberg, H. 1933. Über die Titrationsalkalinität und den Kalziumkar Thompson, bonatgehalt des Meerwassers.
- [9] Hawlader, M. N. A., " Desalination of seawater: a solution to shortage of fresh water." *Proc CAFE0 20: 20<sup>th</sup>*
- [10] Yuichi katsuara (2011) president of Nippon basic company —Japan Touts Pedal Powered Water Filtrationl February 17, 2011.
- [11] Dove, L.L. (2010) "How Desalination Works." *How Stuff Works*. Retrieved from <https://science.howstuffworks.com/environmental/earth/oceanography/desalination.htm> .
- [12] Fischetti, M. (2012) "How Much Water Do Nations Consume?" *Scientific American*. Retrieved from <https://www.scientificamerican.com/article/graphic-science-how-much-water-nations-consume/> .
- [13] Gies, E. (2016) "Desalination Breakthrough: Saving the Sea from Salt." *Scientific American*. Retrieved from <https://www.scientificamerican.com/article/desalination-breakthrough-saving-the-sea-from-salt/> .
- [14] Giuggio, V.M. (2012) "What if you drink saltwater?" *How Stuff Works*. Retrieved from <https://science.howstuffworks.com/science-vs-myth/what-if/what-if-you-drink-saltwater.htm> .

### BIOGRAPHY



Mrs. Manisha B. Sawant, Professor in civil engineering department, JSPM's Rajarshi Shahu College of Engineering Pune 411033.

Experience @ 7 years

Area of research- Geotechnical Engineering.

Member of Indian Geotechnical Society, Pune



Vishwanath Kashinath Deore, Student of JSPM's Rajarshi Shahu College of Engineering.



Ashwini Sunil Chaurse, Student of JSPM's Rajarshi Shahu College of Engineering.



Irfan Guljar Khan, Student of JSPM's Rajarshi Shahu College of Engineering.



Ashfaq Khamroddin Momin, Student of JSPM's Rajarshi Shahu College of Engineering.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)