



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 10    Issue: IV    Month of publication: April 2022**

**DOI: <https://doi.org/10.22214/ijraset.2022.41384>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# A REVIEW: *SOLANUM NIGRUM* AND ITS PHARMACOLOGICAL ACTIVITIES

Rashmi Sulthana M<sup>1</sup>, Dr. M. Shenbagam Madhavan<sup>2\*</sup>

<sup>1, 2</sup> Faculty of Science, Department of Biochemistry and Biotechnology, Annamalai University, Annamalainagar, Tamilnadu

**Abstract:** *Black nightshade, or Solanum nigrum (Sn), nicknamed Makoi, has a wide range of ayurvedic characteristics and is well-known for its therapeutic virtues. However, this does not guarantee that it will attract the attention of therapeutic users. Aqueous, ethanol, and diethyl ether extracts of Solanum nigrum were produced, and antibacterial activity against the isolated bacteria was determined at four different concentrations of each extract. In compared to aqueous and diethyl ether extracts, ethanol extracts had the highest antibacterial activity. Alkaloids, terpenoids, flavonoids, saponins, steroids, the ethanolic extract of Solanum nigrum phenols were found in the plant's phytochemical examination*

**Keywords:** *Solanum nigrum, pharmacological activities, medical plant.*

## I. INTRODUCTION

Many varieties of therapeutic plants have been used by humans from the beginning of time, long before “medicines” or “medical science” existed. The plant family Solanaceae, which included the genus Solanum, had a long history of use. It is a plant family with around 1400 species. The majority of these plants may be found in tropical and subtropical climates.(1) The Solanaceae family includes *Solanum nigrum*, also known as “Black night shade.” In Tamil, it’s known as Manathakkali. It has antimicrobial, antioxidant, and cytotoxic characteristics, as well as anti-ulcerogenic and hepatoprotective activity. It’s an African pediatric plant that’s used to treat a variety of diseases, including those that cause infant death, and also it is treated for Eye problems, hydrophobia, and chronic skin ailments.(2)

## II. SOLANUM NIGRUM PROFILE

### A. Scientific Classification

- 1) Kingdom: Plantae
- 2) Clade : Tracheophytes
- 3) Clade: Angiosperms
- 4) Clade: Eudicots
- 5) Clade: Asterids
- 6) Order: Solanales
- 7) Family: Solanaceae
- 8) Genus: Solanum
- 9) Species: S.nigrum

### B. Synonyms

PLACES	NAMES
Australia	Black nightshade
Europe	Annual nightshade, Black nightshade, Common nightshade, Garden nightshade.
Newzealand	Black nightshade
India	Black nightshade

LANGUAGES	NAMES
Tamil	Manathakkali
Sanskrit	Dhvansamaci
Hindi	Makoya
Urdu	Mako
Bengali	Gudakamai
Malayalam	Manatakkali

C. Taxonomy of *Solanum Nigrum*

<b>Kingdom</b> : Plantae – Plants
<b>Subkingdom</b> : Tracheobionta – Vascular plants
<b>Superdivision</b> : Spermatophyta – Seed plants
<b>Division</b> : Magnoliophyta – Flowering plants
<b>Class</b> : Magnoliopsida – Dicotyledons
<b>Subclass</b> : Asteridae
<b>Order</b> : Solanales
<b>Family</b> : Solanaceae – Potato family
<b>Genus</b> : Solanum – nightshade
<b>Species</b> : Solanum Nigrum L. – Black Nightshade

(Authority: Linn)

D. Plant Morphology

*Solanum nigrum* is a 25-100 cm tall, erect annual herb with simple hairs that is pubescent. Angular, sparingly pubescent stems are common. The fruits are dull black and globose, with a diameter of 8-10 mm. The leaves are oblong with cuneate bases, 4-10 and 3-7 cm in width, glabrous, coarsely dentate, with an obtuse apex. The calyx is cup-shaped, the corolla is white, and the lobes are ovate-oblong, and ciliate spreading. Inflorescences are extra-axillary umbels, with the calyx cup-shaped, the corolla white, and the lobes ovate-oblong, and ciliate spreading. Anthers are 2.5-3.5 mm long and filaments are 1-1.5 mm long.(3)

III. MICROSCOPY

Petiole and midrib of *Solanum Nigrum* leaf reveal covering, uni seriate trichomes that are 3-5 celled and have pointed points, forming an arc created by collateral vascular bundle arrangement. Anisocytic stomata are found on both the upper and bottom surfaces of the leaf lamina, but they are more common on the lower surface. The Palisade ratio is 2-4, and the number of vein islets is 7-10.(4)

#### IV. MACROSCOPY

The thin bark can easily be pulled away, revealing pale yellow wood beneath. The flowers are five petalled and have a uniform shape. They can be round and flat or shaped like a star, but they're most commonly bell-shaped or tubular. Climbers or scrambling plants, with hairy stems and leaves, are common members of this family. The leaves might be whole or dissected, with or without stipules, and are frequently alternating. The root has few branches and numerous little lateral roots, and it is smooth and pale brown on the outside. The fruit has a thin, papery epicarp, a pulpy mesocarp, and an axile placentation, and the seeds are free in the pulp. The fruits are berry-like, with a diameter of 6mm and an obtuse shape. (5)

#### V. ADVANTAGES

- 1) Solanum nigrum has been used by people from ancient times. It's used as a food and a medicinal herb in a variety of ways. In the treatment of cardiac dropsy, Solanum nigrum is most efficient as a diuretic.
- 2) It's a cooling treatment that can help with a range of problems.
- 3) It aids in the relief of hot inflammation like testicular edoema and ringworm.
- 4) A decoction of black nightshade stem, leaves, and roots is beneficial to wounds and malignant lesions.
- 5) Freshly extracted plant extracts can be used to treat liver cirrhosis and as an antidote to opium consumption.
- 6) Externally, the herb's juice or an ointment made from it is used to treat some skin disorders and tumours. (6)

##### A. Convolutional Uses

- 1) The leaves are used to cure rheumatoid and gouty joints, skin infections, TB, nausea, and anxiety.
- 2) The berries' decoction and juice are beneficial for coughing, diarrhoea, aggravations, and skin ailments.
- 3) The ethanol concentration of Solanum nigrum dried products had a surprise hepatoprotective effect on liver cells when exposed to CCl4-induced oxidative stress.
- 4) The main attribute of Solanum nigrum is its ability to fight cancer. (7)

#### VI. DISADVANTAGES

- A. Solanum nigrum is quite poisonous and if it is taken in higher dose it may be cause:
- B. Nausea
- C. Diarrhea
- D. Headache
- E. Dizziness(8)

#### VII. CHEMICAL CONSTITUTION

A few synthetic compounds have been removed from different parts of Sn and have showed pharmacological importance to the known impacts of Sn from whole plant. One more review checked out at the distinctions in natural corrosive fixations between Sn seedlings and mature plants. The primary natural acids found in Sn 20-33 were acidic corrosive, tartaric corrosive, malic corrosive, and citrus extract. Notwithstanding, tartaric and citrus extracts were supposed to be the most essential in Sn's versatile reactions to natural pressure. Solanine, a glycoalkaloid, is available in high sums in different districts of Sn, however the most elevated levels are seen in unripe Sn berries. When mature, notwithstanding, the berries are the most un-perilous part of the plant and can be consumed without cause harm. Similarly, as the plant develops, solanine levels in the leaves rise. Chromatography can isolate solanine into six distinct parts: alpha, beta, gamma chaconines, and alpha, beta, gamma solanines. During leaf advancement, the outright measure of alkaloid per leaf developed, however the focus diminished. Little unripe products of S. nigrum had a high centralization of solasodine, however as the organic product develops, both the fixation and outright measure of solasodine per natural product diminishes. As indicated by studies, the alkaloidal grouping of plant areas changes as Sn creates. Nitrates and nitrites are likewise present in dark nightshade in fluctuating focuses and may add to its harmfulness. Spectroscopic investigation, synthetic corruption, and derivitisation studies on Sn brought about the revelation of six novel steroidal saponins known as solanigrosides. Additionally, any arrangement of two steroidal saponin known as nigrumins I and II were described from Sn 34-56. One spirostanol glycoside and two furostanol glycosides have been separated from a methanol concentrate of the stems and foundations of S. nigrum. Quercetin addresses quite possibly the most intense regular cell reinforcement. Sn contains two quercetin glycosides to be specific, quercetin 3-O-(2Gal-\_-rhamnosyl)-\_-glucosyl (1\_6)-\_-galactoside and quercetin 3-O-\_-rhamnosyl(1\_2)-\_-galactoside. Likewise, recently known quercetin 3-glucosyl(1\_6)galactoside, 3-gentiobioside, 3-galactoside and 3 glucoside, were additionally found.



The latest phytochemical evaluation of *S.nigrum* has accomplished the limitation of two novel disaccharides. Albeit harmful constituents are available in most piece of the plants, studies on the healthful capability of the leaves and seeds uncovered that *Sn* is nutritive in spite of the presence of Some enemy of nutritive parts like oxalate. Phytochemical examination uncovered high oxalate, phenol, But low sterol content in the concentrated on plant materials. Cyanide levels were higher in the leaves contrasted with The seeds. Degalactotigonin is a saponin that has been distinguished. Also, *Sn* 34-56 was utilized to portray any arrangement of two steroidal saponins known as nigrumins I and II. A methanol concentrate of the stems and underlying foundations of *S. nigrum* yielded one spirostanol glycoside and two furostanol glycosides. Quercetin is perhaps the most extraordinary cell support found in nature. Quercetin 3-O-(2Gal- $\beta$ -rhamnosyl)- $\beta$ -glucosyl (1 $\beta$ )- $\beta$ -galactoside and quercetin 3-O- $\beta$ -rhamnosyl(1 $\beta$ )- $\beta$ -galactoside are two quercetin glycosides found in *Sn*. Likewise found were the already obscure quercetin 3-glucosyl(1 $\beta$ )galactoside, 3-gentiobioside, 3-galactoside, and 3-glucoside. Two novel disaccharides have been separated from *S. nigrum* because of ongoing phytochemical examination. Notwithstanding the presence of hurtful synthetic compounds in many pieces of the plants, tests on the wholesome capability of the leaves and seeds showed that *Sn* is nutritious nutritive parts, for example, oxalate The analyzed plant materials had critical oxalate, phenol, however low sterol content, as indicated by phytochemical examinations. The degrees of cyanide in the leaves were higher than in the seeds.(9)

### VIII. PHARMACOLOGICAL SCREENING OF SOLANUM NIGRUM

Various analysis was used to discover the essential components of the plant extract. Researchers investigated the phytochemistry of a *Solanum Nigrum* ethanolic extract. Carbohydrate, flavonoids, saponins, tannins, alkaloids, phenols, and steroids were all present, along with flavonoids, saponins, tannins, alkaloids, phenols, and steroids.

Among the steroidal glycosides, steroidal alkaloids, steroidal oligoglycosides, flavonoids, steroidal saponins, and glycoprotein discovered in *Solanum Nigrum* are solamargine, solasonine, clavioline, solasodine, and solanine. Among the polyphenolic compounds found in it are gallic acid, protocatechuic acid, catechin, caffeic acid, epicatechin, rutin, and naringenin. These compounds are powerful antioxidants and cancer fighters.

Proteins, carbohydrates, phytosterols, crude polysaccharides, polyphenols, gentisic acid, luteolin, apigenin, kaempferol, and anthocyanidin have also been reported.(10)

### IX. PLANT PHARMACOLOGICAL ACTIVITIES

#### A. Neuropharmacological Activity

Potawale *et al.*(2008) has investigated on Wistar rats were used to test the neuropharmacological characteristics of an ethanol extract of the fruit of *Solanum nigrum* Linn. Pentobarbital-induced sleeping time, motility test, exploratory behaviour pattern (head dip test, Y-maze test, evasive test), test for motor incoordination (Rota rod test, Chimney test, traction test, inclined test), anticonvulsant test were all performed on experimental animals with ethanolic extract. Activities, and so on The fruit extract demonstrated dose-dependent efficacy in the above-mentioned assays. At a dose of 255mg/kg, the extract caused a decrease in alertness and restlessness. Tremors, twitches, convulsions, or a straub tail response were not present. Alarm, reaction, body posture, limb position, gait, righting reflex, muscle tone, pinna, and corneal reflexes had no influence. This kind of observation, This discovery leads to the conclusion that the extract's depressive effect on locomotory activity was most likely not related to peripheral neuromuscular inhibition. Mice tolerated the extract well, with no evidence of acute (during the 2-hour observation period) or delayed (three days following extract administration) toxicity. The ethanolic extract of *Solanum nigrum* appears to be effective .(11)

#### B. Cytoprotective Activity

Potawale *et al.*,(2008) A 50 percent ethanol extract of the whole plant of *Solanum nigrum* was examined in vitro for its ability to protect Vero cells from gentamycin toxicity. The Trypan Blue exclusion assay, mitochondrial dehydrogenase activity (MIT) assay, and hydroxyl radical scavenging method were used to determine cytotoxicity. Vero incubation raised serum enzyme and total bilirubin levels.

This shows that the extract maintains the structural integrity of the hepatocytic cell membrane or helps to regenerate damaged liver cells. As a result, it has a strong hepatoprotective effect. By examining the liver for histological alterations, the ethanol extract was also tested as a hepatoprotective agent. The liver slice of a rat treated with the toxicant (CCl<sub>4</sub>) revealed severe centrilobular necrosis and fatty alterations on histopathological analysis. The rat was given a significant amount of extract combined with the toxicant (CCl<sub>4</sub>), as evidenced by the production of normal hepatic cards and the absence of necrosis and vacuoles.(12)

### C. Ethno Clinical Activity

Potawale *et al.*, (2008) has investigated on the leaves concentrate of *Solanum nigrum* was viewed as utilized in oral medical services. A few field visits were made in Dharwad area of Karnataka to various pieces of study region and in the review, 245 natural healers were reached during various periods of the year. Data was gathered about *Solanum nigrum* utilized in oral medical services, the technique for restorative arrangement and its administration. The ethno medication review showed that *Solanum nigrum* has its application in tooth throb. Leaves were ground and squeeze was removed by separating through cotton fabric and was found to be utilized as ear drop for help from tooth throb. (13)

### D. Molluscicidal and Larvicidal Activity

Potawale *et al.*, (2008) The ethanolic separate arrangement of *Solanum nigrum* Linn. Leaves were made by absorbing powder over night cold 70% ethanol, was assessed for molluscicidal and larvicidal impact. The concentrate shown the most noteworthy molluscicidal action (LC-50 3.37mg/L in somewhere around 24 hour) as well as larvicidal movement against hatchlings of two mosquito species, *Aedes Caspius* and *Culex pipiens*, (LC-50 51.29 and 125.89mg/L in somewhere around 24 hour and 21.38 and 38.11mg/L in 48 hour or less, separately. Daylight, pH and turbidity didn't influence the movement of this concentrate yet molluscicidal action is by all accounts corresponded with the increment of temperature. The concentrated separate (1000mg/L) can be put away at room temperature for quite a long time with no adjustment of its action, yet weakened arrangement of this concentrate lost their movement after four week. (14)

### E. Immunomodulatory Activity

Jian *et al.*, (2009) has investigated in vivo explores showed that the proportion of CD4+/CD8+ fringe blood T-lymphocyte subpopulations were reestablished following the treatment of SNL-P. Besides, treatment with SNL-P likewise caused a critical expanded IFN- ( $p < 0.01$ , 90, 180 and 360 mg/kg bw) and a momentous reduction in IL- ( $p < 0.01$ , 90, 180 mg/kg b.w.;  $p < 0.05$ , 360 mg/kg b.w.) estimated by the technique of ELISA. These information showed that SNL-P have powerful antitumor movement and SNL-P could apply antitumor movement by means of enactment of various invulnerable reactions in the host as opposed to by straightforwardly going after disease cells on the U14 cervical malignant growth bearing mice. Hence, SNL-P could be utilized as an immunomodulator. (15)

### F. Anti Ulcer Activity

Saleem *et al.*, (2009). Has investigated on the oral organization of *Solanum nigrum* showed a huge antiulcer action with no clear toxicological impacts, which upholds the utilization of *Solanum nigrum* in natural medication of India for ulcer treatment. The antisecretory action of *Solanum nigrum* gives off an impression of being fundamentally connected with the hindrance of H+K+ATPase and concealment of gastrin discharge, while its ulcer defensive and ulcer recuperating exercises might be essentially connected with an antisecretory impact of *Solanum nigrum*. (16)

### G. Anti-Diabetic Activity

Km. Ruby *et al.*, (2012) The fluid and hydro-alcoholic concentrates of various pieces of *Solanum nigrum* plant, viz leaf, leafy foods for hypoglycemic movement in Sprague Dawley Rodents. Consequently it very well may be inferred that *Solanum nigrum* has the counter diabetic property. (17)

### H. Protective Effect

Km. Ruby *et al.*, (2012) has done on protective impact of a watery leaf concentrate of *Solanum nigrum* remove was inspected against lead acetic acid derivation Swiss pale skinned person mice. The consequences of the present review give obvious proof of safeguard given by *Solanum nigrum* remove against lead acetic acid derivation initiated poisonousness in cerebrums of pale skinned person mice. (18)

### I. Cardio-Protective Activity

Km. Ruby *et al.*, (2012) has done on the cardio-defensive movement of methanolic concentrate of berries of the plant *Solanum nigrum* was assessed by using worldwide in vitro ischemia-reperfusion injury did utilizing portions of 2.5 and 5.0 mg/kg for 6 days of the week for 30 days. The methanolic concentrate of berries of the plant *Solanum nigrum* possessed cardioprotective movement. (19)

#### J. Anti Larvicidal Activity

SepideMiraj *et al.*, 2016 has performed by the biocontrol possibility of dynamic fixing Detached from ethyl acetic acid derivation concentrate of mature leaves of *Solanum nigrum* L. (Solanaceae) was Explored. The discoveries demonstrated that there is an unmistakable portion subordinate mortality, as the rate Of mortality (Y) was emphatically associated with the groupings of the compound (X);Having relapse coefficient esteem near 1.(20)

#### K. Anti-Fungal Activity

Sepidemiraj *et al.*,(2016)The counter parasitic impact of *Solanum nigrum* L. was examined and showed Result showed that the development of solamargine by a cultivable parasitic endophyte at aHuge yield is a novel perception. Further tests like media improvement,OSMAC (One Strain Many Compounds) or epigenetic modifiers could be applied to improveThe parasitic solamargine creation.(21)

#### L. Anti-Stress

Sepidemiraj *et al.*, (2016) The prophylactic or healing cancer prevention agent adequacy of unrefined concentrate and the dynamic constituent of *Solanum nigrum* Leaves were assessed .result recommended that Brain is helpless against stress initiated prooxidant affront because of significant levels Of fat substance. Hence, as a protected home grown medicine the *Solanum nigrum* leaves remove or its segregated constituents can be Utilized as healthful enhancement for rummaging free revolutionaries produced in the cerebrum due to physical or mental Stress or any neuronal illnesses per se (22)

#### M. Anti-Oxidant

Sepidemiraj *et al.*, (2016) Impacts of endophytic bacterium vaccination on plant development was assessed. The valuable impact was more self-evident At moderately low Cd focus (10  $\mu$ M). In view of the change of supplement take-up and initiated oxygen Digestion in contaminated plants, the potential components of endophytic bacterium in Cd phytotoxicity decrease can Be finished up as take-up upgrade of fundamental mineral nourishment and improvement in the antioxidative proteins Exercises in contaminated plant (23)

#### N. Anti HCV Activity

Methanol and chloroform concentrates of *Solanum nigrum* Seeds showed 37% and over half restraint of HCV Separately at nontoxic fixation. Furthermore, antiviral Impact of *Solanum nigrum* seeds separate was in like manner analyzed Against HCV NS3 protease by cutting across HCV NS3 Protease plasmid into liver cells The outcomes illustrated That chloroform concentrate of *Solanum* extricates diminished the Articulation or capacity of HCV NS3 protease in a dose dependent way and GAPDH stayed consistent. These Results recommends that SN remove contains expected antiviral Specialists against HCV and mix of SN extricate with Interferon will be better choice to treat persistent HCV (24)

#### O. Anti-Gastric

Berries and leaves of *Solanum nigrum* are commonly employed in South India for the treatment of gastric ulcers, gastritis And other gastric problems. This study investigated The poison-berry leaf and berry extracts for his or her Protective effect on ethanol induced gastritis and aspirin Induced gastric ulcers of pylorus ligated rats (25)

#### P. Antioxygenic Activity

The antioxygenic movement of *Solanum nigrum* L. leaves andIts different dissolvable concentrates were assessed utilizing sunflowerOil model framework. Leaf powder and its methanol/water (80:20) solvent part showed solid antioxygenic actionIn refined sunflower oil. Then again, ethyl acetic acid derivationPortion displayed minor antioxygenic action, thoughThe water dissolvable portion was for all intents and purposes without anyAction in refined sunflower oil. Warm solidness ofVarious concentrates of *Solanum nigrum* L. leaves warmed at80°C in refined sunflower oil additionally demonstrated the solid Viability of methanol/water (80:20) concentrate to hinder warm Oxidation. *Solanum nigrum* L. contain elevated degrees of Magnesium (239.0 mg/100g) and phosphorous (80.3 mg/100g). Unsaturated fat investigation of the lipid extricated from *Solanum nigrum* L. leaves showed the presence of linoleic (59.1%) as a significant unsaturated fat. The consequence of this review Affirmed the presence of antioxygenic compounds in Leaves; specifically its methanol/water (80:20) separates Showed extraordinary potential as a characteristic cancer prevention agent to restrain Lipid peroxidation in food varieties (26)

#### Q. ANTI Hyperlipidemic

The ethanolic separate Solanum nigrum in bringing down the Cholesterol level in lipofundin treated hyperlipidemia hares Invivo. 20% lipofundin was utilized to prompt hyperlipidemiaIn hares @ 2 ml/kg body weight through sluggish intravenous Organization in the negligible ear vein for 7 days. For nextFourteen days the benchmark group was set at standard eating routine,While the experimental group was given the ethanolic unrefined concentrate Of Solanum nigrum at the portion of 300 mg/kg body weight.On the consummation of treatment blood tests wereGathered from both control and test gatherings and were Examined for the lipid profile values. It was seen in the Test bunch after treatment with ethanolic concentrate of S.Nigrum, the raised degree of serum absolute cholesterol, Fatty substance, high thickness lipoprotein, low-thickness Lipoprotein were diminished towards ordinary qualities. Subsequently the Present review exhibited that S. nigrum had Huge enemy of hyper lipidemic movement in lipofundin Initiated hyperlipidemia bunnies (27)

#### R. Antidiarrhoeal Activity

The antidiarrheal activity of an ethanolic extract of the dried fruit of Solanum nigrum L. was investigated. At doses of 250mg/kg and 500mg/kg body weight, the fruit extract showed a substantial (P0.01 and P0.001) antidiarrhoeal activity against castor oil cause diarrhoea in mice, decreasing the frequency of defecation and increasing the Mean latent duration.(28)

#### S. Hepatoprotective Effects

S. nigrum L. is a natural plant that has been utilized as hepatoprotective and mitigating specialist in Chinese medication. The test drug essentially brought down the CC14-actuated rise of hepatic chemical markers (GOT, GPT, ALP, and complete bilirubin) and diminished Superoxide and hydroxyl revolutionary age.(29)

#### T. Hypotensive Potential

Antihypertensive properties of Sn, which has been used as an antipyretic and anticancer medicine in humans, were investigated 78-90. A 150 kDa glycoprotein isolated from Sn, which contains over half hydrophobic amino acids such as glycine and proline, obstructed NF- B enactment and decreased inducible nitric oxide(iNO) creation in vitro at a concentration of 40 \_g/ml, obstructed NF- B enactment and decreased inducible nitric oxide(iNO) creation in vitro at a concentration of 40.(30)

#### U. Anti-Cancer

Chinthana *etal* (2012) assessed the control of EMT if there should arise an occurrence of MCF-7 bosom disease treated with AESN. The outcome showed that AESN could smother EMT in the event of MCF-7 bosom malignant growth cells. Here, intercession was finished by lessening of mitochondrial work. This study gives new data on the utilization of Solanum Nigrum for colon disease treatment. The data so got clarifies that further review is expected around here.(31)

#### V. Anti-Proliferative Activity

On a variety of cancer cell lines, both crude extracts and purified components of Solanum nigrum have antiproliferative action. Crude extracts are commonly made from dried berries, but they can also be made from the whole plant. On liver (HepG2), colon (HT29 and HCT-116), breast (MCF-7), and cervical cancer cell lines, the antiproliferative properties of the crude organic extract or isolated compounds were investigated (U1424, 25 and HeLa27). The antiproliferative activity of these extracts was established by looking at the extract's cytotoxicity in cells.(32)

#### W. Anti-Inflammatory

S.nigrum ethanolic separate has been examined to test the creature model's mitigating action. Concentrates of methanol taken at portion per body weight) 100 mg/kg b.w and 200 mg/kg) uncovered fiery exercises of portion in light of the egg white and carrageenan prompted edema in rodents. Indomethacin (10 mg/kg) alongside Cyproheptadine (8 mg/kg) represent standard medications. S. Nigrum concentrates of ethanol has mitigating property and tests utilizing the edema of rodent via Carrageenan. Grouping of 100, 250 and 500 mg/kg given orally to lead the test. Exercises mitigating at convergence of 500 mg/kg (P<0.01) in contrast with Diclofenac sodium (50 mg/kg), the standard medications. Lina *et al* (2008) played out an examination on S. Nigrum L methanolic concentrate to test for presence of mitigating action in view of the creature models. It was seen that the concentrate of methanol can bring down the, edema in rear paw of rodents. (33)



#### X. Anti-Seizure

The anti-seizure activity of an aqueous extract of the leaves of Solanum Nigrum was tested in chicks, mice, and rats via intraperitoneal administration of the extract. Amphetamine increased the extract's anti-seizure properties. (34)

#### Y. Analgesic Activity

According to creator S.Nigrum Ethanolic extricates for the pain relieving movement has been assessed. Concentrate's pain relieving action has been assessed for the fringe and the focal pharmacological activities done by utilizing the hot plate of Eddy' and inducee squirming acidic corrosive separately. The S.Nigrum dried natural product's ethanolic separate has been tried for different pain relieving exercises (35)

#### Z. Anti-Microbial Activity

S. Nigrum antibacterial movement has been tried against E. coli, Bacillus subtilis, pseudomonas aeruginosa, and Klebsiella pneumonia. Plant concentrates of Solanum nigrum in sythesis of, 10ig, 50ig and 100ig has been concerning CLSI norms. The hindrance zones were first recorded and afterward examined against streptomycin, a standard control. The concentrates of methanol have uncovered the biggest antibacterial movement when contrasted with the concentrates of ethanolic. In both of the concentrates, the entire concentrate of plant showed critical exercises they are against bacterial than berries and stem. The result recommends that the S. Nigrum complete concentrate can be utilized to plan natural medications.(36)

#### AA. Cytotoxic Activity

Specialist played out an examination to test S. Nigrum dried natural product ethanolic concentrate's cytotoxic movement. In the trial of the salt water shrimp lethality, cytotoxicity was uncovered by the compound having  $LC_{50} = 63.10\mu\text{g/ml}$  and  $LC_{90} = 160\mu\text{g/ml}$ .(37)

#### BB. Allergic Activity

As per author, S.nigrum Ethanolic extracts for the analgesic activity has been evaluated. Extract's analgesic activity has been evaluated for the peripheral and the central pharmacological actions done by using the hot plate of Eddy' and inducee writhing acetic acid respectively. The S.Nigrum dried fruit's ethanolic extract has been tested for various analgesic activities (38)

#### CC. Anti Convulsant Activity

The CN system depressant activity of Sn was determined by estimating the impacts of intraperitoneal infusion of Sn on different Neuropharmacological boundaries. Isotonic constriction of the confined amphibian rectus abdominis. Negative chronotropic and inotropic activity on the secluded frog heart. Isotonic withdrawal of The secluded guinea pigs ileum. Isotonic constriction of the rodent's confined jejunum. Decline on The feline's blood vessel pulse. Secretary consequences for the rodent's submaxillary organ.(39)

#### DD. Anti-Tumor Activity

The polysaccharides part from S.Nigrum; SN-ppF3 was examined to find its resistant modulator activities .The outcomes that emerged from the exploration recommended that cancer control instrument as identified in SN-ppF3-treated mice were no doubt because of improved have insusceptible reaction. SNL-P1a significantly affected U14 cervical disease and cautious impact on thymus tissue of the tried mice bearing cancer.(40)

## X. CONCLUSION

Solanum nigrum is a common medicine for hepatitis, fever, ulcers, and a variety of immunological disorders and conditions, according to the written study and exploratory Results assessment. Solanum nigrum, according to the research, has antibacterial activity against microscopic organisms connected to respiratory tract pollution. The plant aids in the prevention of hepatotoxicity and cytotoxicity, as well as the improvement of liver and kidney functions. It also has antibacterial, anti-diabetic, immunostimulant, and central sensory system and cerebrum stimulant properties. It has the potential to make a big difference in clinical and pharmacological studies.

## REFERENCES

- [1] Neha Thakur\*& Ram Babu Sharma (2019). Study on the Antimicrobial Activity of Medicinal Plant Solanum Nigrum: A Systematic Review, Journal of Advances and Scholarly Researches in Allied Education,(6), (478-484)
- [2] Yerukali Sudha Rani\*, V. Jayasankar Reddy, ShaikJilaniBasha, MallapuKoshma, G. Hanumanthu and P. Swaroopa (2017). A Review On Solanum nigrum, World Journal Of Pharmacy And Pharmaceutical Sciences (6), (293-303)
- [3] Rajani Chauhan, Km.Ruby\*, AasthaShori , Jaya Dwivedi (2012).Solanum nigrum With Dynamic Therapeutic Role: A Review, Int. J. Pharm. Sci. Rev. Res., 15(1), ( 65-71)
- [4] Sonkamble Pallavi S., Dr. Nagoba Shivappa N.\*, SarukhVikram S. and Shinge Krishna R.(2019). Systematic Review On Solanum Nigrum, wjpls ,, Vol. 5, Issue 2, (109-112)
- [5] Yerukali Sudha Rani\*, V. Jayasankar Reddy, ShaikJilaniBasha, MallapuKoshma, G. Hanumanthu and P. Swaroopa (2017). A Review On Solanum nigrum, World Journal Of Pharmacy And Pharmaceutical Sciences, (6), (293-303)
- [6] Sonkamble Pallavi S., Dr. Nagoba Shivappa N.\*, SarukhVikram S. and Shinge Krishna R.(2019). Systematic Review On Solanum Nigrum, wjpls ,, Vol. 5, Issue 2, (109-112)
- [7] Yerukali Sudha Rani\*, V. Jayasankar Reddy, ShaikJilaniBasha, MallapuKoshma, G. Hanumanthu and P. Swaroopa (2017). A Review On Solanum nigrum, World Journal Of Pharmacy And Pharmaceutical Sciences, (6), (293-303)
- [8] [www.google.wikipedia](http://www.google.wikipedia).
- [9] Imad Hadi Hameed\*, Maria Rosario CalixtoCotos, Mohammed YahyaHadi (2017). A Review: Solanum nigrum L. Antimicrobial, Antioxidant properties, Hepatoprotective effects and Analysis of Bioactive Natural Compounds Research J. Pharm. And Tech. 10(11)
- [10] Neha Thakur\*& Ram Babu Sharma (2019). Study on the Antimicrobial Activity of Medicinal Plant Solanum Nigrum: A Systematic Review, Journal of Advances and Scholarly Researches in Allied Education,(6), (478-484)
- [11] Perez RM, Perez JA, Garcia LM et al.(1998)Neuropharmacological activity of Solanum nigrum Fruit. J.Ethnopharmacol., 62,(43-48).
- [12] Kumar VP, Shashidhara S, Kumar MM, et al .cytoprotective role of Solanum nigrum against Gentamicin-induced kidney cell (Vero cells) damage in Vitro. Fitoterapia. (2001); 72: (481-486).
- [13] Hebbar SS, Harsha VH, Shripathi V et al .Ethnomedicine of Dharwad district in Karnatak, Indiaplants used in orl health care. . J Ethnopharmacol. 2004; 94: 261-266.
- [14] Ahmed AH, Kamal IH, Ramzy RM. Studies on the.Molluscicidal and larvicidal properties of Solanum Nigrum L. leaves ethanol extract. J Egypt Soc Parasitol.2001;31(3): 843-852.
- [15] Jian L, Qing-Wang L, Da-Wei G, Zeng-Sheng H, Wen-Zong L (2009).Antitumor and immunomodulating effects of polysaccharides isolated From Solanum nigrum Linne. Phytother. Res., 23(11): 1524-1530.
- [16] T.S. Mohamed Saleem, C. MadhusudhanaChettyEt.al, Solanum nigrum Linn. – A Review. Angalaparameswari. Department of Pharmacology, Annamacharya College of Pharmacy, Rajampet-India 516126, AP, India.
- [17] I.E. Akubugwo, N.A. Obasi, G.C.Chinyere and A. Ugbogu. Mineral and phytochemical Contents in leaves of Amaranthushybridus L and Solanum nigrum L. subjected to Different processing methods: African Journal of Biochemistry Research, 2018; 2(2): 7.
- [18] Chinthana, T. Ananthi. Protective effect of Solanum nigrum and Solanum trilobatum Aqueous leaf extract on Lead induced neurotoxicity in Albino mice: Journal of Chemical And Pharmaceutical Research, 2012; 4(1): 7.
- [19] N.Bhatia, PP. Maiti, A. Kumar, A. Tuli, T. Ara, MU. Khan. Evaluation of Cardio Protective Activity of Methanolic Extract Of Solanum Nigrum Linn. In Rats: International Journal of Drug Development & Research, 2011; 3(3): 8.
- [20] A. Rawani, A. Ghosh, S. Laskar, G. Chandra. Parasitol Res, 2014; 113(12): 5.
- [21] SS. El-Hawary, R. Mohammed, SF. AbouZid, W. Bakeer, R. Ebel, AM. Sayed, et al.JApplMicrobiol, 2016; 5.
- [22] SK. Zaidi, MN. Hoda, S. Tabrez, SA. Ansari, MA. Jafri, M. Shah Nawaz Khan, et al. J Evid Based Complementary Altern Med, 2014; 6.
- [23] Y. Wan, S. Luo, J. Chen, X. Xiao, L. Chen, G. Zeng, et al. Chemosphere, 2012; 89(6): 6.
- [24] Javed T, Usman AA, Sana R, Sidra R, Sheikh R. Invitro antiviral activity of Solanum nigrum against Hepatitis C Virus. Virology Journal. 2011; 8:26.
- [25] Maddala Rajeswari, SubbulakshmiGurumurthy,SandhyaKamat. Anti Gastritic and Antiulcerogenic Effects of Solanum nigrum in Laboratory Animals.International Journal of Nutrition and Food Sciences. 2013; 2(6):266-271.
- [26] Ananthan Padmashree, Gopal Kumar Sharma, Anil DuttSemwal, Chitrashekarachar Mahesh. Antioxygenic Activity of Solanum nigrum L. Leaves in Sunflower Oil Model System and Its Thermal Stability, Food and Nutrition Sciences. 2014; 5:1022-1029.
- [27] Imran Ali, Waqar Ahmed, Muhammad Tariq, RehanaAsghar, Muhammad Altaf Hussain. Therapeutic Potential of ethanolic extract of Solanum nigrum for Lipofundin-induced hyperlipidemia in Rabbits, Pure and Applied Biology. 2016; 5(1):85-90.
- [28] Bhatia N, Maiti PP, Kumar A, Tuli A, Ara T, Khan MU. Evaluation of cardio protective Activity of Methanolic Extract of Solanum nigrum L. in Rats, International Journal of Drug Development & Research, 2011; 3(3):139147.
- [29] Imad Hadi Hameed\*, Maria Rosario CalixtoCotos, Mohammed YahyaHadi (2017). A Review: Solanum nigrum L. Antimicrobial, Antioxidant properties, Hepatoprotective effects and Analysis of Bioactive Natural Compounds Research J. Pharm. And Tech. 10(11)
- [30] Imad Hadi Hameed\*, Maria Rosario CalixtoCotos, Mohammed YahyaHadi (2017). A Review: Solanum nigrum L. Antimicrobial, Antioxidant properties, Hepatoprotective effects and Analysis of Bioactive Natural Compounds Research J. Pharm. And Tech. 10(11)
- [31] ChinthanaT, Ananthi(2012). Protective effect of Solanum nigrum and Solanum trilobatum aqueous leaf extract on Lead induced neurotoxicity in Albino mice: Journal of Chemical and Pharmaceutical Research; 4(1): pp. 7.
- [32] Reema gabrani\*, ramyajain, anjalisharma, indira p. sarethy, shweta dang and s. gupta (2012). Antiproliferative Effect of Solanum nigrum on Human Leukemic Cell Lines: Indian J. Pharm. Sci., 2012, 74 (5): 451-453
- [33] G. Arunachalam, N. Subramanian, G. P. Pazhani, M. Karunanithi, V. Ravichandran(2009). Evaluation of anti-inflammatory activity of methanolic extract of Solanum nigrum (Solanaceae).–Iranian Journal of Pharmaceutical Sciences Summer; 5(3): pp. 9.
- [34] Lina W., Fang H. &Hsieh C. (2008). Inhibitory effect of Solanum nigrum on thioacetamide-induced liver fibrosis in mice. Journal of Ethno pharmacology, 119: pp. 117-121.



- [35] D. Kaushik, V. Jogpal, P. Kaushik, S. Lal, A. Saneja, C. Sharma, KR. Aneja. Evaluation Of activities of Solanum nigrum fruitextract: Archives of Applied Science Research, 2009; 1(1): 8.
- [36] Parameswari K, SudheerAluru, Kishori B. (2012). In vitro Antibacterial Activity of the Extracts of Solanum nigrum, Indian Streams Research Journal; 2(7).
- [37] N.Bhatia, P. P. Maiti, A. Kumar, A. Tuli, T. Ara, MU. Khan (2011). Evaluation of cardio protective Activity of Methanolic Extract of Solanum Nigrum Linn. In Rats: International Journal of Drug Development & Research; 3(3): pp. 8.
- [38] S. Nirmal, A. Patel, S. Bhawar, S. Pattan. J. ethnopharmacol, 2012; 142(1): 6
- [39] Rajani Chauhan, Km. Lina, AasthaShori, Jaya Dwivedi (2012). Solanum nigrum with dynamic therapeutic role: a review: Int. J. Pharm. Sci. Rev. Res.; 15(1): pp. 4.
- [40] K.Jani Dilip, K.Saroja, A.R.V. Murthy (2012). Pharmacognostic study of kakamachi (solanum nigrum linn): Journal of pharmaceutical & scientific innovation, 2012; 1(4): pp. 3.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)