



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: V Month of publication: May 2023

DOI: <https://doi.org/10.22214/ijraset.2023.52435>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Image Classification Using Convolutional Neural Networks

Prof. N.V. Gawali¹, Kanishk Pagare², Shubham Daundkar³, Dipak Wagh⁴

Computer Engineering Department, Pune District Education Association's College of Engineering, Pune

Abstract: Convolutional Neural Networks (CNNs) have emerged as powerful tools for image classification tasks due to their ability to automatically learn hierarchical representations from raw pixel data. This paper provides a comprehensive review of CNN-based image classification methods, covering various aspects such as network architectures, training techniques, and evaluation metrics. Additionally, we discuss recent advancements, challenges, and future directions in CNN-based image classification research. The aim of this paper is to provide researchers and practitioners with a thorough understanding of CNN-based image classification and to guide future research in this field.

I. INTRODUCTION

Image classification is a fundamental task in computer vision that aims to assign predefined labels or categories to images based on their visual content. It plays a crucial role in various real-world applications, such as object recognition, facial recognition, medical image analysis, and autonomous driving. With the exponential growth of digital imagery and the need for automated analysis, developing efficient and accurate image classification algorithms has become an active area of research.

Convolutional Neural Networks (CNNs) have revolutionized the field of image classification by achieving remarkable performance on various benchmark datasets. Unlike traditional machine learning algorithms, CNNs are designed to automatically learn hierarchical representations directly from raw pixel data, mimicking the visual processing mechanism of the human visual cortex. This enables CNNs to capture intricate patterns and discriminative features that are essential for accurate image classification.

This research paper aims to provide a comprehensive review of CNN-based image classification methods. It will cover various aspects, including network architectures, training techniques, preprocessing techniques, evaluation metrics, recent advancements, challenges, and future directions. By analyzing and synthesizing the existing literature, this paper aims to provide researchers and practitioners with a thorough understanding of CNN-based image classification and guide future research in this field.

II. LITERATURE SURVEY

SR NO	YEAR	PAPER & Authors	METHODOLOGY	ADVANTAGES	DISADVANTAGES
1	2022	Deep Convolutional Network for Image Recognition Using Gradio	Using KNN, decision tree classifier, deep learning for image recognition	Accuracy, precision, recall sensitivity, F1 score	Use of multiple algorithms
2	2021	Survey on the use of CNN and Deep Learning in Image Classification"	Working of image classification using Neural networks and deep learning	Very High accuracy in image recognition problems, Automatically detects the important features without any human supervision, Weight sharing	Overfitting in CNN, Huge size of data, need of high performance hardware, CNN lacks multitasking
3	2020	Image Classification using CNN	Image classification using ML, CNN, AI.	Uses simple python libraries like keras, tensorflow, Django, etc.	Needs constant tweaks in the code for increasing size of datasets
4	2020	Automation of Animal Classification using Deep Learning	using CNN in this project which can automatically extract features, learn and classify them. The proposed method can also be used in other areas of image classification and object recognition.	The experimental results show that automatic feature extraction in CNN is better compared to other simple feature extraction techniques	Huge size of data, need of high performance hardware, CNN lacks multitasking, More Expensive

5	2019	Optimized Multi Class Classification of Images Using Deep Learning	Using various deep learning optimization algorithms	preventing overfitting dropout regularization technique were used. The model developed was executed with different optimizers and tested with plenty of unseen images of rock, scissor and paper. The testing accuracy in this case was turned out to be 100%	The future work lies in trying different values of dropout for overcoming overfitting and getting more data.
6	2020	Deep Belief Network for Feature Extraction of Urban Artificial Targets	using imaging spectral data showing the in-depth features extracted by the profound belief network algorithm	It can significantly improve the classification accuracy and has a good application prospect in hyperspectral image information extraction	Less Accuracy , Extraction Needed

III. PROBLEM STATEMENT

This model solves one of the major trending topics which is CNN. To be precise CNN is a convolutional neural network which is a part of Machine Learning and Artificial Intelligence. To begin with, our project consists of a dataset which has the images categorized into three sections: train, test and predict. Then the image processing of the particular dataset needs to be done. All thanks to the great advanced technology, the models set to be designed and trained to give the accurate results with the help of CNN

IV. METHODOLOGY

Training Convolutional Neural Networks (CNNs) involves iteratively adjusting the network's parameters to minimize a chosen loss function by feeding labeled training data into the network. The network learns relevant features through forward and backward propagation, updating weights and biases using optimization algorithms such as stochastic gradient descent. The training process includes splitting data into training and validation sets, monitoring performance, and adjusting hyperparameters for improved training. Dataset preparation is a vital step in training CNNs, involving collecting and preprocessing data to create a well-structured dataset. Tasks include data cleaning, resizing or cropping images, and normalizing pixel values. The dataset is divided into training, validation, and test sets to accurately assess the model's performance. Proper dataset preparation ensures high-quality, diverse, and representative data, enabling the CNN to learn robust and generalized features.

Data augmentation increases the training dataset's size by applying transformations to existing data, mitigating overfitting and improving the model's ability to generalize. Transformations can include rotations, translations, flips, and changes in brightness or contrast. By introducing diversity, data augmentation enhances the network's capacity to learn invariant features and improves overall performance.

Loss functions quantify the discrepancy between predicted outputs and true labels, measuring the model's performance during training. Common loss functions for classification tasks include categorical cross-entropy, binary cross-entropy, and softmax cross-entropy. For regression tasks, mean squared error or mean absolute error are often used, depending on the problem and desired output characteristics.

Optimization algorithms update CNN weights and biases during training, aiming to minimize the loss function. Stochastic gradient descent (SGD) is widely used, but variations like Adam, RMSprop, and Adagrad have also shown effectiveness. These algorithms employ techniques such as momentum, adaptive learning rates, and regularization to accelerate convergence and improve training quality, impacting the model's performance and training speed.

Hyperparameter tuning involves setting configurations not learned by the network, such as learning rate, batch size, number of layers, filter sizes, and regularization strength. This process finds optimal values through systematic experimentation, evaluating performance with different combinations. Techniques like grid search or random search are used to select the configuration yielding the best results for CNN performance.

Model evaluation assesses a trained CNN's performance and generalization capability. Testing on a separate, unseen test set provides common evaluation metrics like accuracy, precision, recall, F1 score for classification tasks, and mean absolute error or root mean squared error for regression tasks. Model evaluation helps compare different models or configurations, guiding the selection of the best-performing one for deployment.

Architectures for Image Classification: LeNet-5 AlexNet VGGNet GoogLeNet (Inception) ResNet DenseNet MobileNet EfficientNet

A. Preprocessing Techniques

1) Image Resizing and Normalization



Image resizing and normalization are common preprocessing techniques used in image analysis tasks. Image resizing involves changing the dimensions of an image while maintaining its aspect ratio. This technique is useful for standardizing the input size of images in a dataset, which is often necessary for training machine learning models. Normalization, on the other hand, involves scaling the pixel values of an image to a specific range, typically between 0 and 1. This process helps to bring consistency and stability to the pixel values across different images. Image resizing and normalization help in reducing computational complexity, improving model performance, and ensuring fair comparison between images.

2) Data Augmentation Methods

Data augmentation is a popular technique used to artificially increase the diversity and size of a training dataset by applying various transformations to the original images. These transformations include rotation, translation, scaling, flipping, and more. By applying data augmentation, the model is exposed to a wider range of variations and helps in reducing overfitting, improving generalization, and making the model more robust to different scenarios. Data augmentation is particularly effective when the available training dataset is limited, as it helps create additional training examples without the need for collecting new data.


3) Feature Extraction Techniques

Feature extraction is a preprocessing technique used to derive meaningful representations or features from raw image data. These extracted features capture the essential characteristics of an image, which can then be used for further analysis or input to a machine learning model. Feature extraction can be done using various methods, such as using handcrafted feature descriptors like Histogram of Oriented Gradients (HOG), Scale-Invariant Feature Transform (SIFT), or through deep learning techniques like Convolutional Neural Networks (CNN) that automatically learn hierarchical features. Feature extraction helps in reducing the dimensionality of the data, removing irrelevant information, and focusing on the most discriminative aspects of the images, leading to more efficient and accurate analysis or classification tasks.



4) Evaluation Metrics

Model	Accuracy	Validation Accuracy	Loss	Validation Loss
Model 1	79.72%	62.14%	0.57	0.6214
Model 2	78.36%	62.73%	0.610	1.2982
Model 3	93.01%	72.93%	0.22	1.1419
Model 4	86.33%	80.17%	0.37	0.8017
Model 5	84.43%	82.30%	0.196	0.452
Model 6	93%	88.09%	0.196	0.4028



V. RESULTS

```
Epoch: 1/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0432 -
accuracy: 0.4888
Epoch: 2/10
1583/1583 [-----] - 616 300a/step - 100a: 1.1368 -
accuracy: 0.5787
Epoch: 3/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0451 -
accuracy: 0.4884
Epoch: 4/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0713 -
accuracy: 0.4878
Epoch: 5/10
1583/1583 [-----] - 616 300a/step - 100a: 0.9383 -
accuracy: 0.4889
Epoch: 6/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0433 -
accuracy: 0.7046
Epoch: 7/10
1583/1583 [-----] - 616 300a/step - 100a: 0.7983 -
accuracy: 0.7081
Epoch: 8/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0782 -
accuracy: 0.7887
Epoch: 9/10
1583/1583 [-----] - 616 300a/step - 100a: 0.7181 -
accuracy: 0.7476
Epoch: 10/10
1583/1583 [-----] - 616 300a/step - 100a: 1.0822 -
accuracy: 0.7838
3123/3123 - 4h - 100a: 0.8851 - Accuracy: 0.7038 - 4h/epoch - 100a/step
Data: accuracy: 0.71802224896164
Model: "resnet18_v2"

Layer (type) Output Shape Param #
-----
conv2d (Conv2D) (None, 32, 32, 32) 896
max_pooling2d (MaxPooling2D) (None, 16, 16, 32) 0
conv2d_1 (Conv2D) (None, 16, 16, 64) 1664
max_pooling2d_1 (MaxPooling2D) (None, 8, 8, 64) 0
conv2d_2 (Conv2D) (None, 4, 4, 64) 1632
```



VI. CONCLUSION

In conclusion, this study explored the application of Convolutional Neural Networks (CNNs) in image recognition tasks. The training process of CNNs involves adjusting network parameters to minimize the chosen loss function through labeled training data. Proper dataset preparation, including data cleaning, resizing, and normalization, is crucial to ensure high-quality and diverse training data. Data augmentation techniques, such as rotations and flips, can enhance the network's ability to generalize and mitigate overfitting. The choice of loss functions and optimization algorithms, such as stochastic gradient descent, significantly impacts the model's performance and training speed. Hyperparameter tuning is essential for finding optimal configurations. Model evaluation using separate test sets provides insights into the model's performance and generalization capabilities. Overall, CNNs have shown promising results in image recognition tasks.

REFERENCES

- [1] G. Padmini1, Pacchiplulusu Kiran1, Sri Gadu Srinivasa Rao2 (2022) "Deep Convolutional Network for Image Recognition Using Gradio"
- [2] Siddhant Dani, Prof. P. S. Hanwate, Hrishikesh Panse, Kshitij Chaudhari, Shruti Kotwal (2021) "Survey on the use of CNN and Deep Learning in Image Classification"
- [3] Sakshi Parikh, Kartik Parekh, Hrithik Chauhan, Dhruv Desai (2020) "Image Classification using CNN"
- [4] Mr. Utpal Shrivastava, Dr. Vikas Thada (2019) "Optimized Multi Class Classification of Images Using Deep Learning"
- [5] Ridhima Dhawan (2018) "Classification of Image using Convolutional Neural Network"
- [6] Using Convolutional Neural Networks for Image Classification
- [7] Kavish Sanghvi (2020) "Image Classification Techniques" <https://medium.com>
- [8] www.github.com



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)