



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: I Month of publication: January 2025

DOI: https://doi.org/10.22214/ijraset.2025.66662

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue I Jan 2025- Available at www.ijraset.com

### Valeriana Officinalis: A Review of its Traditional Uses, Phytochemistry and Pharmacology

Tushar Ramdas Mhaske, Dr. Hiteshkumar Shantilal Agrawal

Abstract: Valeriana officinalis, commonly known as Valerian, is a perennial flowering plant that has been used for centuries in traditional medicine for its sedative and anxiolytic properties. This comprehensive study aims to explore the botanical characteristics, geographical distribution, traditional uses, chemical constituents, pharmacological activities, health benefits, recommended dosages, and potential side effects of the Valerian plant. Through a detailed examination of both historical and contemporary research, this study provides an in-depth understanding of the therapeutic potential and applications of Valerian. The pharmacological efficacy of Valerian is primarily attributed to its rich chemical composition. Key constituents include volatile oils, valepotriates, and sesquiterpenes, with valerenic acid identified as a major active compound. These components are believed to work synergistically to enhance GABAergic neurotransmission, thereby exerting sedative and anxiolytic effects on the central nervous system. Contemporary pharmacological studies have confirmed Valerian's ability to promote relaxation, improve sleep quality, and alleviate symptoms of anxiety.

Keywords: Valerian, herbal medicine, sleep aid, anxiety relief, traditional use, valerenic acid, valepotriates, flavonoids, CNS depressant, natural remedy, insomnia treatment, relaxation, herbal supplement.

### I. INTRODUCTION

Valeriana officinalis, commonly referred to as Valerian, is a perennial herbaceous plant known for its historical and contemporary medicinal applications. The name "Valerian" is derived from the Latin verb "valere," meaning "to be strong" or "to be healthy," reflecting its esteemed status in traditional medicine. Valerian has been utilized for over 2,000 years, with its roots in ancient civilizations such as Greece, Rome, and China. This introduction aims to provide a detailed overview of the historical context, botanical description, and geographical distribution of the Valerian plant, setting the stage for an in-depth exploration of its chemical, pharmacological, and therapeutic properties.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue I Jan 2025- Available at www.ijraset.com

### II. BOTANICAL DESCRIPTION

Valerian belongs to the Caprifoliaceae family, which includes approximately 250 species. The plant is characterized by its tall, erect stems that can grow up to 1.5 meters in height. It features pinnate leaves with 7 to 10 pairs of leaflets and small, fragrant flowers that range in color from white to pink. These flowers are arranged in clusters known as cymes, which bloom in the late spring to early summer.

### A. Geographical Distribution

Valerian is native to Europe and parts of Asia, including regions from Western Europe to Northern Asia. It thrives in temperate climates and is commonly found in grasslands, along riverbanks, and in moist, marshy areas. The plant prefers well-drained, loamy soil with a neutral to slightly acidic pH and requires a good amount of sunlight to flourish.

### III. BOTANICAL CHARACTERISTICS AND GEOGRAPHICAL DISTRIBUTION

Valeriana officinalis, commonly known as Valerian, is a herbaceous perennial plant esteemed for its medicinal properties. Understanding its botanical characteristics and geographical distribution provides crucial insights into its cultivation, therapeutic uses, and ecological adaptability. This section offers a detailed exploration of Valerian's botanical features and its natural and cultivated habitats.

### A. Morphology

- 1) Roots and Rhizomes: The Valerian plant primarily utilizes its roots and rhizomes for medicinal purposes. These underground parts are thick, fibrous, and yellowish-brown, containing the highest concentrations of the plant's active compounds. The roots emit a distinctive, somewhat unpleasant odor, often described as reminiscent of aged cheese or, due to the presence of volatile oils.
- 2) Stems: Valerian stems are tall, hollow, and grooved, typically growing to a height of 1 to 1.5 meters. The stems are erect and unbranched, with a smooth texture and green to reddishbrown coloration.
- 3) Leaves: The leaves of Valerian are pinnate and arranged in pairs along the stem. Each leaf consists of 7 to 11 pairs of leaflets, which are lanceolate to ovate in shape, with serrated edges. The leaves are bright green and have a slightly hairy texture, contributing to the plant's overall bushy appearance.
- 4) Flowers: Valerian produces small, fragrant flowers that are typically pink, white, or lavender. These flowers are arranged in dense clusters known as cymes, which bloom from late spring to early summer. Each flower has a tubular corolla with five lobes and produces a sweet, pleasant scent that attracts pollinators, such as bees and butterflies.
- 5) Fruits and Seeds: The plant produces small, dry, single-seeded fruits known as achenes. These fruits have a feathery pappus, aiding in wind dispersal. The seeds are tiny and brown, facilitating propagation and the spread of the plant in suitable habitats.

### IV. TRADITIONAL USE OF VELERIAN

Valeriana officinalis, commonly known as Valerian, has a rich history of traditional use that spans multiple cultures and centuries. Its therapeutic properties have made it a cornerstone in various traditional medicine systems.

### A. Greece and Rome

In ancient Greece, Valerian was highly regarded for its medicinal properties. Hippocrates, often considered the father of Western medicine, documented its use for treating a range of ailments, particularly those related to the nervous system. Valerian was commonly prescribed for insomnia, anxiety, and nervous tension.

The plant's ability to induce relaxation and improve sleep was well recognized. Galen, a prominent Roman physician, also extolled the virtues of Valerian. He used it extensively in his medical practice, recommending it for conditions such as digestive problems, urinary disorders, and as a general tonic for the nervous system. Galen's writings helped to establish Valerian's reputation as a powerful medicinal herb in the classical world.

### B. Traditional Chinese Medicine

In Traditional Chinese Medicine (TCM), Valerian, known as Xie Cao, was used to treat similar conditions. It was particularly valued for its ability to calm the Shen (spirit) and balance the body's energy (Qi). TCM practitioners used Valerian to alleviate symptoms of anxiety, restlessness, and insomnia, incorporating it into various herbal formulas aimed at promoting mental and emotional balance.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue I Jan 2025- Available at www.ijraset.com

### V. CHEMICAL CONSTITUENTS

Valeriana officinalis, commonly known as Valerian, is renowned for its complex chemical composition, which contributes to its diverse therapeutic effects. The plant contains a variety of bioactive compounds, including volatile oils, valepotriates, alkaloids, flavonoids, and sesquiterpenes

Chemical	Type	Known Effects	Concentration in Plant
Compound			Parts
Valerenic acid	Sesquiterpene	Sedative,	Primarily in the
		anxiolytic	roots
Valepotriates	Iridoid esters	Sedative,	Mainly in the roots and
		spasmolytic	rhizomes
Flavonoids	Polyphenolic	Antioxidant, anti-	Found in leaves
	compounds	inflammatory	and
			flowers
GABA	Amino acid	Neurotransmitter	Present in root
	derivative	modulation	extracts

Table 1.2 Chemical Constituents of Valeria

### VI. PHARMACOLOGICAL ACTIVITIES

Valerian, exhibits a diverse range of pharmacological activities, which contribute to its therapeutic effects. These activities are primarily mediated by the plant's bioactive constituents, including volatile oils, valepotriates, alkaloids, flavonoids, and sesquiterpenes.

- I) Modulation of GABAergic Transmission: Valerian has been shown to enhance the activity of gamma-aminobutyric acid (GABA), a neurotransmitter that inhibits neural activity, leading to relaxation and reduction in anxiety. Compounds such as valerenic acid and valepotriates are believed to modulate GABA receptors, increasing GABAergic neurotransmission and promoting sedation and anxiolysis.
- 2) Reduction of Cortisol Levels: Valerian has been found to reduce levels of cortisol, a stress hormone, in response to acute stressors. This may contribute to its anxiolytic effects and ability to promote relaxation. Sleep-Promoting Effects

Valerian is widely used as a natural remedy for improving sleep quality and treating insomnia. Its sleep-promoting effects are attributed to several mechanisms:

Enhancement of GABA Activity: By increasing GABAergic neurotransmission, Valerian promotes relaxation and induces sleepiness. This is thought to be mediated by compounds such as valerenic acid and valepotriates.

### VII. HEALTH BENEFITS OF VALERIAN

Valeriana officinalis, commonly known as Valerian, has been used for centuries as a natural remedy for various health conditions. Its diverse pharmacological properties contribute to a range of potential health benefits. This section provides a comprehensive overview of the health benefits of Valerian, highlighting its therapeutic effects on the central nervous system, sleep quality, anxiety, stress, and other physiological functions.

### A. Improves Sleep Quality

One of the most well-known and researched benefits of Valerian is its ability to improve sleep quality and treat insomnia:

- 1) Reduces Sleep Latency: Valerian has been shown to decrease the time it takes to fall asleep (sleep latency), helping individuals initiate sleep more quickly.
- 2) Enhances Sleep Efficiency: Valerian can improve sleep efficiency, which refers to the proportion of time spent asleep compared to time spent in bed. By promoting deeper and more uninterrupted sleep, Valerian enhances overall sleep quality. Relieves Anxiety and Stress



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue I Jan 2025- Available at www.ijraset.com

Valerian exhibits anxiolytic (anti-anxiety) effects, making it a valuable natural remedy for reducing symptoms of anxiety and stress:

- Calms Nervous System: Valerian's ability to enhance GABAergic neurotransmission helps calm the central nervous system, reducing feelings of anxiety and promoting relaxation.
- Reduces Stress Hormones: Valerian has been found to decrease levels of cortisol, a stress hormone, in response to acute stressors. By modulating the stress response, Valerian helps alleviate symptoms of stress and tension.

### B. Alleviates Gastrointestinal Discomfort

Valerian has traditionally been used to alleviate gastrointestinal symptoms, such as cramps, bloating, and indigestion: Relieves Smooth Muscle Spasms: Valerian's muscle relaxant properties help reduce smooth muscle spasms in the digestive tract, alleviating symptoms of gastrointestinal discomfort and promoting digestive health.

Health Benefit	Supported By	Dosage Range	Comments/Notes
Improved sleep quality	Clinical studies, traditional	300-600 mg of extract	Most effective with regular
	use	before	use
		bedtime	
Anxiety relief	Clinical studies, traditional	100-200 mg, 2-3	Effects may take a few
	use	times daily	weeks to
			manifest
Muscle relaxation	Traditional use, anecdotal	300-600 mg of extract as	Useful for tensionrelated
	reports	needed	discomfort

Table 2.1 Health Benefits of Valerian.

### VIII. CONCLUSIONS

Valerian (Valeriana officinalis) emerges as a multifaceted herbal remedy with profound implications for health and well-being. Its historical significance, coupled with modern scientific understanding, underscores its therapeutic versatility and potential. This section encapsulates the comprehensive insights gained from examining Valerian's botanical characteristics, traditional uses, chemical constituents, pharmacological activities, health benefits, dosage guidelines, side effects, and precautions.

Valerian's rich historical background as a revered medicinal herb spans civilizations and cultures worldwide. From ancient Greek and Roman civilizations to medieval Europe and traditional Asian medicine systems, Valerian has been esteemed for its calming properties and its role in promoting sleep and relaxation. Botanically, Valerian is characterized by its perennial herbaceous nature, with fragrant flowers and a robust root system, primarily indigenous to temperate regions of Europe and Asia.

### REFERENCES

- [1] Abourashed EA, El-Alfy AT. Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (Myristica fragrans Houtt.). Phytochem Rev. 2016;15(6):931-943. doi: 10.1007/s11101-016-9470-8
- [2] Al-Dujaili, E. A., Kenyon, C. J., Nicol, M. R., & Mason, J. I. (2009). Liquorice and glycyrrhetinic acid increase DHEA and deoxycorticosterone levels in vivo and in vitro by inhibiting adrenal SULT2A1 activity. Molecular and cellular endocrinology, 303(1-2), 19-26.
- [3] Bent, S., Padula, A., Moore, D., & Patterson, M. (2006). Valerian for sleep: a systematic review and meta-analysis. The American journal of medicine, 119(12).
- [4] Blumenthal, M., Goldberg, A., & Brinckmann, J. (Eds.). (2000). Herbal medicine: Expanded Commission E monographs. Integrative medicine communications.
- [5] Borzelleca, J. F., Peters, D., & Hall, W. (2006). A 13-week dietary toxicity and toxicokinetic study with lutein in rats. Food and Chemical Toxicology, 44(5).
- [6] Budzinski, J. W., Foster, B. C., Vandenhoek, S., & Arnason, J. T. (2000). An in vitro evaluation of human cytochrome P450 3A4 inhibition by selected commercial herbal extracts and tinctures. Phytomedicine, 7(4).
- [7] Carlini, E. A., & Cunha, J. M. (1981). Hypnotic and antiepileptic effects of cannabidiol. Journal of Clinical Pharmacology, 21(8-9 Suppl).
- [8] Cicero, A. F., & Gaddi, A. (2001). Rice bran oil and gamma-oryzanol in the treatment of hyperlipoproteinaemias and other conditions. Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives, 15(4).
- [9] Fernández-San-Martín, M. I., Masa-Font, R., Palacios-Soler, L., Sancho-Gómez, P., Calbó Caldentey, C., & Flores-Mateo, G. (2010). Effectiveness of Valerian on insomnia: a metaanalysis of randomized placebo-controlled trials. Sleep Medicine, 11(6).
- [10] Fugh-Berman, A. (2000). Herbs and dietary supplements in the prevention and treatment of cardiovascular disease. Preventive cardiology, 3(1), 24
- [11] Gao, Z. J., Xu, W., Liu, Q., & Liu, G. X. (2012). Sleep-enhancing effect of GABA-ergic active fraction from Valerian root. Yao xue xue bao= Acta pharmaceutica Sinica, 47(2).
- [12] Gardiner, P., Graham, R. E., Legedza, A. T., Eisenberg, D. M., & Phillips, R. S. (2007). Factors associated with herbal therapy use by adults in the United States. Alternative therapies in health and medicine, 13(2), 22.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue I Jan 2025- Available at www.ijraset.com

- [13] Gyllenhaal, C., Merritt, S. L., Peterson, S. D., Block, K. I., & Gochenour, T. (2000). Efficacy and safety of herbal stimulants and sedatives in sleep disorders. Sleep Medicine Reviews, 4(3).
- [14] Houghton, P. J. (1999). The scientific basis for the reputed activity of Valerian. Journal of Pharmacy and Pharmacology, 51(5).
- [15] Houghton, P. J., & Ernest, D. (1998). The biological activity of Valerian and related plants. Journal of Ethnopharmacology, 22(2)
- [16] Kennedy, D. O., Little, W., & Scholey, A. B. (2004). Attenuation of laboratory-induced stress in humans after acute administration of Melissa officinalis (Lemon Balm). Psychosomatic medicine, 66(4).
- [17] Kennedy, D. O., Scholey, A. B., & Tildesley, N. T. (2002). Modulation of mood and cognitive performance following acute administration of single doses of Melissa officinalis (Lemon balm) with human CNS nicotinic and muscarinic receptor-binding properties. Neuropsychopharmacology, 28(10).
- [18] Khom, S., Baburin, I., Timin, E., Hohaus, A., Trauner, G., Kopp, B., & Hering, S. (2007). Valerenic acid potentiates and inhibits GABAA receptors: molecular mechanism and subunit specificity. Neuropharmacology, 53(1).









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



## INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)