



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: VII Month of publication: July 2021

DOI: <https://doi.org/10.22214/ijraset.2021.37122>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Data Mining for the Internet of Things: Literature Review and Challenges

Dr. Mohd Zuber

Assistant Professor of Girdher group of institutions

Abstract: The huge data generate by the Internet of Things (IOT) are measured of high business worth, and data mining algorithms can be applied to IOT to take out hidden information from data. In this paper, we give a methodical way to review data mining in knowledge, technique and application view, together with classification, clustering, association analysis and time series analysis, outlier analysis. And the latest application luggage is also surveyed. As more and more devices connected to IOT, huge volume of data should be analyzed, the latest algorithms should be customized to apply to big data. We reviewed these algorithms and discussed challenges and open research issues. At last a suggested big data mining system is proposed.

Keyword: Internet of things, Classification, clustering, Association analysis.

I. INTRODUCTION

The Internet of Things (IoT) and its related technologies can effortlessly mix classical networks with networked devices. IoT has been live an vital role ever since it appear which covers from conventional tools to general household objects [1] and has been attracting the notice of researchers from academic world, engineering and government in current years. There is a great vision that all things can be easily controlled and monitored can be recognized robotically [2]. Lots of analysis technologies are introduced into IoT one of the most precious technologies is data mining.

Data mining discover narrative, motivating, and potentially useful patterns from large data sets and applying algorithms to the taking out of unseen information. Many other conditions are used for data mining for example, knowledge discovery databases (KDD), knowledge taking out, data analysis, data archeology, data dredging, and information harvesting [3]. The purpose of any data mining procedure is to make an well-organized predictive or descriptive model of a huge amount of data that not only best explains it but is also able to simplify to new data [4]. Data mining is the procedure of discovering motivating knowledge from huge amounts of data stored in databases, data warehouses or other information repositories. On the base of the description of data mining and the definition of data mining functions, a typical data mining process includes the following steps (see Figure 1).

- 1) Data preparation: organize the data for mining. It includes 3 sub steps:(a) integrate data in a variety of data sources and clean the noise from data; (b) extract some parts of data into data mining system; (c) preprocess the data to facilitate the data mining.
- 2) Data mining: apply algorithms to the data to find the patterns and evaluate patterns of discovered knowledge.
- 3) Data presentation: visualize the data and represent mined knowledge to the user.



Figure 1 The data mining general idea.

A variety of researches focus on knowledge view, technique view, and application view can be originated in the literature. However, no preceding effort has been made to review the different views of data mining in a systematic way, especially in nowadays big data [5-7]; mobile internet and Internet of Things [8-10] produce rapidly and some data mining researchers shift their attention from data mining to big data. There are lots of data that can be mine like a relational database, data warehouse, data stream, time series, sequence, text and web, multimedia [11], graphs, the World Wide Web, Internet of Things data [12-14]. In this paper, we attempt to make a complete survey of the important fresh developments of data mining research. This survey focuses on knowledge view, utilized techniques view, and application view of data mining. Our main input in this paper is that we chosen some well-known algorithms and studied their strengths and limitations.

The involvement of this paper includes 3 parts: the primary part is that we suggest a narrative way to review data mining in knowledge view, technique view, and application view; the next part is that we talk about the new characteristics of big data and analyze the challenges. Another important involvement is that we propose a suggested big data mining system. It is precious for readers if they want to build a big data mining system with open source technologies.

The rest of the paper is planned as follows. In Section second we survey the main data mining functions from knowledge view and technology view with classification, clustering, association analysis, and outlier analysis, and bring in which techniques can hold up these functions. In Section three we review the data mining applications in e-commerce, industry, health care, and public service and talk about which knowledge and technology can be useful to these applications. In Section four IoT and big data are discussed new technologies to mine big data for IoT are surveyed, the challenges in big data age are overviewed and a new big data mining system architecture for IoT is proposed. In Section five we give a conclusion.

II. DATA MINING FUNCTIONALITIES

Data mining functionalities include classification, clustering, association analysis, time series analysis,

Outlier analysis describes and models regularities or trends for objects whose performance changes over time.

- 1) Classification is the method of finding a set of models or functions that explain and differentiate data classes or concepts for the reason of predicting the class of objects whose class label is unidentified.
- 2) Clustering analyzes data objects without consult a known class model.
- 3) Association analysis is the discovery of association rules displaying attribute-value situation that regularly occur together in a given set of data.
- 4) Time series analysis comprises methods and techniques for analyzing time series data in order to extract significant statistics and other characteristics of the data.

A. Classification

Classification is significant for management of decision making. Given an object, transmission it to one of predefined target categories or classes is called classification. For example, a classification model could be used to identify loan applicants as low, medium, or high credit risks [15].

There are many methods to classify the data with decision tree induction, frame-based or rule-based expert systems, hierarchical classification, neural networks, Bayesian network, and support vector machines (see Figure 2).

- 1) A decision tree is a flow-chart-like tree structure where each internal node is denoted by rectangles and leaf nodes are denoted by ovals. All internal nodes have two or more child nodes. All internal nodes contain splits which test the value of a look of the attributes. Arcs from an internal node to its children are labeled with separate outcomes of the test. Each leaf node has a class label linked with it. Classification and Regression Trees (CART) is a nonparametric decision tree algorithm. It produces either classification or regression trees, based on whether the response variable is categorical or continuous.
- 2) The KNN (K -Nearest Neighbor) algorithm is introduced by the Nearest Neighbor algorithm which is intended to find the nearest point of the experiential object. The main idea of the KNN algorithm is to discover the K -nearest points [16]. There are a lot of dissimilar improvements for the traditional KNN algorithm. such as the Wavelet Based K -Nearest Neighbor Partial Distance Search (WKPDS) algorithm [17], Equal-Average Nearest Neighbor Search (ENNS) algorithm [18], Equal-Average Equal-Norm Nearest Neighbor code word Search (EENNS) algorithm [19], the Equal-Average Equal-Variance Equal-Norm Nearest Neighbor Search (EEENNS) algorithm [20], and other improvements [21].
- 3) Bayesian networks are directed acyclic graphs whose nodes represent random variables in the Bayesian sense. Edges stand for conditional dependencies; nodes which are not connected stand for variables which are conditionally independent of each other. The research includes naïve Bayes [22, 23], selective naïve Bayes [24], seminaïve Bayes [25], one-dependence Bayesian classifiers [26, 27], K -dependence Bayesian classifiers [28], Bayesian network-augmented naïve Bayes [29], unrestricted Bayesian classifiers [30], and Bayesian multinets [31].
- 4) Support Vector Machines algorithm is supervised learning model with associated learning algorithms that examine data and be familiar with patterns which is based on statistical learning theory. SVM is widely used in text classification [23, 32], marketing, pattern recognition, and medical diagnosis [33]. A lot of further research is done, GSVM (granular support vector machines) [34–36], FSVM (fuzzy support vector machines) [37–39], TWSVMs (twin support vector machines) [40–42], VaR-SVM (value-at-risk support vector machines) [43], and RSVM (ranking support vector machines) [44].




Figure 2 The research structure of classification.

B. Clustering

Clustering algorithms [45] divide data into significant groups (see Figure 3) so that patterns in the same group are similar in some sense and patterns in different group are dissimilar in the same sense. Searching for clusters involves unsupervised learning [46].for example the search engine clusters billions of web pages into different groups such as news, reviews, videos, and audios. One straightforward example of clustering problem is to divide points into different groups [15].

- 1) Hierarchical clustering technique combines data objects into subgroups; those subgroups combine into larger and high level groups form a hierarchy tree. Hierarchical clustering methods have two classifications, agglomerative (bottom-up) and divisive (top-down) approaches. The agglomerative clustering starts with one-point clusters and recursively merge two or more of the clusters. The divisive clustering in contrast is a top-down strategy.
- 2) Partitioning algorithms find out clusters either by iteratively relocating points between subsets or by identifying areas heavily populated with data. Density-based partitioning methods effort to discover low-dimensional data which is dense-connected known as spatial data. Grid based partitioning algorithms use hierarchical agglomeration as one stage of processing and perform space segmentation and then aggregate appropriate segments.
- 3) In arrange to handle definite data researchers change data clustering to pre clustering of items or categorical attribute values typical research includes ROCK [47].
- 4) Scalable clustering investigates faces scalability problems for computing time and memory requirements including DIGNET [48] and BIRCH [49].
- 5) High dimensionality data clustering methods are designed to handle data with hundreds of attributes including DFT [50] and MAFIA [51].




Figure 3 The research structure of clustering.

C. Association Analysis

Association rule mining [52] focuses on the market basket analysis or transaction data analysis and it targets finding of rules showing attribute-value associations that occur regularly and also help in the generation of all-purpose and qualitative knowledge which in turn helps in decision making [53]. The research structure of association analysis is shown in Figure 4.

- 1) For the primary list of association analysis algorithms the data will be process sequentially. The a priori based algorithms have been used to find out intra transaction associations and then discover associations there are lots of extension algorithms. According to the data record format it clusters into 2 types: Horizontal Database Format Algorithms and Vertical Database Format Algorithms. Pattern growth algorithm is more complex but can be faster to calculate given large volumes of data. The typical algorithm is FP-Growth algorithm [54].
- 2) In some region the data would be a flow of actions and therefore the problem would be to discover event patterns that occur frequently together. It divides into 2 parts: event-based algorithms and event-oriented algorithms.




Figure 4 The research structure of association analysis.

D. Time Series Analysis

A time series is a group of temporal data objects the characteristics of time series data comprise large data size, high dimensionality, and updating incessantly. Commonly, time series task relies on 3 parts of mechanism, including representation, similarity measures, and indexing (see Figure 5) [55, 56].

- 1) One of the main reasons for time series representation is to decrease the dimension, and it divides into three categories: model based representation, non-data-adaptive representation and data adaptive representation. The model based representations desire to find parameters of fundamental model for a representation. Important research works include ARMA [57] and the time series bitmaps research [58]. In non-data-adaptive representations the parameters of the alteration remain the same for every time series despite of its nature related research including DFT [59], wavelet functions related topic [60], and PAA [50]. In data adaptive representations, the parameters of a alteration will change according to the data available and related works including representations version of DFT [61]/PAA [62] and indexable PLA [63].
- 2) The similarity calculates of time series analysis is characteristically carried out in an estimated manner the research information include subsequence matching [64] and full sequence matching [65].
- 3) The indexing of time series analysis is intimately associated with representation and similarity measure part the research topic includes SAMs (Spatial Access Methods) and TS-Tree [66].




Figure 5 The research structure of time series analysis.

III. DATA MINING APPLICATIONS

A. Data Mining in e-Commerce

e-commerce is one of the most possible domains for data mining because data records, customer data, product data, users' action log data, are overflowing IT team has enriched data mining ability and return on investment can be calculated. Researchers influence association analysis and clustering to give the insight of what product combinations were purchased it encourages clients to purchase related products that they may have been missed or unnoticed. Users' behaviors are monitored and analyzed to find similarities and patterns in Web surfing behavior so that the Web can be more successful in meeting user needs [67].

B. Data Mining in Industry

Data mining can highly advantage industries such as retail, banking, and telecommunications; classification and clustering can be applied to this region [68]. Retailers gather customer information, related transactions information, and product information to considerably improve exactness of product demand forecasting, variety optimization, product recommendation, and ranking across retailers and manufacturers [69, 70]. Researchers leverage SVM [71], support vector regression [72], or Bass model [73] to forecast the products' demand.

C. Data Mining in Health Care

In health care, data mining is becoming increasingly popular, if not increasingly essential [74–79]. Heterogeneous medical data have been generated in various health care organizations, including payers, medicine providers, pharmaceuticals information, prescription information, doctor's notes, or clinical records produced day by day. These quantitative data can be used to do clinical text mining, predictive modeling [80], survival analysis, patient similarity analysis [81], and clustering, to improve care treatment [82] and reduce waste. In health care area, association analysis, clustering, and outlier analysis can be applied [83, 83].

Treatment record data can be mined to explore ways to cut costs and deliver better medicine [85, 86]. Data mining also can be used to identify and understand high-cost patients [87] and applied to mass of data generated by millions of prescriptions, operations, and treatment courses to identify unusual patterns and uncover fraud [88, 89].

D. Data Mining in City Governance

In public service area, data mining can be used to find out public wants and improve service performance, decision making with computerized systems to reduce risks, classification, clustering, and time series analysis which can be developed to solve this area difficulty's-government improve excellence of government service, cost savings, wider political participation, and more effectual policies and programs [90, 91], and it has also been proposed as a solution for rising citizen communication with government agencies and political trust [92]. City event information management system can put together data mining methods to provide a complete appraisal of the impact of usual disasters on the agricultural production and rank disaster affected areas impartially and assist governments in disaster preparation and resource allocation [93].

By using data analytics, researchers can forecast which residents are likely to move away from the city [94], and it helps to suppose which factors of city life and city services lead to a resident's choice to leave the city [95].

Also data mining can be used to notice criminal individuality deceptions by analyzing people information such as name, address, date of birth, and social-security number [96] and to uncover previously unknown structural patterns from criminal networks [139]. In transport system, data mining can be used for map modification according to GPS traces [97–100], and based on numerous users' GPS trajectories researchers discover the interesting locations and classical travel sequences for location recommendation and travel recommendation [101].

E. Summary

The data mining application and nearly everyone popular data mining functionalities can be summarized in Table 1.



Table 1 The data mining application and most popular data mining functionalities.

Table 1 The data mining application and most popular data mining functionalities.

TABLE I: The data mining application and most popular data mining functionalities.

Application	Classification	Clustering	Association analysis	Time series analysis	Outlier analysis
e-commerce		✓	✓		
Industry	✓	✓	✓		
Health care		✓	✓		✓
City governance	✓	✓	✓	✓	

[View larger version](#)

IV. CHALLENGES AND UNLOCK RESEARCH ISSUES IN IOT AND BIG DATA AGE

The fast development of IoT, big data, and cloud computing the most basic challenge is to discover the huge volumes of data and take out useful information or knowledge for expectations actions [102]. The key characteristics of the data in IoT age can be measured as big data they are as follows.

- 1) Huge volumes of data to read and write: the quantity of data can be TB (terabytes), even PB (petabytes) and ZB (zettabyte) so we require exploring fast and effectual mechanisms.
- 2) Heterogeneous data sources and data types to integrate in big data age the data sources are miscellaneous for example we need to put together sensors [103–105], cameras, social media all these data are different in format, byte, binary and string, number. We require to converse with different types of devices and also need to extract data from web pages.

A. Challenges

There are plenty of challenges when IoT and big data approach the amount of data is big but the superiority is low and the data are various from different data sources heterogeneous, as-structured, semi structured, and even entirely unstructured. We analyze the challenges in data extracting, data mining algorithms, and data mining system region. Challenges are summarized under.

- 1) The first challenge is to access, extracting big data from different data storage locations. We need to contract with the diversity, heterogeneity and noise of the data and it is a large challenge to find the error and even harder to correct the data. In data mining algorithms region how to adapt traditional algorithms to big data atmosphere is a big challenge.
- 2) Second challenge is how to mine unsure and unfinished data for big data applications. In data mining system an effectual and safety solution to share data between different applications and systems is one of the mainly vital challenges since responsive information such as banking dealings and medical minutes should be a matter of concern.

B. Unlock Research Issues

In big data age there are some unlock research issues counting data inspection, parallel programming model, and big data mining structure.

- 1) Lots of researches on finding errors unseen in data such as [106] cleaning, filtering, and reduction mechanisms.
- 2) Parallel programming model is introduced to data mining and some algorithms are adopted to be practical in it. Researchers have expanded obtainable data mining methods in many ways. For example parallel association rule mining [107, 108] and parallel *k*-means algorithm based on Hadoop stage are good practice. But there are still some algorithms which are not adapted to parallel platform.
- 3) The most significant work for big data mining system is to expand a well-organized framework to support big data mining. We need to consider security, privacy, data sharing mechanism and growth of data size. A well calculated data mining framework for big data is a very important way and a big challenge.

C. Current Works of Big Data mining system for IoT

In data mining system area many great companies as Facebook, Yahoo, and Twitter advantage and contribute works to open source projects. Big data mining infrastructure includes the following.

- 1) Apache Mahout Project equipment a broad range of machine learning and data mining algorithms [109].
- 2) R Project is a programming language and software environment planned for statistical computing and visualization [110].
- 3) MOA project performs data mining in real time [111] and SAMOA [112] project integrates MOA with Storm and S4.
- 4) Pegasus is a pet scale graph mining records for the Hadoop platform [113].

Some researchers from IoT region also projected big data mining system architectures for IoT and these systems center on the combination with devices and data mining technologies [114]. Figure 6 shows architecture maintains of social network and cloud computing in IoT. They included the big data and KDD into the extraction, management and mining, and interpretation layers. The extraction layer maps onto the insight layer.




Figure 6 Big data mining system for IoT.

D. Recommended System Architecture for IoT

In this system it includes 5 layers as shown in Figure 7.

- 1) Devices: lots of IoT devices such as sensors, RFID, cameras, and other devices, can be incorporated into this system to apperceive the world and produce data continuously.
- 2) Raw data: in the big data mining system structured, semi structured, and unstructured data can be integrated.
- 3) Data collect: real-time data and batch data can be supported and all data can be parsed, analyze, and compound.
- 4) Data processing: lots of open source solutions are integrated, including Hadoop, HDFS, Storm, and Oozie.
- 5) Service: data mining functions will be providing as service.
- 6) Security/privacy/standard: security, privacy, and standard are very significant to big data mining system. Security and privacy defend the data from illegal access and privacy revelation.




Figure 7 The suggested big data mining system.

V. CONCLUSIONS

The Internet of Things idea arises from the need to supervise, computerize, and explore all devices, instruments, and sensors in the world. In arrange to make intelligent decisions both for community and for the things in IoT, data mining technologies are included with IoT technologies for decision making maintain and system optimization. Data mining involves discovering narrative, motivating, and potentially practical patterns from data and applying algorithms to the taking out of hidden information. In this paper, we survey the data mining in three different views: knowledge view, technique view, and application view. In knowledge view we analysis classification, clustering, association, time series and outlier analysis. In application view we analysis the typical data mining application, including e-commerce, industry, health care, and public service. The technique view is discussed with knowledge view and application view. At the present time, big data is a hot topic for data mining and IoT. We also converse about the new characteristics of big data and examine the challenges in data extracting, data mining algorithms. Based on the survey of the present research a optional big data mining system is proposed.

REFERENCES

- [1] Jing, Q., Vasilakos, A. V., Wan, J., Lu, J., Qiu, D. Security of the internet of things: perspectives and challenges *Wireless Networks* 2014 20824812501 [10.1007/s11276-014-0761-7](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [2] Tsai, C.-W., Lai, C.-F., Vasilakos, A. V. Future internet of things: open issues and challenges *Wireless Networks* 2014 20822012217 [10.1007/s11276-014-0731-02-s2.0-84901572822](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [3] Jiawei, H., Kamber, M. *Data Mining: Concepts and Techniques* 2011 Morgan Kaufmann [Google Scholar](#)
- [4] Mukhopadhyay, A., Maulik, U., Bandyopadhyay, S., Coello, C. A. C. A survey of multiobjective evolutionary algorithms for data mining: part I *IEEE Transactions on Evolutionary Computation* 2014 181419 [10.1109/tevc.2013.22900862-s2.0-84893833215](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [5] Zhang, Y., Chen, M., Mao, S., Hu, L., Leung, V. CAP: crowd activity prediction based on big data analysis *IEEE Network* 2014 2845257 [10.1109/mnet.2014.6863132](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [6] Chen, M., Mao, S., Liu, Y. Big data: a survey *Mobile Networks and Applications* 2014 192171209 [10.1007/s11036-013-0489-02-s2.0-84898796363](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [7] Chen, M., Mao, S., Zhang, Y., Leung, V. *Big Data: Related Technologies, Challenges and Future Prospects* 2014 Springer Springer Briefs in Computer Science [Google Scholar](#) | [Crossref](#)
- [8] Wan, J., Zhang, D., Sun, Y., Lin, K., Zou, C., Cai, H. VCMIA: a novel architecture for integrating vehicular cyber-physical systems and mobile cloud computing *Mobile Networks and Applications* 2014 192153160 [10.1007/s11036-014-0499-62-s2.0-84898828128](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [9] Rong, X. H., Chen, F., Deng, P., Ma, S. L. A large-scale device collaboration mechanism *Journal of Computer Research and Development* 2011 489158915962-s2.0-80053997391 [Google Scholar](#)
- [10] Chen, F., Rong, X.-H., Deng, P., Ma, S.-L. A survey of device collaboration technology and system software *Acta Electronica Sinica* 2011 3924404472-s2.0-79955052781 [Google Scholar](#)
- [11] Zhou, L., Chen, M., Zheng, B., Cui, J. Green multimedia communications over Internet of Things *Proceedings of the IEEE International Conference on Communications (ICC '12)* June 2012 Ottawa, Canada 19481952 [10.1109/icc.2012.63639092-s2.0-84871967365](#) [Google Scholar](#) | [Crossref](#)
- [12] Deng, P., Zhang, J. W., Rong, X. H., Chen, F. A model of large-scale Device Collaboration system based on PI-Calculus for green communication *Telecommunication Systems* 2013 52213131326 [10.1007/s11235-011-9643-92-s2.0-84879603230](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [13] Deng, P., Zhang, J. W., Rong, X. H., Chen, F. Modeling the large-scale device control system based on PI-Calculus *Advanced Science Letters* 2011 146-723742379 [10.1166/asl.2011.13982-s2.0-80051542301](#) [Google Scholar](#) | [Crossref](#)
- [14] Zhang, J., Deng, P., Wan, J., Yan, B., Rong, X., Chen, F. A novel multimedia device ability matching technique for ubiquitous computing environments *EURASIP Journal on Wireless Communications and Networking* 2013 20131, article 18112 [10.1186/1687-1499-2013-1812-s2.0-84894120909](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [15] Sog, S. Analysis and acceleration of data mining algorithms on high performance reconfigurable computing platforms [Ph.D. thesis] 2011 Iowa State University [Google Scholar](#)
- [16] Larose, D. T. k-nearest neighbor algorithm *Discovering Knowledge in Data: An Introduction to Data Mining* 2005 John Wiley & Sons 90106 [Google Scholar](#) | [Crossref](#)

- [17] Hwang, W.-J., Wen, K.-W. Fast kNN classification algorithm based on partial distance search *Electronics Letters* 1998;34(21):2062-2063. [10.1049/el:199814272-s2.0-3743053629](https://doi.org/10.1049/el:199814272-s2.0-3743053629)
[Google Scholar](#) | [Crossref](#) | [ISI](#)
- [18] Jeng-Shyang, P., Yu-Long, Q., Sheng-He, S. Fast k-nearest neighbors classification algorithm *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences* 2004;87(4):1963-1968. [Google Scholar](#)
- [19] Pan, J.-S., Lu, Z.-M., Sun, S.-H. An efficient encoding algorithm for vector quantization based on subvector technique *IEEE Transactions on Image Processing* 2003;12(3):2652-2660. [10.1109/TIP.2003.8105872-s2.0-0038192328](https://doi.org/10.1109/TIP.2003.8105872-s2.0-0038192328) [Google Scholar](#) | [Crossref](#) | [Medline](#) | [ISI](#)
- [20] Lu, Z.-M., Sun, S.-H. Equal-average equal-variance equal-norm nearest neighbor search algorithm for vector quantization *IEICE Transactions on Information and Systems* 2003;86(3):660-663. [10.1007/978-3-319-02993-1_13](https://doi.org/10.1007/978-3-319-02993-1_13) [Google Scholar](#)
- [21] Tang, L. L., Pan, J. S., Guo, X., Chu, S. C., Roddick, J. F. A novel approach on behavior of sleepy lizards based on K-nearest neighbor algorithm *Social Networks: A Framework of Computational Intelligence* 2014;5(2):Cham, Switzerland Springer 2873-11. [10.1007/978-3-319-02993-1_13](https://doi.org/10.1007/978-3-319-02993-1_13) [Google Scholar](#) | [Crossref](#)
- [22] Maron, M. E., Kuhns, J. L. On relevance, probabilistic indexing and information retrieval *Journal of the ACM* 1967;32(1):244-262. [10.1145/321033.321035](https://doi.org/10.1145/321033.321035) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [23] Minsky, M. Steps toward artificial intelligence *Proceedings of the IRE* 1961;49(18):30MR0134428. [Google Scholar](#) | [Crossref](#)
- [24] Langley, P., Sage, S. Induction of selective Bayesian classifiers *Proceedings of the 10th International Conference on Uncertainty in Artificial Intelligence* 1994;399-406. [Google Scholar](#)
- [25] Kononenko, I. Semi-naive Bayesian classifier *Machine Learning—EWSL-91* 1991;482:Berlin, Germany Springer 2062-19. [10.1007/BFb0017015](https://doi.org/10.1007/BFb0017015) [Google Scholar](#) | [Crossref](#)
- [26] Zheng, F., Webb, G. I. Tree Augmented Naive Bayes 2010. Berlin, Germany Springer. [Google Scholar](#)
- [27] Jiang, L., Zhang, H., Cai, Z., Su, J. Learning tree augmented naive bayes for ranking *Proceedings of the 10th International Conference on Database Systems for Advanced Applications (DASFAA '05)* 2005;688-698. [Google Scholar](#)
- [28] Sahami, M. Learning limited dependence Bayesian classifiers *Proceedings of the 2nd International Conference on Knowledge Discovery and Data Mining* August 1996;Portland, Ore, USA 335-338. [Google Scholar](#)
- [29] Friedman, N. Learning belief networks in the presence of missing values and hidden variables *Proceedings of the 14th International Conference on Machine Learning* 1997;125-133. [Google Scholar](#)
- [30] Lei, Y., Ding, X. Q., Wang, S. J. Visual tracker using sequential Bayesian learning: discriminative, generative, and hybrid *IEEE Transactions on Systems, Man, and Cybernetics, Part B: Cybernetics* 2008;38(6):1578-1591. [10.1109/tsmcb.2008.9282262-s2.0-57049142065](https://doi.org/10.1109/tsmcb.2008.9282262-s2.0-57049142065) [Google Scholar](#) | [Crossref](#) | [Medline](#)
- [31] Geiger, D., Heckerman, D. Knowledge representation and inference in similarity networks and Bayesian multinets *Artificial Intelligence* 1996;82(1-2):457-410. [10.1016/0004-3702\(95\)00014-3](https://doi.org/10.1016/0004-3702(95)00014-3) [MR13910562-s2.0-0030125397](https://doi.org/10.1016/0004-3702(95)00014-3) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [32] Joachims, T. Text categorization with support vector machines: learning with many relevant features *Machine Learning: ECML-98* 1998;1398:Berlin, Germany Springer 137-142. [10.1007/bfb0026683](https://doi.org/10.1007/bfb0026683)
[Google Scholar](#) | [Crossref](#)
- [33] Yingxin, L., Xiaogang, R. Feature selection for cancer classification based on support vector machine *Journal of Computer Research and Development* 2005;42(10):1796-1801. [Google Scholar](#) | [Crossref](#)
- [34] Tang, Y., Jin, B., Sun, Y., Zhang, Y.-Q. Granular support vector machines for medical binary classification problems *Proceedings of the IEEE Symposium on Computational Intelligence in Bioinformatics and Computational Biology (CIBCB '04)* October 2004;73782-s2.0-17044427050. [Google Scholar](#)
- [35] Guo, H.-S., Wang, W.-J., Men, C.-Q. A novel learning model-kernel granular support vector machine *Proceedings of the International Conference on Machine Learning and Cybernetics* July 2009;93093510. [10.1109/icmlc.2009.52124132-s2.0-70350716755](https://doi.org/10.1109/icmlc.2009.52124132-s2.0-70350716755)
[Google Scholar](#) | [Crossref](#)
- [36] Lian, K., Huang, J., Wang, H., Long, B. Study on a GA-based SVM decision-tree multi-classification strategy *Acta Electronica Sinica* 2008;36(8):1502-1507. [Google Scholar](#)
- [37] Lin, C.-F., Wang, S.-D. Fuzzy support vector machines *IEEE Transactions on Neural Networks* 2002;13(2):464-471. [10.1109/72.9914322-s2.0-0036505650](https://doi.org/10.1109/72.9914322-s2.0-0036505650)
[Google Scholar](#) | [Crossref](#) | [Medline](#)
- [38] Huang, H.-P., Liu, Y.-H. Fuzzy support vector machines for pattern recognition and data mining *International Journal of Fuzzy Systems* 2002;4(3):268-353. [10.1007/978-3-319-02993-1_13](https://doi.org/10.1007/978-3-319-02993-1_13) [Google Scholar](#)
- [39] Yan, W.-Y., He, Q. Multi-class fuzzy support vector machine based on dismissing margin *Proceedings of the International Conference on Machine Learning and Cybernetics* July 2009;139114410. [10.1109/icmlc.2009.52123682-s2.0-70350708096](https://doi.org/10.1109/icmlc.2009.52123682-s2.0-70350708096)
[Google Scholar](#) | [Crossref](#)
- [40] Qi, Z., Tian, Y., Shi, Y. Robust twin support vector machine for pattern classification *Pattern Recognition* 2013;46(13):1610-1616. [10.1016/j.patcog.2012.06.0192-s2.0-84866023118](https://doi.org/10.1016/j.patcog.2012.06.0192-s2.0-84866023118) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [41] Khemchandani, R., Chandra, S. Twin support vector machines for pattern classification *IEEE Transactions on Pattern Analysis and Machine Intelligence* 2007;29(5):905-910. [10.1109/TPAMI.2007.10682-s2.0-34047225880](https://doi.org/10.1109/TPAMI.2007.10682-s2.0-34047225880) [Google Scholar](#) | [Crossref](#) | [Medline](#) | [ISI](#)
- [42] Qi, Z., Tian, Y., Shi, Y. Structural twin support vector machine for classification *Knowledge-Based Systems* 2013;43(7):811-816. [10.1016/j.knsys.2013.01.0082-s2.0-84875271568](https://doi.org/10.1016/j.knsys.2013.01.0082-s2.0-84875271568) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [43] Tsyurmasto, P., Zabrankin, M., Uryasev, S. Value-at-risk support vector machine: stability to outliers *Journal of Combinatorial Optimization* 2014;28(12):1823-1830. [10.1007/s10878-013-9678-9](https://doi.org/10.1007/s10878-013-9678-9) [MR32151082-s2.0-84888793792](https://doi.org/10.1007/s10878-013-9678-9) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [44] Herbrich, R., Graepel, T., Obermayer, K. Large margin rank boundaries for ordinal regression *Advances in Neural Information Processing Systems* 1999;MIT Press 1151-1132. [Google Scholar](#)
- [45] Jain, A. K., Dubes, R. C. Algorithms for Clustering Data 1988. Englewood Cliffs, NJ, USA Prentice Hall. [Google Scholar](#)
- [46] Ansari, S., Chetlur, S., Prabhu, S., Kini, G. N., Hegde, G., Hyder, Y. An overview of clustering analysis techniques used in data mining *International Journal of Emerging Technology and Advanced Engineering* 2013;3(12):284-286. [Google Scholar](#)

- [47] Guha, S., Rastogi, R., Shim, K. ROCK: a robust clustering algorithm for categorical attributes Proceedings of the 15th International Conference on Data Engineering (ICD '99) March 1999 5125212-s2.0-0032652570 [Google Scholar](#) | [Crossref](#)
- [48] Thomopoulos, S. C. A., Bougoulas, D. K., Wann, C.-D. Dignet: an unsupervised-learning clustering algorithm for clustering and data fusion IEEE Transactions on Aerospace and Electronic Systems 1995 311213810.1109/7.3662892-s2.0-0029221045 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [49] Zhang, T., Ramakrishnan, R., Livny, M. BIRCH: a new data clustering algorithm and its applications Data Mining and Knowledge Discovery 1997 1214118210.1023/a:10097838243282-s2.0-2194442892 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [50] Keogh, E., Chakrabarti, K., Pazzani, M., Mehrotra, S. Dimensionality reduction for fast similarity search in large time series databases Knowledge and Information Systems 2001 133263286 [Google Scholar](#) | [Crossref](#)
- [51] Nagesh, H. S., Goil, S., Choudhary, A. N. Adaptive grids for clustering massive data sets Proceedings of the 1st SIAM International Conference on Data Mining (SDM '01) April 2001 Chicago, Ill, USA 117 [Google Scholar](#)
- [52] Agrawal, R., Imieliński, T., Swami, A. Mining association rules between sets of items in large databases Proceedings of the ACM SIGMOD International Conference on Management of Data (SIGMOD '93) 1993 20721610.1145/170035.170072 [Google Scholar](#) | [Crossref](#)
- [53] Gosain, A., Bhugra, M. A comprehensive survey of association rules on quantitative data in data mining Proceedings of the IEEE Conference on Information & Communication Technologies (ICT '13) April 2013 JeJu Island, Republic of Korea 1003100810.1109/cict.2013.65582442-s2.0-84881620516 [Google Scholar](#) | [Crossref](#)
- [54] Han, J., Pei, J. Mining frequent patterns by pattern-growth: methodology and implications ACM SIGKDD Explorations Newsletter 2000 22142010.1145/380995.381002 [Google Scholar](#) | [Crossref](#)
- [55] Fu, T.-C. A review on time series data mining Engineering Applications of Artificial Intelligence 2011 2411641810.1016/j.engappai.2010.09.0072-s2.0-78649672225 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [56] Esling, P., Agon, C. Time-series data mining ACM Computing Surveys 2012 451, article 123410.1145/2379776.23797882-s2.0-84871210043 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [57] Kalpakis, K., Gada, D., Puttagunta, V. Distance measures for effective clustering of ARIMA time-series Proceedings of the IEEE International Conference on Data Mining (ICDM '01) December 2001 San Jose, Calif, USA 2732802-s2.0-7814929941810.1109/ICDM.2001.989529 [Google Scholar](#) | [Crossref](#)
- [58] Kumar, N., Lolla, V. N., Keogh, E., Lonardi, S., Ratanamahatana, C. A., Wei, L. Time-series bitmaps: a practical visualization tool for working with large time series databases Proceedings of the 5th SIAM International Conference on Data Mining (SDM '05) April 2005 5315352-s2.0-84880090937 [Google Scholar](#)
- [59] Chan, F. K.-P., Fu, A. W.-C., Yu, C. Haar wavelets for efficient similarity search of time-series: with and without time warping IEEE Transactions on Knowledge and Data Engineering 2003 15368670510.1109/tkde.2003.11983992-s2.0-0038294452 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [60] Shasha, D. E., Zhu, Y. High Performance Discovery in Time Series: Techniques and Case Studies 2004 Springer 10.1007/978-1-4757-4046-2_MR2079948 [Google Scholar](#) | [Crossref](#)
- [61] Vlachos, M., Gunopulos, D., Das, G. Indexing time-series under conditions of noise Data Mining in Time Series Databases 2004 57 World Scientific 67100 Series in Machine Perception and Artificial Intelligence 10.1142/9789812565402_0004 [Google Scholar](#) | [Crossref](#)
- [62] Megalooikonomou, V., Li, G., Wang, Q. A dimensionality reduction technique for efficient similarity analysis of time series databases Proceedings of the 13th ACM International Conference on Information and Knowledge Management (CIKM '04) November 2004 Washington, DC, USA 1601612-s2.0-1874441601410.1145/1031171.1031203 [Google Scholar](#) | [Crossref](#)
- [63] Chen, Q., Chen, L., Lian, X., Liu, Y., Yu, J. X. Indexable PLA for efficient similarity search Proceedings of the 33rd International Conference on Very Large Data Bases September 2007 Vienna, Austria 435446 [Google Scholar](#)
- [64] Dong, X. L., Gu, C. K., Wang, Z. O. Research on shape-based time series similarity measure Proceedings of the International Conference on Machine Learning and Cybernetics August 2006 1253125810.1109/icmlc.2006.2586482-s2.0-33947269937 [Google Scholar](#) | [Crossref](#)
- [65] Megalooikonomou, V., Wang, Q., Li, G., Faloutsos, C. A multiresolution symbolic representation of time series Proceedings of the 21st International Conference on Data Engineering (ICDE '05) April 2005 66867910.1109/icde.2005.102-s2.0-28444432990 [Google Scholar](#) | [Crossref](#)
- [66] Assent, I., Krieger, R., Afschari, F., Seidl, T. The TS-tree: efficient time series search and retrieval Proceedings of the 11th International Conference on Extending Database Technology: Advances in Database Technology (EDBT '08) 2008 252263 [Google Scholar](#)
- [67] Heer, J., Chi, E. H. Identification of web user traffic composition using multi-modal clustering and information scent Proceedings of the Workshop on Web Mining, SIAM Conference on Data Mining 2001 5158 [Google Scholar](#)
- [68] Elgendy, N., Elragal, A. Big data analytics: a literature review paper Advances in Data Mining. Applications and Theoretical Aspects 2014 8557 Cham, Switzerland Springer 214227 Lecture Notes in Computer Science 10.1007/978-3-319-08976-8_16 [Google Scholar](#) | [Crossref](#)
- [69] Liu, Q., Wan, J., Zhou, K. Cloud manufacturing service system for industrial-cluster-oriented application Journal of Internet Technology 2014 153373380 [Google Scholar](#) | [ISI](#)
- [70] Maaß, D., Spruit, M., de Waal, P. Improving short-term demand forecasting for short-lifecycle consumer products with data mining techniques Decision Analytics 2014 1117 [Google Scholar](#) | [Crossref](#)
- [71] Du, X. F., Leung, S. C. H., Zhang, J. L., Lai, K. K. Demand forecasting of perishable farm products using support vector machine International Journal of Systems Science 2013 44355656710.1080/00207721.2011.6178882-s2.0-84870610658 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [72] Lu, C.-J., Wang, Y.-W. Combining independent component analysis and growing hierarchical self-organizing maps with support vector regression in product demand forecasting International Journal of Production Economics 2010 128260361310.1016/j.ijpe.2010.07.0042-s2.0-78049295934 [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [73] Lee, H., Kim, S. G., Park, H.-W., Kang, P. Pre-launch new product demand forecasting using the Bass model: a statistical and machine learning-based approach Technological Forecasting and Social Change 2013 86496410.1016/j.techfore.2013.08.0202-s2.0-84883881196 [Google Scholar](#) | [Crossref](#) | [ISI](#)

- [74] Chen, M., Gonzalez, S., Leung, V., Zhang, Q., Li, M.A. 2G-RFID-based e-healthcare system *IEEE Wireless Communications* 2010 1713743 [10.1109/mwc.2010.54163482-s2.0-77649143550](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [75] Liu, J., Wan, J., He, S., Zhang, Y. E-healthcare supported by big data *ZTE Communications* 2014 1234652 [Google Scholar](#)
- [76] Chen, M., Ma, Y., Wang, J., Mau, D. O., Song, E. Enabling comfortable sports therapy for patient: a novel lightweight durable and portable ECG monitoring system *Proceedings of the IEEE 15th International Conference on e-Health Networking, Applications and Services (Healthcom '13)* October 2013 Lisbon, Portugal *IEEE* 271273 [10.1109/healthcom.2013.67206812-s2.0-84894166007](#) [Google Scholar](#) | [Crossref](#)
- [77] Liu, J., Wang, Q., Wan, J., Xiong, J., Zeng, B. Towards key issues of disaster aid based on Wireless Body Area Networks *KSII Transactions on Internet and Information Systems* 2013 7510141035 [10.3837/tiis.2013.05.0052-s2.0-84878463160](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [78] Chen, M. NDNC-BAN: supporting rich media healthcare services via named data networking in cloud-assisted wireless body area networks *Information Sciences* 2014 28410142156 [10.1016/j.ins.2014.06.023](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [79] Chen, M., Mau, D. O., Wang, X., Wang, H. The virtue of sharing: efficient content delivery in wireless body area networks for ubiquitous healthcare *Proceedings of the IEEE 15th International Conference on e-Health Networking, Applications & Services (Healthcom '13)* October 2013 Lisbon, Portugal 669673 [10.1109/HealthCom.2013.6720760](#) [Google Scholar](#) | [Crossref](#)
- [80] Wan, J., Zou, C., Ullah, S., Lai, C.-F., Zhou, M., Wang, X. Cloud-enabled wireless body area networks for pervasive healthcare *IEEE Network* 2013 2755661 [10.1109/MNET.2013.66161162-s2.0-84885589116](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [81] Duan, L., Street, W. N., Xu, E. Healthcare information systems: data mining methods in the creation of a clinical recommender system *Enterprise Information Systems* 2011 152169181 [10.1080/17517575.2010.5412872-s2.0-79952445361](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [82] Schuereberg, B. K. An information excavation. Las Vegas payer uses data mining software to improve HEDIS reporting and provider profiling *Health Data Management* 2003 11680822-s2.0-0043267751 [Google Scholar](#) | [Medline](#)
- [83] Sun, J., Reddy, C. K. Big data analytics for healthcare *Proceedings of the 19th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining* August 2013 Chicago, Ill, USA 152510.1145/2487575.2506178 [Google Scholar](#) | [Crossref](#)
- [84] Kincade, K. Data mining: digging for healthcare gold *Insurance & Technology* 1998 23227 [Google Scholar](#)
- [85] Bellazzi, R., Zupan, B. Predictive data mining in clinical medicine: current issues and guidelines *International Journal of Medical Informatics* 2008 7728197 [10.1016/j.ijmedinf.2006.11.0062-s2.0-37249089420](#) [Google Scholar](#) | [Crossref](#) | [Medline](#) | [ISI](#)
- [86] Liu, J., Pan, J., Wang, Y., Lin, D., Shen, D., Yang, H., Li, X., Luo, M., Cao, X. Component analysis of Chinese medicine and advances in fuming-washing therapy for knee osteoarthritis via unsupervised data mining methods *Journal of Traditional Chinese Medicine* 2013 3335686691 [10.1016/s0254-6272\(14\)60043-12-s2.0-84887756703](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [87] Silver, M., Sakata, T., Su, H. C., Herman, C., Dolins, S. B., O'Shea, M. J. Case study: how to apply data mining techniques in a healthcare data warehouse *Journal of Healthcare Information Management* 2001 1521551642-s2.0-0035380848 [Google Scholar](#) | [Medline](#)
- [88] Koh, H. C., Tan, G. Data mining applications in healthcare *Journal of Healthcare Information Management* 2011 19265 [Google Scholar](#)
- [89] Thornton, D., Mueller, R. M., Schoutsen, P., van Hillegersberg, J. Predicting healthcare fraud in medicaid: a multidimensional data model and analysis techniques for fraud detection *Procedia Technology* 2013 912521264 [Google Scholar](#) | [Crossref](#)
- [90] Helbig, N., Gil-García, J. R., Ferro, E. Understanding the complexity of electronic government: implications from the digital divide literature *Government Information Quarterly* 2009 2618997 [10.1016/j.giq.2008.05.0042-s2.0-56849130203](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [91] Wan, J., Li, D., Zou, C., Zhou, K. M2M communications for smart city: an event-based architecture *Proceedings of the IEEE 12th International Conference on Computer and Information Technology (CIT '12)* October 2012 Chengdu, China 89590010.1109/cit.2012.1882-s2.0-84872352579 [Google Scholar](#) | [Crossref](#)
- [92] Chadwick, A., May, C. Interaction between states and citizens in the age of the internet: 'e-government' in the United States, Britain, and the European Union *Governance* 2003 162271300 [10.1111/1468-0491.002162-s2.0-0037787917](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [93] Peng, Y., Zhang, Y., Tang, Y., Li, S. An incident information management framework based on data integration, data mining, and multi-criteria decision making *Decision Support Systems* 2011 512316327 [10.1016/j.dss.2010.11.0252-s2.0-79953753719](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [94] Sullivan, B., Mitra, S. Community issues in American metropolitan cities: a data mining case study *Journal of Cases on Information Technology* 2014 1612339 [10.4018/jcit.2014010103](#) [Google Scholar](#) | [Crossref](#)
- [95] Chen, M. Towards smart city: M2M communications with software agent intelligence *Multimedia Tools and Applications* 2013 671167178 [10.1007/s11042-012-1013-42-s2.0-84881146585](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [96] Wang, G., Chen, H., Atabakhsh, H. Automatically detecting deceptive criminal identities *Communications of the ACM* 2004 4737076 [10.1145/971617.9716182-s2.0-1942443495](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [97] Chen, H., Chung, W., Qin, Y., Chau, M., Xu, J. J., Wang, G., Zheng, R., Atabakhsh, H. Crime data mining: an overview and case studies *Proceedings of the Annual National Conference on Digital Government Research* 2003 15 [Google Scholar](#)
- [98] Cao, X., Cong, G., Jensen, C. S. Mining significant semantic locations from GPS data *Proceedings of the VLDB Endowment* 2010 31-210091020 [Google Scholar](#) | [Crossref](#)
- [99] Wan, J., Zhang, D., Zhao, S., Yang, L. T., Lloret, J. Context-aware vehicular cyber-physical systems with cloud support: architecture, challenges, and solutions *IEEE Communications Magazine* 2014 528106113 [10.1109/mcom.2014.6871677](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [100] Schroedl, S., Wagstaff, K., Rogers, S., Langley, P., Wilson, C. Mining GPS traces for map refinement *Data Mining and Knowledge Discovery* 2004 915987 [10.1023/b:dami.0000026904.74892.89MR2055552-s2.0-3543072870](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)
- [101] Zheng, Y., Zhang, L., Xie, X., Ma, W. Mining interesting locations and travel sequences from GPS trajectories *Proceedings of 18th International Conference on World Wide Web* 2009 791800 [Google Scholar](#)
- [102] Hu, T., Chen, H., Huang, L., Zhu, X. A survey of mass data mining based on cloud-computing *Proceedings of the International Conference on Anti-Counterfeiting, Security and Identification (ASID '12)* August 2012 14 [10.1109/icasad.2012.63253532-s2.0-84870624640](#) [Google Scholar](#) | [Crossref](#)
- [103] Sun, Y., Han, J., Yan, X., Yu, P. S. Mining knowledge from interconnected data: a heterogeneous information network analysis approach *Proceedings of the VLDB Endowment* 2012 20222023 [Google Scholar](#)
- [104] Chen, M., Yang, L. T., Kwon, T., Zhou, L., Jo, M. Itinerary planning for energy-efficient agent communications in wireless sensor networks *IEEE Transactions on Vehicular Technology* 2011 60732903299 [10.1109/TVT.2011.21341162-s2.0-80052854703](#) [Google Scholar](#) | [Crossref](#) | [ISI](#)

- [105]Zhang, D., Wan, J., Liu, Q., Guan, X., Liang, X.A taxonomy of agent technologies for ubiquitous computing environmentsKSII Transactions on Internet and Information Systems20126254756510.3837/tiis.2012.02.0062-s2.0-84862173924
[Google Scholar](#) | [Crossref](#) | [ISI](#)
- [106]Chen, M., Leung, V. C. M., Mao, S.Directionally controlled fusion in wireless sensor networksMobile Networks and Applications200914222022910.1007/s11036-008-0133-62-s2.0-62249146158[Google Scholar](#) | [Crossref](#) | [ISI](#)
- [107]Wu, X., Zhang, S.Synthesizing high-frequency rules from different data sourcesIEEE Transactions on Knowledge and Data Engineering200315235336710.1109/TKDE.2003.11858392-s2.0-0037339975[Google Scholar](#) | [Crossref](#) | [ISI](#)
- [108]Su, K., Huang, H., Wu, X., Zhang, S.A logical framework for identifying quality knowledge from different data sourcesDecision Support Systems20064231673168310.1016/j.dss.2006.02.0122-s2.0-33750493303[Google Scholar](#) | [Crossref](#) | [ISI](#)
- [109]Owen, S., Anil, R., Dunning, T., Friedman, E.Mahout in Action2011Manning[Google Scholar](#)
- [110]R Development Core Team R: A Language, and Environment for Statistical Computing2012Vienna, AustriaR Foundation for Statistical Computing[Google Scholar](#)
- [111]Bifet, A., Holmes, G., Kirkby, R., Pfahringer, B.Moa: massive online analysisThe Journal of Machine Learning Research201011160116042-s2.0-77953527363[Google Scholar](#) | [ISI](#)
- [112]de Francisci Morales, G. SAMOA: a platform for mining big data streamsProceedings of the 22nd International Conference on World Wide Web (WWW '13)May 20137777782-s2.0-84893053113[Google Scholar](#)
- [113]Kang, U., Chau, D. H., Faloutsos, C.Pegasus: mining billion-scale graphs in the cloudProceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP '12)March 2012Kyoto, Japan5341534410.1109/icassp.2012.62891272-s2.0-84867619547[Google Scholar](#) | [Crossref](#)
- [114]da Silva, W. M., Alvaro, A., Tomas, G. H. R. P., Afonso, R. A., Dias, K. L., Garcia, V. C.Smart cities software architectures: a surveyProceedings of the 28th Annual ACM Symposium on Applied Computing (SAC '13)March 20131722172710.1145/2480362.24806882-s2.0-84877940180[Google Scholar](#) | [Crossref](#)



I am Dr.Mohd Zuber, Assistant Professor in Girdher Group of institution.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)