



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 5      Issue: VII      Month of publication: July 2017**

**DOI:**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Continuous Blood Glucose Monitoring in Remote Location using Mhealth Technology

Pandimurugan V<sup>1</sup>, Dr.Paul Rodrigues<sup>2</sup>

<sup>1</sup> Research Scholar, Manonmaniam Sundaranar University, Tirunelveli, Tamilnadu, India.

<sup>2</sup>Professor, CSE King Khalid University Saudi Arabia.

**Abstract:** *Glucose concentration within the blood circulates is a crucial parameter and an effective monitoring of this amount is important for diabetes remedy and intensive care management. Powerful bio-sensing era and advanced signal processing are consequently of unquestioned wi-fi for blood glucose tracking. Though, collecting measurements most effective represents part of the procedure as any other important assignment includes handing over the gathered measures to the treating specialists and caregivers. These include the scientific workforce, the patient's wi-fi other, his/her circle of relatives members, and plenty of other actors helping with the patient remedy that may be positioned some distance away from him/her. In all of those instances, a far flung tracking gadget, in fee of handing over the relevant facts to the right participant, becomes a vital part of the sensing structure. in this paper, we overview how the far off monitoring architectures have advanced over the years, paralleling the progress in the statistics and communiqué technology, and describe our studies with the design of telemedicine systems for blood glucose monitoring in three clinical applications. The paper ends summarizing the classes found out through the stories of the authors and discussing the challenges arising from a large-scale integration of sensors and actuators.*

**Keywords:** *Diabetes, Health Monitoring, mhealth, IoT.*

## I. INTRODUCTION

Diabetes is a family of chronic diseases affecting an ever growing range of patients. in line with the world wireless enterprise, the global prevalence of diabetes became 422 million adults in 2014, increasing from 108 million in 1980. The development of a mHealth continuous glucose tracking (MCGM) era may additionally provide people with diabetes with an alternative technique for tracking their BG degree. Powerful diabetes control reduces the hazard of long-term complications related to the disease, which include heart disorder, blindness, stroke, kidney ailment and amputations leading to disability and untimely mortality. The danger of headaches is incredibly decreased with remedy that maintains the circulating glucose degrees to as close to as normal as viable, accordingly lowering tissue damage. Tracking blood glucose ranges enables human beings with diabetes and their carers make informed choices approximately their weight loss plan, hobby and medication necessities, which includes insulin dose(1). it could also help sufferers, carers and their healthcare team alters remedies to help save you lengthy-time period complications. Effective sensing technology and superior sign processing techniques are absolutely of capital wi-fi to obtain an effective blood glucose tracking. Nonetheless, amassing measurements most effective represents a part of the method, considering other vital obligations are turning in those measures and/or any related alerts to the several elements involved inside the blood-glucose control process. The ones elements include the scientific body of workers responsible for making plans and administering the remedy, the mother and father of pediatric sufferers or the substantial others of adult ones. Notwithstanding being positioned a ways from the monitored patient, these people need to be kept up to date with his/her conditions if you want to undertake the most suitable movements. A faraway tracking system, by way of taking care of the transport of any applicable facts to the proper gamers, becomes an essential part of the sensing structure. Despite the fact that we provide examples wi-fi concerning glucose monitoring or diabetes management, the applicability is instead trendy as they will be wireless exploited in distinctive scientific contexts as nicely. We additionally illustrate a few tasks carried on by the authors wherein glucose sensors and insulin pumps had been incorporated right into a remote tracking architecture working in actual time. Differences may be highlighted amongst systems addressing diverse patient populations, inclusive of adults, children and newborns. The paper ends with a discussion at the training found out by way of the authors and the current developments for deploying far off monitoring answers on a huge scale.

## II. REMOTE MONITORING ARCHITECTURE

Far off monitoring structure the first prototypical structures trying a systematic collection of data from diabetes patients started out to seem in the past due 1990. The limitations of the era and the brittleness of the community connections to be had at that time

accounted for an architecture encompassing separate elements, a patient Unit (PU) and a scientific Unit (MU) that provided unique services to those consumer classes. The PU turned into positioned on the patient's domestic and was implemented as software generally walking on a private computer (laptop). Its primary motive became records acquisition, which changed into more often than not done manually by means of the patient himself, despite the fact that occasionally it also happened mechanically by interfacing the PU with sensing devices .The MU acted as a concentrator for patient records and become located alternatively on the health facility to be able to be continually handy by means of the treating workforce for consultation. The PU and MU exchanged records asynchronously via network connections hooked up with the aid of modems over normal Smartphone strains, as shown in parent wireless 1. Every now and then the PU, or a part of it, became also implemented on a personal virtual Assistant (PDA). These had been small portable devices with restricted computational and no networking capabilities that had to be located on a docking station wired to a computer for

Carrying out any community operation. As such, they privileged mobility and availability with appreciate to connectivity. Though, for the reason that entire connectivity version became inherently asynchronous and real-time monitoring became not low-priced at that point, as a minimum in the beginning, the tradeoff seemed to be affordable. Figure:1 Remote Monitoring Architecture.




Figure:1 Remote Monitoring Architecture.

### III. EVOLUTION OF BODY AREA NETWORK

The enhancements in ICT caused another time a paradigm shift concerning statistics collection and add. The need to accumulate alerts the usage of a couple of sensors attached to the body, and in all likelihood operates on it thru Wi-Fi actuator gadgets caused a new architectural schema called body region community (BAN). BANs are wireless networks having a very limited range and interconnecting several small devices typically worn by means of the affected person which can be positioned within a distance of just multiple meters. In this situation, without delay connecting every single device to the cloud is impossible for many reasons. First, these devices have very restricted length and from time to time are even implanted below the patient skin, posing excessive barriers each on their practical abilities and electricity supply availability. In the end, relying at the reason of the BAN, an actuator can be concerned, which includes an insulin pump or a cardioverter device, and the good judgment for controlling them need to be part of the very same BAN to keep away from delays or unresponsive events in case of poor connectivity. as a result, a devoted component coordinating all the devices is needed such as the body Gateway shown in wireless 2. This aspect interacts the usage of Bluetooth with the network Hub, generally a clever phone, that's the key for enabling network connectivity and enacting the far off monitoring that is the subject wireless of this paper. BAN architecture can be instantiated with minimum work to guide several eventualities exploiting wi-fi gadgets in numerous scientific contexts.






Figure:2 How BG measured in m Health

#### IV. INTERNET-BASED HEALTHCARE TECHNOLOGY AND ITS PERCEPTION AND EFFECTS

While clever home technologies have a tendency to consciousness on the prevention of falls and detection of illnesses based totally on older adults' body actions and sports, net-based healthcare technology by and large specializes in treating illnesses with prevention of complications as a secondary goal. This era is variously termed as e-wi-fi, net-primarily based self tracking device, internet-primarily based sickness control, domestic wireless tracking system, internet-primarily based telemedicine and telecare, etc. inside the u.s., net-based totally disease management grew swiftly in the year 2000 in the healthcare enterprise. At that point, groups anticipated tremendous value savings. For instance, conventional call-middle applications cost \$three hundred to \$1,000 according to patient in step with yr, while an internet-primarily based application became predicted at about \$50 (managed Care Week, 2000). A version of disease control from Predictive offerings, Inc. utilizes the following manner: virtual counselor publications the participant via a web baseline assessment, who then receives a personalized interactive consultation weekly. The consultation is statistics pushed. The affected person submits statistics that is sorted, wi-filtered, and scored to generate personalized responses. This era has been utilized by groups for weight control and wi-fi, pediatric and adult asthma, and women's and men's wireless.

#### V. COMMUNICATION TECHNOLOGIES FOR HEALTH CARING

There are exceptional brief-range and long-range wireless communiq  technologies which might be used in a healthcare system for the faraway monitoring of physiological parameters such as Bluetooth, ultra Wideband (UWB), ZigBee and c084d04ddacadd4b971ae3d98fecfb2a that's a WLAN (wireless local place network) and GSM/GPRS technologies. Because of the cutting-edge advances in conversation technologies, a lot of research efforts are being executed inside the place of fitness care tracking and carrier presenting. Presenting wi-fi care facilities to incredibly populated areas in addition to faraway rural areas could require large funding for upgrading the present infrastructure. The wireless care prices in the evolved international locations are rapidly increasing due to the considerable boom in the aged population. Tracking the day by day physical sports may be a key to comparing the real high-quality of lifestyles of the elderly. We trust that the overall wi-fi and wellness of the aged population can wireless wi-fi use of contemporary communication technologies [34]. These technologies lets in the fabrication of miniaturized sensors (e.g., ZnO based totally nanosensors) to be included with microcontrollers which transform this collected records from sensor into wireless information by way of the usage of suitable software to connect with the outside international the usage of wireless hyperlink.

## VI. E HELATH INFRASTRUCTURE




Figure 3: e Health structure

The system is based on interoperability and security standards (HL7 CDA, IHE ATNA, respectively), interconnects with pharmacies information systems through a CDA based Restful API (Application Programming Interface), in order to automatically dispense electronic and hand-written prescriptions. but, because of the geographical distribution of the populace, with many small groups living in as a substitute isolated islands and faraway rural areas, the tele wi-fi answer has been continually appeared as an attractive undertaking and, thus, several efforts and pilots have taken area, collecting a extensive studies enjoy within the subject, as well as a instead wide dissemination and currently reputation. wi-fi wireless digital databases (CINAHL, conversation and Mass Media complete, PubMed, PsycINFO, and web of technological know-how) were searched based totally on metadata (i.e., name, abstract, and key phrases). To be eligible for inclusion within the evaluate, statistics had to be written in English and talk the function of cell era as a device for promoting, coping with, or tracking wi-fi.

## VII. PROS AND CONS OF M HEALTH

Many common customers of well-being and wireless apps are becoming increasingly more structured in this Technology to give them information on their wireless. positive apps echo popular web sites like WebMD or Healthline, which offer records about unique signs and ailments however aren't necessarily capable of as it should be diagnosing patients — and wi-fi aren't as certified as clinicians. Regardless, many customers rely on those websites and apps in place of seeking expert help that is far from best. Notwithstanding the drawbacks, healthwireless and wi-fitness apps are some distance from being the worst generation on the marketplace. Individuals who used healthwireless apps were additionally more likely to apply their leisure time in a health wireless-orientated manner and normal had a lower frame mass index (BMI) than the alternative individuals.6 regardless of whether or now not these apps are completely correct, they do supply user's incentive to make superb way of life wireless. If patients mention the use of a wi-fitness or wi-fitness app, don't discourage them from doing so — however make sure that they're aware of its limitations, must you advise wi-fi apps on your sufferers? May be no longer yet — the era isn't pretty as dependable as it may be, however in some years, those apps ought to turn out to be the usual wireless step for diagnosing and monitoring patient wi-fi.

## VIII. CONCLUSION

In this paper, we reviewed the evolution of the architectures adopted for the remote tracking of glucose and diabetes data during the last few decades. We also illustrated our experiences in developing some telemedicine structures that have been used for overseeing the operation of AP gadgets in adults or youngsters and for centralizing the management of blood glucose infusion prices in preterm newborns dealt with on the NICU. primarily based on the ones reviews, we determined that the integration of portable clinical devices into far flung monitoring architectures poses several issues. We realize that this manner is inherently very long particularly because of the numerous regulatory steps required to make certain its safe use on patients. in view that, at the opposite, the evolution of ICT technology happens at a far faster fee, a likely solution for being a hit with this integration is to consider a few sort of backward compatibility. The technology also facilitates in the modern clinical practice on persistent outpatients, because it lets in remote monitoring by using the caregivers (e.g., kids may be monitored through their parents). Subsequently wireless, the actual-time acquisition of numerous scientific parameters and their comprehensive integration is also important to improve tracking and accelerate treatment actions.

## REFERENCES

- [1] McKinlay, C.J.; Alsweller, J.M.; Ansell, J.M.; Anstice, N.S.; Chase, J.G.; Gamble, G.D.; Harris, D.L.; Jacobs, R.J.; Jiang, Y.; Paudel, N.; et al. Neonatal glycemia and neurodevelopmental outcomes at 2 years. *N. Engl. J. Med.* 2015, 373, 1507–1518.
- [2] Hays, S.; Smith, E.; Sunehag, A. Hyperglycemia is a risk factor for early death and morbidity in extremely low birth-weight infants. *Pediatrics* 2006, 118, 1811–1818.
- [3] Alexandrou, G.; Skiold, B.; Karlen, J.; Tessma, M.; Norman, M.; Aden, U.; Vanpee, M. Early hyperglycemia is a risk factor for death and white matter reduction in preterm infants. *Pediatrics* 2010, 125, 584–591.
- [4] Azar, M.; Gabbay, R. Web-based management of diabetes through glucose uploads: Has the time come for telemedicine? *Diabetes Res. Clin. Pract.* 2009, 83, 9–17.
- [5] Capozzi, D.; Lanzola, G.; on behalf of the AP@home Consortium. Utilizing information technologies for lifelong monitoring in diabetes patients. *J. Diabetes Sci. Technol.* 2011, 5, 55–62.
- [6] Bellazzi, R.; Larizza, C.; Montani, S.; Riva, A.; Stefanelli, M.; D'Annunzio, G.; Lorini, R.; Gomez, E.; Hernando, E.; Bruges, E.; et al. A telemedicine support for diabetes management: The T-IDDM project. *Comput. Method Progr. Biomed.* 2002, 69, 147–161.
- [7] Falasconi, S.; Lanzola, G.; Stefanelli, M. An ontology-based multi-agent architecture for distributed health-care information systems. *Methods Inf. Med.* 1997, 36, 20–29.
- [8] Riva, A.; Bellazzi, R.; Lanzola, G.; Stefanelli, M. A development environment for knowledge-based medical applications on the world-wide web. *Artif. Intell. Med.* 1998, 14, 279–293.
- [9] Klonoff, D.; True, M. The Missing Element of Telemedicine for Diabetes: Decision Support Software. *J. Diabetes Sci. Technol.* 2009, 3, 996–1001.
- [10] Gomez, E.; Hernando, M.; Garcia, A.; Del Pozo, F.; Cermenio, J.; Corcoy, R.; Bruges, E.; De Leiva, A. Telemedicine as a tool for intensive management of diabetes: The DIABTel experience. *Comput. Methods Progr. Biomed.* 2002, 69, 163–177.





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)